

SB 18 Set (602245600) Cordless hammer drill

18V 2x2Ah LiPOWER; Charger ASC 55 (110-120 V / 50 - 60 Hz); Plastic Carry Case; Mobile Workshop

Order no. 602245600

EAN 4007430306630



Product may differ from Image



- Light, compact cordless hammer drill with extremely compact design for versatile use
- Hammer drill function for drilling in masonry
- Mobile workshop: plastic carry case with a wide range of accessories for drilling, screwdriving and more
- Integrated working light to illuminate the contact area
- With handy belt hook and bit case which can be fixed either on the right or left side
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Technical data

Characteristics

| | |
|-----------------------------|-------------------------------|
| Type of battery pack | LiPOWER |
| Battery voltage | 18 V |
| Battery pack capacity | 2 x 2 Ah |
| Maximum torque, soft | 24 Nm / 212 in-lbs |
| Maximum torque, hard | 48 Nm / 425 in-lbs |
| Adjustable torque | 0.5 - 4.5 Nm // 4 - 40 in-lbs |
| Drill-Ø masonry | 10 mm / 3/8 " |
| Drill Ø steel | 10 mm / 3/8 " |
| Drill-Ø soft wood | 20 mm / 3/4 " |
| No-load speed | 0 - 450 / 0 - 1600 rpm |
| Maximum impact rate | 24000 bpm |
| Chuck capacity | 1 - 10 mm // 1/32 - 3/8 " |
| Weight without battery pack | 0.92 kg / 2 lbs |
| Weight with battery pack | 1.3 kg / 2.9 lbs |

Vibration

| | |
|------------------------------|----------------------|
| Drilling in metal | 2.5 m/s ² |
| Uncertainty of measurement K | 1.5 m/s ² |
| Impact drilling concrete | 23 m/s ² |
| Uncertainty of measurement K | 1.5 m/s ² |

Noise emission

| | |
|------------------------------|----------|
| Sound pressure level | 86 dB(A) |
| Sound power level (LwA) | 97 dB(A) |
| Uncertainty of measurement K | 3 dB(A) |

Scope of delivery

Keyless chuck
 Charger ASC 55 "AIR COOLED"
 Plastic carry case
 Accessory set
 Belt hook and bit case
 2 Li-Power battery packs (18 V/2.0 Ah)