

# metabo 10C<sup>YEARS</sup>

www.metabo.com/uk

Building our world. Together.

## Our experience is working for you

#### Over 100 years of experience

Since 1924 we have been working with passion, dynamics, confidence and courage. It all started with our Metallbohrdreher (metal drill), our namesake. From the world's first impact drill to our innovative Metabo Ultra-M battery pack technology: Metabo power tools set standards in terms of productivity, robustness, safety and service.



#### Systemised innovation

In all Metabo machines there are technologies delivering special features: From the Metabo Ultra-M battery technology to the Autobalancer in angle grinders, or the Metabo Quick System, which allows you a tool free change of application and enables you to work quickly and efficiently.



#### Productivity

Our tools feature convincing technical solutions, offering you plenty of benefits. Minimal processing times yield maximum results. This helps you to save valuable time and reduce your costs.



#### Safety

The less time lost due to work related illness, the higher your productivity. Our products offer utmost safety and protection for the user-with this we are setting new standards in the market.



#### Robustness

Metabo's machines and accessories guarantee best guality, absolute reliability and unparalleled service life - for uncompromising high performance even in the harshest of conditions.



#### Service

From application analysis to individual product and system solutions, fast spare parts and repair service: Your workflow is our commitment.



industrial sector.



TOOLS, ACCESSORIES AND SERVICE FROM NÜRTINGEN, GERMANY

In every Metabo tool there is traditional German engineering ingenuity. Since 1924 we have been developing innovative ideas in our Nürtigen plant and have been implementing them into pioneering tools and perfect accessories for

professional users directly on site. Our service, tailor-made to your requirements, also makes us a strong partner for the

**I FAR** 



Steel parts with hardening plant

Mould construction





Assembly



Plastic injection moulding

melabo



Aluminium foundry

Engineering







### **CONTENTS**

Introduction: Metabo	02-03	- 18V Mitre Saws
12 Volt Cordless	05-19	- 18 V Plunge Cut Circular
- 12 V Drill/Drivers & Hammer Drills	06-07	- 18 V Circular Saws
- 12 V Impact Drivers / SDS+ Rotary Hammer	08-09	Accessories - Saw Blades
- 12 V Sabre Saw / Angle Grinder	10-11	Working Trestle / Workbeng
- 12 V Sanders	12-13	- 18 V Framing Nailer
- 12 V Multi-tool & Accessories	14-15	- 18 V Sabre Saws
- 12 V Caulking Gun / LED Lamp	16	- 18 V Jigsaws
- 12 V Combo sets	17-18	- 18 V Planer / Multi-Tools
- 12 V Batteries & Chargers	19	- 18 V Sanders
The Right Battery for the right application?	20-21	- 18 V - 36 V Tablesaws
Cordless Alliance System (CAS)	22-23	- 18 V Dry Wall Screwdrive
Your Perfect System	24-25	- 18 V Paddle Mixer / Heat
LiHD Battery Technology	26-27	- 18 V Caulking Guns
Quick / Quick Plus System Overview	28-29	- 18 V Cordless Vacuums &
- 18 V L Class Combi Drill	30	- 18 V Angle Grinders
- 18 V LT Class Combi Drills	31-32	- 18 V Metal Nibbler and S
- 18 V LTX Class Drill/Drivers / Combi Drills	33-40	- 18 V Die Grinders / Comp
- 18 V LTX Class Combo Sets / kits	41-47	- 18 V Rivet Gun / Rivet Nu
Accessories: Bit / Drill Sets / Hole Saw Sets	48-51	- 18 V Metal Drill / Cordless
Storage Solutions / metaBOX system	52-55	- 18 V Site Lighting / LED L
- 18 V Impact Driver / Wrench	56-65	- 18 V Other Cordless Tools
- 18 V Grease Gun & Accessories	66-68	- 18 V Cordless Garden Ra
- 18 V - 36 V SDS+ Hammers	69-74	Battery pack runtimes at a
Accessories SDS+	75	- 18 V Batteries, Sets & Ch
- 18 V SDS Max Hammer / Accessories	76-77	XXL Warranty / Metabo Fu

- 18V Mitre Saws	78-85
- 18 V Plunge Cut Circular Saw	86
- 18 V Circular Saws	87-90
Accessories - Saw Blades / Guide Rails	91-93
WorkingTrestle / Workbench NEW	94-95
- 18 V Framing Nailer	96-97
- 18 V Sabre Saws	98-101
- 18 V Jigsaws	102-107
- 18 V Planer / Multi-Tools & Accessories	108-113
- 18 V Sanders	114-119
- 18 V - 36 V Tablesaws	120-121
- 18 V Dry Wall Screwdrivers	122-123
- 18 V Paddle Mixer / Heat Gun	124-125
- 18 V Caulking Guns	126
- 18 V Cordless Vacuums & Accessories	127-135
- 18 V Angle Grinders	136-147
- 18 V Metal Nibbler and Shears	148-149
- 18 V Die Grinders / Compressor/ Inflator	150-153
- 18 V Rivet Gun / Rivet Nut Gun	154-155
- 18 V Metal Drill / Cordless Tapper	156-157
- 18 V Site Lighting / LED Lamps	158-162
- 18 V Other Cordless Tools	163-167
- 18 V Cordless Garden Range	168-195
Battery pack runtimes at a glance	196-199
- 18 V Batteries, Sets & Chargers	200-201
XXL Warranty / Metabo Full Service	206-207

Years

### **3 Years warranty**

10CYEARS Building our world. Together

Metabo give you an unlimited charge cycle warranty on your batteries.

The 12 Volt cordless machines from Metabo make everyday work easier. Less weight. More power.



#### The compact class.

#### The small power packs ...

- Slim and compact handle for optimal handling
- Low weight permits longer working, also overhead
- Shorter design makes use in confined spaces easier
- Particularly compact with the Li-Power battery pack

#### ... with plenty of power.

- Unique brushless motor for highest efficiency for any application
- Even more performance thanks to the Metabo LiHD battery pack technology



For more technical information and accessories, see our main catalogue or visit our website: www.metabo.com/uk

### **POWERMAXX BS 12 BL Q PRO PACK!**

- Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Integrated LED work light with night light function for optimal brightness in the work area

#### For more information and technical specifications: see below



#### Scope of delivery



Battery options	Order No.
2 LiHD (12 V/4.0 Ah) + ASC 55 Charger	UK601045801

BRUSHLESS

#### POWERMAXX BS 12 BL Q CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- The Metabo 12 Volt class lightweight, yet powerful
- Metabo Quick System: guick change of bit retainer and bits, for flexible working
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	12 V		Battery options	Order
Maximum torque - soft / hard	18 Nm / 45 Nm		2 LiHD (12 V/4.0Ah) + ASC 55 Charger	601039
Drill Ø steel / softwood	10 mm / 25 mm		Body only + metaBOX 118	601039
No load speed	0-500 / 0-1650 rpm	'	_	

10CYEARS Building our world. Togethe

#### POWERMAXX BS 12 BL Q Scope of delivery

Quick change chuck, Belt hook and bit holder, metaBOX 118

Full Service price group FS2

#### POWERMAXX BS 12 CORDLESS DRILL/SCREWDRIVER

- Light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class lightweight, yet powerful
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30	601036590
Body only + metaBOX 118	601036840

#### POWERMAXX BS 12 Scope of delivery

Keyless chuck, Belt hook and bit holder, metaBOX 118





Full Service price group FS1

#### POWERMAXX BS 12 Q CORDLESS DRILL/SCREWDRIVER

- Light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class lightweight, yet powerful
- Metabo Quick System: guick change of bit retainer and bits, for flexible working

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options Order No. 2 x 12 V 2.0Ah Li-Power + SC30 + metaBOX 118

601037500

#### POWERMAXX BS 12 Q Scope of delivery

Quick-change chuck, Belt hook and bit holder, metaBOX 118



Full Service price group FS1

#### **POWERMAXX SB 12 BL CORDLESS HAMMER DRILL**

- Brushless hammer drill with compact design for universal and demanding applications
- The Metabo 12 Volt class lightweight, yet powerful
- Hammer drill function for drilling in masonry

Battery pack voltage	12 V
Maximum torque - soft / hard	18 Nm / 45 Nm
Drill Ø masonry / steel	10 mm / 10 mm
Drill Ø steel / softwood	25 mm

#### POWERMAXX SB 12 BL Scope of delivery

Keyless chuck, Belt hook and bit holder, metaBOX 118

Full Service price group FS1

Order No.

601077800

601077840



Battery options

2 x LiHD (12V 4.0Ah) + ASC 55

Body only + metaBOX 118





#### POWERMAXX SSD 12 BL CORDLESS IMPACT DRIVER

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- The Metabo 12 Volt class lightweight, yet powerful
- Compact cordless impact driver for tough applications
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	12 V
Maximum torque	140 Nm
Speed/torque levels	2
Bit retainer	Hexagon recess 1/4" 6.35mm

#### POWERMAXX SSD 12 BL Scope of delivery

Belt hook and bit holder, metaBOX 118

Battery options	Order No.
Body only + metaBOX 118	601115840



Full Service price group FS2



#### POWERMAXX BH 12 BL 16 CORDLESS ROTARY HAMMER

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	12 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	1.8 kg

#### PowerMaxx BH 12 BL 16 Scope of delivery

Side handle, Drilling depth guide, metaBOX 145, without battery pack, without charger

	Order No.
Body only + metaBOX 145 60	00207840

\* See page 19 for Battery Set options







#### **POWERMAXX SSE 12 BL CORDLESS SABRE SAW**

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- The Metabo 12 Volt class lightweight, yet powerful
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades

10CYEARS Building our world. Togethe

Battery pack voltage	12 V
Strokes in idle	0 - 3,000 rpm
Saw blade stroke	16 mm
Weight	1.6 kg

#### POWERMAXX SSE 12 BL Scope of delivery

Sabre saw blade for wood and metal, metaBOX 145, without battery pack, without charger




Full Service price group FS3



5 x sabre saw blades sheet metal series "flexible"





Order no. 628265000 metabo .....

#### **POWERMAXX CC 12 BL CORDLESS ANGLE GRINDER**

Very handy tool with maximum working comfort for many applications

- Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- The Metabo 12 Volt class lightweight, yet powerful
- Powerfull brushless motor for quick work progress and highest efficiency
- Overload protection: protects the motor from overheating

Battery pack voltage	12 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight	0.8 kg

#### POWERMAXX CC 12 BL Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox, 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, metaBOX 145, without battery pack, without charger







 Battery options
 Order No.

 Body only + metaBOX 145
 600348840

 \* See page 19 for Battery Set options

melabo

BRUSHLESS

## Handy. Light. Cordless.



#### POWERMAXX SXA 12-125 BL CORDLESS RANDOM ORBITAL SANDER

Extremely light, compact cordless random orbital sander of the 12 volt class, ideal also for working overhead

10CYEARS Building our world Together

- Comfortable guidance of the sander close to the surface thanks to the low overall height
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Soft start minimises surface damage when placing the machine on the work surface

Battery pack voltage	12 V
Diameter of backing pad	125 mm
No-load speed	4000 - 10000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.4 kg

Battery options	Order No.	
Body only + metaBOX 215	602035840	

\* See page 19 for Battery Set options

Full Service price group FS3



12 V

#### PowerMaxx SXA 12-125 BL Scope of delivery

Sanding pad "multi-hole" with hook and loop, 1 Hook and loop sanding sheet P 120 wood and metal "professional", Protector Ø 125 mm, Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger

#### POWERMAXX SRA 12 BL CORDLESS ORBITAL SANDER

- Extremely light, handy cordless orbital sander of the 12 Volt class, ideal for effective sanding of small areas.
- Comfortable guidance close to the surface thanks to the low overall height.
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal

Battery pack voltage	12 V
Base plate	80 x 133 mm
Orbital frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.4 kg

		No no no
Battery options	Order No.	
Body only + metaBOX 215	602036840	
* See page 19 for Battery Set options		



Base plate 80x133 mm with hook and loop, Protector 80x133 mm, 1 Hook and loop sanding sheet P 120 wood and metal "professional" (80x133 mm), Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger

Full Service price group FS1

#### **POWERMAXX SMA 12 BL CORDLESS ORBITAL SANDER**

- Extremely light, handy cordless orbital sander of the 12 Volt class, ideal for effective sanding of small areas.
- Comfortable guidance close to the surface thanks to the low overall height.
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal

Order No.

602037840

Battery pack voltage	12 V
Base plate	100 x 150 mm
Orbital frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.4 kg



#### PowerMaxx SMA 12 BL Scope of delivery

Base plate 190x150 mm with hook and loop, Protector 100x150 mm, 1 Hook and loop sanding sheet P 120 wood and metal "professional", Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger

13

Full Service price group FS2

Body only + metaBOX 215

\* See page 19 for Battery Set options

Battery options



#### POWERMAXX MT 12 CORDLESS MULTI-TOOL

- Compatible with OIS, Starlock and other accessories
- Optimal handling minimum weight, slim design and non-slip softgrip surface
- Indispensable in interior development for cutting, sanding, scraping and grating of different materials

10CYEARS Building our world, Together,

- High performance comparable to a mains-powered tool
- Extra bright LED lights for good visibility of the working area

Battery pack voltage	12 V
Oscillation angle left/right	1,6 °
Orbital frequency from-to	7.500 – 18.000 /min
Weight (without battery pack)	0.8 kg

#### PowerMaxx MT 12 scope of delivery

Plunge saw blade 34 mm wood/metal, Triangular hook and loop sanding plate 93mm, 5x hook and loop sanding sheets 93 mm P 80, 5x hook and loop sanding sheets 93 mm P 120, metaBOX 145 L without battery pack, without charger

Battery options	Order No.	
Body only + metaBOX 145 L	613089840	5

\* See page 19 for Battery Set options

Full Service price group FS3



#### Multi-tool blades & accessories (Compatible with OIS and Starlock)

	Description	Order No.
	Segment saw blade 88 mm HM tiles	626970000
	Segment saw blade 88 mm HCS wood	626975000
	Triangular sanding plate carbide joint/filler	626971000
300	Rigid scraper 52 mm HCS	626972000
	Plunge saw blade 34 mm HCS wood	626973000
	Plunge saw blade 34 mm BiM metal	626974000
্য জন	Plunge saw blade 34 mm BiM wood + metal	626976000







#### **KPA 12 600 CORDLESS CAULKING GUN**

- The Metabo 12 Volt class lightweight, yet powerful
- High discharge force for processing of all standard materials for sealing and gluing
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack

Battery pack voltage / type	12 V LiHD	Concession in which the
Discharge pressure	4400 N	malaha)
Holder size	600 ml	
Feed rate in idle	1.5 -10 mm/s	
Suitable for	Cartridges / Foil bag	

#### KPA 12 600 Scope of delivery

600 ml **+ 400 ml** tubes Push plate for foil bag Push plate for cartridges without battery pack, without charger

Battery options	Order No.
Body only	601218850

\* See page 19 for Battery Set options

Full Service price group FS4

#### **POWERMAXX ULA LED**

- Powerful LED portable lamp for uniform, bright illumination of the working area
- The Metabo 12 Volt class lightweight, yet powerful
- Very good illumination thanks to the high-performance Power-LED
- Lamp head can be tilted and locked in 12 positions

Max. luminous flux	210 lm
Max. operation time per battery charge	12 V / 2.0 Ah: 6.2 h 12V LiHD 4.0 Ah: 12.4 h
Weight (without battery pack)	0.26 kg

POWERMAXX ULA LED Scope of delivery

without battery, without charger

Battery options	Order No.
Body only	600788000

\* See page 19 for Battery Set options



#### COMBO SET 2.7.1

- PowerMaxx BS 12 + PowerMaxx SSD 12
- Cordless impact driver PowerMaxx SSD 12: compact cordless impact driver for tough applications
- Cordless Drill/Screwdriver PowerMaxx BS 12: light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class lightweight, yet powerful
- Battery packs with capacity display for checking the charge status
- With metaBOX, the intelligent solution for transport and storage



#### Scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L  $\,$ 

#### Order No. 685166590

Full Service price group FS1 + FS1



#### **CORDLESS TOOLS 12 V** COMBO SETS

#### **CORDLESS TOOLS 12 V BATTERIES & CHARGERS**

#### COMBO SET 2.7.4

- PowerMaxx BS 12 BL Q + PowerMaxx SSD 12 BL BRUSHLESS
- Cordless impact driver PowerMaxx SSD 12 BL: compact cordless impact driver for tough applications
- Cordless Drill/Screwdriver PowerMaxx BS 12 BL Q: Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- The Metabo 12 Volt class lightweight, yet powerful
- With metaBOX, the intelligent solution for transport and storage



#### Scope of delivery

Keyless chuck, Belt hook and bit case, 1 x Li-Power battery pack (12 V/2.0 Ah), 1 x LiHD battery pack (12 V/4.0Ah) Charger SC 30, metaBOX 145 L

Order No. 685164590

Full Service price group FS2 + FS2





Accessory	Order No.
PowerMaxx 12 V Adapter (compatible with PowerMaxx 10.8V tools)	625225000



#### The Metabo Quick system: Versatile and convenient

600298000

#### Quick and efficient working

Power Adapter

PowerMaxx PA 12 LED-USB

Thanks to a tool free system enabling a quick change from drill chuck to angle attachment or to bit retainer for different applications with the same machine.

Quick change bit holder »Quick« order no. 6.27241




19



10 mm guick change drill chuck Futuro Plus »Quick«

order no. 6.27259



Quick change angle adapter PowerMaxx BS

»Quick«





**L** HD

# The right **18V BATTERY** for the right application



100% Compatibility
 All battery packs are compatible with all existing and future Metabo & CAS Partners
 18V tools and chargers.

#### LIHD - HIGH-POWERED, WITHOUT THE CABLE.

The powerful cells in Metabo LiHD battery packs deliver enough power for handling even the toughest applications with no cables.

Thanks to LiHD technology, Metabo is the world's only manufacturer to cover the entire power range up to 3,200 watts.

Maximum power, available for an extremely long time – for any application.


metabo





100% compatibility for over 300 machines in the 18 V class!

The Cordless Alliance System (CAS) makes you **independent from the wall socket!** Profit from **problem-free compatibility** for **machines**, **battery packs and chargers** of different manufacturers. This permits a number of professional applications also with cordless tools – from standard to special tasks.



## **30 brands - 300 machines - 1 battery pack**

One battery, many solutions. Cross-brand. 100% Compatibility.





One battery interface - more than 300 machines. From different manufacturers. With CAS, professionals can switch between the manufacturers without having to purchase a new battery pack or charger. To find out more visit: www.cordless-alliance-system.com



CAS assembles the various companies with very different target groups under one roof. The press machines from **Rothenberger**, for example, are the ideal tool for the work of fitters, heating engineers, refrigeration and air-conditioning technicians or service technicians.

## A system with great user benefit

# YOUR PERFECT SYSTEM





#### Ultra M Technology For perfect communication between machine, battery pack and charger



WARRANTY

#### 100% Compatibility

All Metabo "slide style" battery packs are forward and backward compatible. Yesterday, today and in the future

#### **3 Years warranty**

3 year warranty on machine, chuck, charger and batteries. Metabo give you a unlimited charge cycle warranty on your batteries.









## LiHD – The most powerful battery pack technology in the world!

Thanks to LiHD technology, Metabo is the only manufacturer in the world to cover the entire power range – from 400 to 3,200 Watt – from standard machines to unique system solutions. Applications previously reserved for only the most powerful mains powered machines can now be handled cordlessly. It is the combination of many different components that offer added power, service life, and runtime.

The LiHD battery packs are now available in 12V with 4.0 Ah and in 18V with 4.0 Ah, 5.5 Ah, 8.0 Ah and 10.0 Ah.

## **Powerful**

The combination of new high-performance battery cells and completely re-developed components within the **LiHD** battery pack ensures maximum power availability over an extremely long run time.

12 V





4.0 Ah **Compact and strong** 



5.5 Ah Maximum performance



8.0 Ah / 10.0 Ah Maximum performance maximum runtime

## Leading technology.

### More power

with LiHD cell technology in combination with a newly developed battery pack

- Enlarged power rails and contacts capable of handling high currents
- 3x better conductivity with cell connectors made of a specialized copper alloy

### More runtime

- More active material in the cell
- Use of high quality materials (silver and copper)



and extreme robustness:

- Optimal protection against internal contamination with fully encapsulated cast design and full protective coating of electronics, as well as optimal gasket in the cover structure
- Protection of the cells with rubber pads
- Less frequent charging due to more usable cell energy
- Exterior rubber coating on the battery pack provides a secure, non-slip grip and also serves as shock protection

#### **QUICK / QUICK PLUS SYSTEM OVERVIEW** L, LT, LTX

Efficient and flexible working with the quick-change system »Quick« and »QuickPlus«

- Versatile and comfortable  $\checkmark$
- Change from drilling to screwdriving in a matter of seconds
- **Tool-free**  $\checkmark$



The »Quick« system for all L, LT, and LTX drills/screwdrivers and hammer drills with the addition »quick«. The bit retainers are designed for the performance classes and application areas of the respective machines.



The new »QuickPlus« system for the new LTX-3-speed drills/screwdrivers and hammer drills with the addition »quick«. The bit retainers are designed for extremely demanding applications with particularly high torques.



10CYEARS Building our world. Together

 $\overline{\otimes}$ 8 LTX-3 Off-set attachment »Quick« Quick-change chuck 1 Order no. 627343000 Futuro Top R+L »QuickPlus« Order no. 627197000 Quick-change holder for bits and socket wrenches »QuickPlus« NEW Order no. 627341000 Quick-change chuck Futuro Plus S1 M »QuickPlus« Order no. 627189000 Torque setting adapte PowerX3 Order no. 627256000 Quick-change angle adapters »Quick« Order no. 627242000 NO COMPATIBLE WITH  $\overline{\otimes}^{\bullet}$ QUICK PLUS SYSTEM Torque setting adapte Quick-change chuck Futuro Plus S 1 M/HM, »Quick« PowerX3 DC Order no. 627232000 Order no 627203000 Quick-change chuck Futuro Plus S 1 M, »Quick Quick-change bit holder »Quick« Order no. 627241000 Order no. 627240000 Quick-change geared chuck »Quick« Order no. 627238000 Quick change tapping chuck Quick-change bit holder Quick-change angle adapters »Quick« M4-M6 627235000 »Quick« M8-M12 627237000 Order no. 627241000 Order no. 627077000  $\overline{\otimes}^{\bullet}$ Quick-change chuck Futuro Plus H 1 R+L, »Quick« Quick-change bit holder Quick-change angle adapters Off-set attachment »Quick« »Quick« + PowerMaxx »Quick« Order no. 627241000 Order no. 627261000 Order no. 627234000 Order no. 627259000

\*only for tappers





LIGHT DUTY for everday applications Light / medium duty Bench top assembly drill Light / compact

#### **SB 18 L CORDLESS HAMMER DRILL**

- Powerful, compact hammer drill with extremely compact design
- Hammer drill function for drilling in masonry
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - soft / hard	25 Nm / 50 Nm
Drill Ø masonry / steel	10 mm / 10 mm
Drill Ø softwood	20 mm
No-load speed	0 - 450 / 1800 rpm
Chuck capacity	1,5 - 13 mm

#### SB 18 L Standard scope of delivery

Keyless chuck, Belt hook and bit holder, 2 Li-Power battery packs (18 V/2.0 Ah) Charger SC 60 Plus, metaBOX 145



Order No.

602317580

Order No.

613157500

613157840



NEW

BRUSHLESS

#### SB 18 L BL CORDLESS HAMMER DRILL

- Metabo's smallest 18 volt hammer drill with powerful brushless performance for all standard drilling and screwdriving applications
- Hammer drill function for drilling in masonry
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V	
Maximum torque - soft / hard	28 Nm / 65 Nm	
Drill Ø masonry / steel	13 mm / 13 mm	
Drill Ø softwood	40 mm	
No-load speed	0 - 500 / 1700 rpm	
Chuck capacity	1,5 - 13 mm	

#### SB 18 L BL Standard scope of delivery

Keyless chuck, Belt hook and bit holder, 2 Li-Power battery packs (18 V/2.0 Ah) Charger SC 60 Plus, metaBOX 145



10CYEARS Building our world. Together

Full Service price group FS2



- MEDIUM DUTY for demanding applications Medium / heavy duty
- Building tradeInterior renovation
- Metal work (LT-BL)

#### SB 18 LT BL CORDLESS HAMMER DRILL

- Brushless hammer drill with compact design for universal and demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving



Battery pack voltage	18 V
Maximum torque - soft / hard	34 Nm / 60 Nm
Drill Ø masonry	13 mm
Drill Ø steel / softwood	13 mm / 38 mm
No load speed	600 / 0 - 2100 rpm

#### SB 18 LT BL Scope of delivery

Keyless chuck, Belt hook with bit holder, 2 x LiHD 18V 4.0Ah battery packs, Charger ASC 55 "AIR COOLED", metaBOX 145

Battery options	Order No.
2 x <b>LiHD</b> 18V / 4.0Ah	602316800
Body only plus metaBOX 145	602316840



Full Service price group FS3



melobo



#### CORDLESS TOOLS 18 V - LTX CLASS DRILL DRIVERS / HAMMER DRILLS

SE 18 LTX BL

metabo CAS

33



#### SB 18 LT CORDLESS HAMMER DRILL

- Powerful Metabo 4-pole motor for fast drilling and screwdriving
- High-performance hammer mechanism for optimum drilling performance
- Integrated working light to illuminate the contact area
- Handy belt hook, can be fixed either on the right or left side
- With metaBOX, the intelligent solution for transport and storage

Battery pack voltage	18 V	
Maximum torque - soft / hard	34 Nm / 60 Nm	
Drill Ø masonry	13 mm 🥌	2
Drill Ø steel / softwood	13 mm / 38 mm	
No load speed	0 - 450 / 0 - 1600 rpm	

#### SB 18 LT Scope of delivery

Keyless chuck, Belt hook and bit holder, metaBOX 145, without battery pack, without charger



\* See page 201 for Battery Set options

Full Service price group FS3



melab



#### HEAVY DUTY

with reserve power to go beyond Heavy duty with control Construction & trade Extreme speed Metal work (LTX-BL)

YEARS

## For maximum performance into metal



## metabo 10C<sup>YEARS</sup>

#### BS 18 LTX-3 BL Q I METAL CORDLESS HAMMER DRILL

- Brushless 3-speed drill/screwdriver with maximum power: ideal for demanding metal applications
- Extremely powerful chuck with re-tensioning function against slipping of the bit and high degree of concentricity
- Third speed setting with high torque (max. 4,000/min) for extended range of application and even faster drilling progress, especially in metal

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 nm
Adjustable torque	1-18 Nm
Drill Ø steel	16 mm
Drill Ø soft wood	68 mm

#### BS 18 LTX-3 BL Q I Metal Scope of delivery

Futuro Top quick-change chuck "QuickPlus" Side handle, C-wrench, 2 LiHD battery packs (18 V/5.5 Ah) Charger ASC 145 "AIR COOLED", metaBOX 145 L

Battery options	Order No.
2 x 18 V LiHD 5.5Ah, ASC 145	UK603180661
Body only + metaBOX 145 L	603180840

\* See page 201 for Battery Set options

Full Service price group FS4



#### BS 18 LTX-3 BL Q I CORDLESS HAMMER DRILL

- Brushless 3-speed drill/screwdriver with maximum power: ideal for demanding metal applications
- Third speed setting with high torque (max. 4,000/min) for extended range of application and even faster drilling progress, especially in metal
- Metabo Quick System: quick change of bit retainer and bits, for flexible working with maximum load
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Adjustable torque	1-18 Nm
Drill Ø steel	16 mm
Drill Ø soft wood	68 mm

#### BS 18 LTX-3 BL Q I Scope of delivery

Keyless chuck, Side handle, Belt hook and bit holder, 2 LiHD battery packs (18 V/5.5 Ah) Charger ASC 145 "AIR COOLED," metaBOX 145 L

Battery options	Order No.
2 x 18 V LiHD 5.5Ah, ASC 145	UK603184661
Body only + metaBOX 145 L	603184840

\* See page 201 for Battery Set options Full Service price group **FS4** 





35

## Safe. Powerful. Fast. 18V



#### BS 18 LTX BL Q I CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with maximum power for demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

10CYEARS Building our world. Together

Electronic safety shutdown: no kickback if the drill bit stops unexpectedly - for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	68 mm

#### BS 18 LTX BL Q I Scope of delivery

Quick-change chuck, Quick-change bit holder Side handle, Belt hook and bit holder, metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602359840

\* See page 201 for Battery Set options



Full Service price group FS4



#### BS 18 LTX-3 BL Q I CORDLESS DRILL/SCREWDRIVER

- Brushless 3-speed drill/screwdriver with maximum power for demanding applications
- Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Precision Stop: electronic torque control with increased precision for accurate and intricate working
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life



Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Drill Ø steel	13 mm
Drill Ø concrete	16 mm
Drill Ø soft wood	65 mm

#### BS 18 LTX-3 BL Q I Scope of delivery

Quick-change chuck, Quick-change bit holder, Side handle Belt hook and bit holder, metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602355840

\* See page 201 for Battery Set options

Scope of delivery





Full Service price group FS4



Quick-change hexagonal bit holder 1/4" (see page 29)



Quick angle attachment (see page 29)



 PowerX3 torque adaptor enables the torque of the machine to be tripled (see page 29)





#### SB 18 LTX CORDLESS HAMMER DRILL

- Selectable ""Impulse"" mode for removal of stubborn screws and for spot drilling on smooth surfaces
- Powerful Metabo 4-pole motor for fast drilling and screwdriving
- High-performance impact mechanism for optimum drilling performance

Battery pack voltage	18 V
Maximum torque - Soft / Hard	55 Nm / 110 nm
Pulse torque	60 Nm
Drill Ø masonry	16 mm
Drill Ø steel / soft wood	13 mm / 65 mm

#### SB 18 LTX Scope of delivery

Futuro Plus keyless chuck with metal sleeve Side handle, Belt hook and bit holder 2 Li-Power battery packs (18 V/4.0 Ah) Charger ASC 55 "AIR COOLED," metaBOX 145 L

Battery options	Order No.
2 x 18 V 4.0Ah Li-Power	602192580
Body only + metaBOX 145 L	602192840

\* See page 201 for Battery Set options

Full Service price group FS3

#### SB 18 LTX BL I CORDLESS HAMMER DRILL

- Brushless hammer drill with maximum power for demanding applications
- Hammer drill function for drilling in masonry
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Precision Stop: electronic torque control with increased precision for precise, delicate working
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Drill Ø steel / soft wood	13 mm / 68 mm
Drill Ø masonry	16 mm
No-load speed	0 - 550 / 0 - 2000 / rpm

#### SB 18 LTX BL I Scope of delivery

Keyless chuck, Side handle, Belt hook and bit holder, 2 Li-Power battery packs (18 V/5.2 Ah) Charger ASC 55 "AIR COOLED" metaBOX 145 L

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	602360590
Body only + metaBOX 145 L	602360840

\* See page 201 for Battery Set options

Full Service price group FS4



10CYEARS Building our world Together





**Safety is important to us!** No kick-back of the machine when the tool jams due to new gyroscope sensor.

#### SB 18 LTX BL Q I CORDLESS HAMMER DRILL

- Brushless hammer drill with maximum power for demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - Soft / Hard	65 Nm / 130 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	68 mm

#### SB 18 LTX BL Q I Scope of delivery

Quick-change chuck, Side handle, Belt hook and bit holder, metaBOX 145 L  $\,$ 

Battery options	Order No.
Body only + metaBOX 145 L	602361840

\* See page 201 for Battery Set options



Full Service price group FS4

BRUSHLESS

#### CORDLESS TOOLS 18 V - LTX CLASS DRILL DRIVERS

#### SB 18 LTX-3 BL Q I CORDLESS HAMMER DRILL

- Brushless 3-speed hammer drill with maximum power for demanding applications
- Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Precision Stop: electronic torque control with increased precision for precise, delicate working

3 speed gearbox

- High-performance impact mechanism for optimum drilling performance
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- With handy belt hook and bit case which can be fixed either on the right or left side

18 V

13 mm

16 mm

65 mm

60 Nm / 120 Nm

0 - 500 / 0 - 2050 / 0- 3800 min



Quick-change hexagonal bit holder 1/4" (see page 29)



1/4" hexagonal recess in spindle



PowerX3 torque adaptor enables the torque of the machine to be tripled (see page 29)

#### SB 18 LTX-3 BL Q I Scope of delivery

Quick-change chuck, Quick-change bit holder Side handle, Belt hook and bit holder, metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602357840

\* See page 201 for Battery Set options

BRUSHLESS

Battery pack voltage


Drill Ø steel

Drill Ø masonry

Drill Ø soft wood

No-load speed

Maximum torgue - Soft / Hard



abo melabo





#### COMBO SET 2.9.3

#### BS 18 LT BL + SSW 18 LT 300 BL

- Cordless impact wrench SSW 18 LT 300 BL: Compact cordless impact wrench with 1/2" male square and 300 Nm
- Cordless drill/screwdriver BS 18 LT BL: brushless drill/screwdriver with optimal power for the toughest applications

## BRUSHLESS

#### COMBO SET 2.9.3 scope of delivery

Cordless drill/screwdriver BS 18 LT BL, cordless impact wrench SSW 18 LT 300 BL, 2 Li-power battery packs (18 V/5.2 Ah), charger ASC 55, MetaBOX 145 L

#### Order No. 685203590





Full Service price group FS4 + FS4

#### COMBO SET 2.8.8 SB 18 LT BL + SSD 18 LT 200 BL

Cordless impact driver SSD 18 LT 200 BL: Compact cordless impact driver with 1/4" hexagon recess and 200 Nm

Cordless hammer drill SB 18 LT BL: brushless cordless hammer drill with optimal power for the demanding applications

### BRUSHLESS

#### COMBO SET 2.8.8 scope of delivery

Cordless hammer drill SB 18 LT BL, cordless impact driver SSD 18 LT 200 BL, 2 Li-power battery packs (18 V/5.2 Ah), charger ASC 55, metaBOX 145 L

#### Order No. 685200590





#### **CORDLESS KITS 18 V - LTX CLASS**

## metabo

#### COMBO SET 2.1.15 (LI-POWER)

#### SB 18 LTX BL I + SSD 18 LTX 200 BL

- Cordless Hammer Drill SB 18 LTX BL I: brushless hammer drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum
  efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee



#### COMBO SET 2.1.15 (Li-Power) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Brushless Impact Driver SSD 18 LTX 200 BL, 2 Li-Power Battery Packs (18 V/4.0 Ah), Charger ASC 55, metaBOX 145 L

Order No. 685184580



Full Service price group FS4 + FS4

#### COMBO SET 2.1.10 (LiHD)

#### SB 18 LTX BL Q I + SSD 18 LTX 200 BL



BRUSHLESS

- Cordless Hammer Drill SB 18 LTX BL Q I: brushless hammer drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application

10CYEARS Building our world. Togethe

- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

#### COMBO SET 2.1.10 (LiHD) scope of delivery

Cordless Hammer Drill SB 18 LTX BL Q I, Cordless Impact Driver SSD 18 LTX 200 BL, 2 LiHD Battery Packs (18V/10.0 Ah), Charger ASC 145, metaBOX 145 L

#### Order No. UK685184510



Full Service price group FS4 + FS4



#### COMBO SET 2.1.15 (LiHD)

#### SB 18 LTX BL I + SSD 18 LTX 200 BL



- Cordless Hammer Drill SB 18 LTX BL I: brushless hammer drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

#### COMBO SET 2.1.15 (LiHD) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Impact Driver SSD 18 LTX 200 BL, 2 LiHD Battery Packs (18V/5.5 Ah), Charger ASC 145, metaBOX 145 L

#### Order No. 685184590





Full Service price group FS4 + FS4

#### COMBO SET 2.5.2 (LI-POWER)

BS 18 LT BL + BH 18 LTX BL 16



- Cordless drill/screwdriver BS 18 LT BL: Brushless drill/screwdriver with optimal power for the toughest applications. With practical belt hook and bit holder, can be fixed either on the right or left.
- Cordless rotary hammer BH 18 LTX BL 16: Very lightweight, compact cordless hammer with Brushless motor for low-fatigue drilling in any working position. Maximum drilling output, efficiency and service life thanks to Brushless technology and high-performance hammer action, rotary hammer with 2 functions: hammer drilling and drilling.
- Metabo VibraTech (MVT): Low-fatigue working that is easy on the user's health even in continuous mode.
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving

#### COMBO SET 2.5.2 scope of delivery

Cordless rotary hammer BH 18 LTX BL 16, side handle, drill depth guide, cordless drill/ screwdriver BS 18 LT BL, keyless chuck, belt hook and bit case, 1 x battery pack Li-power (18 V/2.0 Ah), 1 x battery pack Li-power (18 V/4.0 Ah), charger ASC 55, metaBOX 145 L

#### Order No. 685182000





#### CORDLESS KITS 18 V





#### Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)



Full Service price group FS4 + FS4

METLTBL3.1 UK685200003



#### Scope of delivery


SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) KH 18 LTX BL 24 Combination Drill (601713840) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





10 CYEARS Building our world, Together,

Full Service price group FS4 + FS4



## BRUSHLESS

#### Scope of delivery

METLTXBL4.1

UK685100004

SB 18 LTX BL Q I Cordless Hammer Drill (602361840 SSD 18 LTX 200 BL Impact Driver (602396840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (60037000) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

#### METLTXBL3.1

UK685100003

BRUSHLESS

#### Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) KH 18 LTX BL 24 Q Combination Drill (601714840) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)



Vears



#### **CORDLESS KITS 18 V**





#### Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)



Full Service price group FS4 + FS4

METLTBL3.1 UK685200003



#### Scope of delivery

SB 18 LT BL Cordless Hammer Drill (602316840) SSD 18 LT 200 BL Impact Driver (602397840) KH 18 LTX BL 24 Combination Drill (601713840) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

#### METLTXBL4.1

UK685100004



#### Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840 SSD 18 LTX 200 BL Impact Driver (602396840) WB 18 LT BL 11-125 Q Angle Grinder (613054840) SLA 14.4-18 LED Inspection Lamp (600370000) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)





Full Service price group FS4 + FS4

#### METLTXBL3.1

UK685100003

**BRUSHLESS** 

#### Scope of delivery

SB 18 LTX BL Q I Cordless Hammer Drill (602361840) SSD 18 LTX 200 BL Impact Driver (602396840) KH 18 LTX BL 24 Q Combination Drill (601714840) Quick Angle Attachment (627242000) 3 x 5.2Ah Li-Power Battery Pack (625028000) 1 x ASC 145 Charger (627379000)



#### 32 pce Bit-Box "Promotion"

PH1, PH2 x 2, PH3
PZ1, PZ2x2, PZ3
SL3, SL4, SL5, SL6
H3, H4, H5, H6
T10, T15, T20, T25, T27, T30, T40
T10, T15, T20, T25, T27, T30, T40
1 x adapter, 1 x magnetic bit holder 65 mm

15 pce Bit-Box "Promotion"

PH1, PH2

PZ1, PZ2

SL4, SL6 H3, H4, H5

T10, T15, T20, T25, T30

1 x magnetic bit holder

Coloured-coded bits; magnetic quick change adapter, with adapter for spanner sockets (socket adapter)

Consisting of S 2 bits, L 25 mm

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic

quick change adapter

Order No. 626703000

Order No. 626700000





#### 26 pce Bit & ratchet set "Promotion"

PH1, PH2, PH3
PZ1, PZ2, PZ3
SL4, SL5.5, SL6.5
H3, H4, H5, H6
T10, T15, T20, T25, T30
6 x chuck key: 1/4", 6 mm, 7 mm, 8 mm 10 mm, 13 mm,; 1 x extensions, 1 x ratchet

#### 56 pce Bit-Box "Promotion"

S 2 bits, L 25 mm		
Γ	PH1 x 3, PH2 x 3, PH3 x 3	
	PZ1 x 3, PZ2 x 3, PZ3 x 3	
	SL4 x 2, SL5 x 2, SL6 x 2	
	H3, H4, H5	
	T10 x 2, T15 x 2, T20 x 2, T25 x 2 , T27 x 2, T30 x 2, T40 x 2	
Γ	T10, T15, T20, T25, T27, T30, T40	
	1 x magnetic quick change bit holder	
_		

#### 71 pce Bit-Box "Promotion"

S 2 bits, L 25 mm		
PH1 x 3, PH2 x 6, PH3 x 3		
PZ1 x 3, PZ2 x 6, PZ3 x 3		
SL4 x 3, SL6 x 3		
H4 x 3, H5 x 3, H6 x 3		
T10 x 3, T15 x 3, T20 x 3, T25 x 3 , T27 x 3, T30 x 3, T40 x 3		
1 x magnetic quick change bit holder; 1 x magnetic bit holder		

Consisting of S 2 bits, L 25 mm Coloured-coded bits; high-gulaity

Coloured-coded bits;

magnetic guick

change adapter,

with adapter for

sockets (socket

wrench adapter)

Coloured-coded bits; magnetic quick

change adapter + bit holder

ratchet; socket spanner made from chrome vanadium steel

Order No. 626701000

L 75 mm

SL6

PH2, PH3

PZ1, PZ2

T20, T25

L 75 mm PH1, PH2, PH3

PZ1, PZ2

SL4, SL6

T20, T25

Order No. 626704000

10CYEARS Building our world. Together

Order No. 626702000







#### 55 pce Accessory set "Promotion"

HSS-TiN drill bits for metal

Ø 6 mm x 2: Ø 6.5 mm x 1

Carbide masonry drill bit Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 2 Ø 7 mm x 1; Ø 8 mm x 1; Ø 10 mm x 1

Ø 8 mm x 1; Ø 10 mm x 1

CV wood drill bit

Flat timber drill bit Ø 16 mm x 1: Ø 22 mm x 1

Order No. 626706000

Ø 1.5 mm x 2; Ø 2 mm x 2; Ø 2.5 mm x 1

Ø 4.5 mm x 1; Ø 5 mm x 1; Ø 5.5 mm x 1

Ø 3 mm x 2; Ø 3.5 mm x 1; Ø 4 mm x 1

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 1

S 2 bits. L=25 mm

Phillips: PH1, PH2 x 2, PH3
Pozidriv: PZ1, PZ2x2, PZ3
Slotted: SL4, SL6, SL7
Hexagon: H3, H4, H5, H6
Torx: T15, T20, T25

1 x template, 1 x spatula, 1 x magnetic bit holder, 1 x countersink, 1 x socket wrench adapter

Order No. 626707000

#### Masonry drill bit storage case

#### "Promotion" 8 pce



### 55 pce Accessory set "Promotion"

S 2 bits (L=25 mm) 32 pieces

	Phillips: 0/ 1/1 /2/2 /3/3
	Pozidriv: 0/ 1/1 /2/2 /3/3
	Slotted: 3 / 4/4 / 6/6
	Hexagon: 3/ 4/ 5/5/ 6
	Torx: 10/ 15/15/ 20/20/ 25/ 30
s	2 bits (L=50 mm) 8 pieces
	Phillips: 1/ 2/ 3
	Pozidriv: 1/ 2/ 3
	Torx: 15 /20
	Socket wrenches (8 pieces): 5.0/ 6.0/ 7.0/ 8.0/ 9.0/ 10.0/ 11.0/ 12.0 mm

Order No. 626708000



#### Wood drill bit storage case

#### "Promotion" 8 pce



8-piece, wood spiral drill bit made of high-grade chrome vanadium steel. hardened, with centring point. For use in plywood, chipboards etc.

Ø 3 / 4 / 5 / 5,5 / 6 / 7 / 8 / 10 mm

Order No. 626705000

HSS-TiN drill bits (14 pieces): Ø 1.5 mm x 2; Ø 2.0 mm x 2; Ø 2.5 mm x 1;

Ø 3.0 mm x 2; Ø 3.5 mm x 1; Ø 4.0 mm x 1; Ø 4.5 mm x 1; Ø 5.0 mm x 1; Ø 5.5 mm x 1; Ø 6 mm x 1; Ø 6.5 mm x 1

#### Carbide masonry drill bits (6 pieces): Ø 4.0 mm x 1: Ø 5.0 mm x 1: Ø 6.0 mm x 2:

Ø 7.0 mm x 1; Ø 8.0 mm x 1; Ø 10 mm x 1

#### CV wood drill bit (5 pieces):

Ø 4.0 mm x 1;
Ø 5.0 mm x 1;
Ø 6.0 mm x 1
Ø 8.0 mm x 1; Ø 10.0 mm x 1
0 10.0 11111 X 1
Flat timber drill b

at timber drill bit Ø 12.0 mm x 1; Ø 16.0 mm x 1; Ø 19.0 mm x 1; Ø 25.0 mm x 1



#### **BI-METAL HOLE SAW SET, 8 PIECES**

Consisting of:

- Bi-metal Hole Saws Ø 19, 25, 38, 44, 68 and 83 mm
- Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- Pilot Drill
- Plastic carry case

#### Order No. 625159000



#### **BI-METAL HOLE SAW SET 1, 8 PIECES**

Consisting of:

- Bi-metal hole saw Ø 22,29, 35, 44, 51 and 68 mm
- Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- Pilot Drill
- Plastic carry case

#### Order No. 625434000



#### **BI-METAL HOLE SAW SET 2, 11 PIECES**

#### Consisting of:

- Bi-metal hole saw Ø 19, 22, 29, 35, 44, 51, 57, 64 and 68 mm
- Arbor for hole saw Ø 14-30 mm (SW 9/ 1/2"-20 UNF)
- Arbor for hole saw Ø 32-152 mm (SW 9/ 5/8"-18 UNF)
- Pilot Drill
- Plastic carry case

#### Order No. 625435000



9



#### STORAGE SOLUTIONS

#### SMALL TOOLBAG

#### Features:

- 3 x external pockets
- 1 x hand carry strap
- 1 x shoulder strap 3 x reflective logos
- LxWXH 460x260x280mm

#### Storage:

- 2 x battery pack pockets
- 1 x charger pocket
- 1 x side strap for machine + space for other machines

#### Order No. 657006000





#### LARGE TOOLBAG

#### Features:

- 5 x external pockets
- 1 x hand carry strap
- 1 x shoulder strap
- 3 x reflective logos
- LxWXH 670x290x325mm

#### Storage:

- 3 x battery pack pockets
- 1 x charger pocket
- 1 x accessories pocket
- 2 x side straps for machines
- + space for other machines

#### Order No. 657007000







**Rib Layout** 

# X benefits. 1 System. meta BOX

The solution for workshop, transport and construction site.



metabo



### Can be coupled

Scan the QR Code

for further information



- Maximum load 125 kg
- Protection against dirt and moisture IP43
- Everything stored safely













metaBOX 340 Dimensions: 396 x 296 x 340 mm (empty) Order No. 626888000

metaBOX 118

metaBOX 145

metaBOX 215

Order No. 626882000

Order No. 626883000

Order No. 626887000

(empty)

(empty)

(empty)

Dimensions: 396 x 296 x 118 mm

Dimensions: 396 x 296 x 145 mm

Dimensions: 396 x 296 x 215 mm

System width 2 496 mm





Transport accessories





working material up to 125 kg, on stairs up to 50 kg



#### System width 1 396 mm







System width 2



496 mm

metaBOX 145 L Dimensions: 496 x 296 x 145 mm (rib layout 18V cordless drills LTX class BS/SB) Order No. 626891000 (rib layout corded rotary hammers / drilling machines SBE/KHE/UHE)

Order No. 626892000 metaBOX 165 L



Dimensions: 496 x 296 x 165 mm (rib layout angle grinders corded + cordless 18V up to Ø 125mm discs)

Order No. 626890000

metaBOX Roller board Easy transport of metaBOX and working material up to 100 kg



metaBOX 145 Toolbox Spacious transport and storage box for hand tools, accessories or

consumables up to 25 kg load

Order No. 626908000



Spacious transport and storage box for hand tools, accessories or consumables up to 25 kg load

Order No. 626909000





metaBOX adapter plate

Order No. 626895000

Suitable for Sortimo invehicle

equipment Globelyst and SR5

metaBOX 145 L

(empty) Order No. 626884000 metaBOX 165 L

Dimensions: 496 x 296 x 145 mm

Dimensions: 496 x 296 x 165 mm





metaBOX Trolley Easy transport of metaBOXES and

Order No. 626893000

#### metaBOX Inlays

54




DescriptionSuitable for metaBOXOrder No.deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQmetaBOX 145 L empty628879000deep drawn inlay HG 18 LTX 500metaBOX 145 L empty62881000deep drawn inlay KHA 18 LTX/SBE 18 LTXmetaBOX 165 L empty628881000deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180metaBOX 165 L empty62889000deep drawn inlay SW 18 LTX 20-82metaBOX 145 L empty62889000deep drawn inlay SW 18 LTX 800metaBOX 145 L empty62889000deep drawn inlay SW 18 LTX 140metaBOX 145 L empty62889000deep drawn inlay To 18 LTX 140metaBOX 145 empty62881000deep drawn inlay STA 18 LTX 140metaBOX 145 empty62881000deep drawn inlay NV/SCV 18 LTX BL 16metaBOX 145 L empty62882000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty62882000deep drawn inlay NP 18 LTX 140 EBLmetaBOX 145 L empty62882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628891000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628876000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty62887000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty628876000deep drawn inlay Combosets BL for BS/SB/SSDmetaBOX 145 L empty628876000deep drawn inlay Combosets BL for BS/SB/SSDmetaBOX 145 L empty6288		1	
deep drawn inlay HG 18 LTX 500metaBOX 145 L empty628915000deep drawn inlay KHA 18 LTX/SBE 18 LTXmetaBOX 165 L empty62880000deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180metaBOX 165 L empty62880000deep drawn inlay SSW 18 LTX 600metaBOX 145 L empty62887000deep drawn inlay SSW 18 LTX 600metaBOX 145 L empty628887000deep drawn inlay SSW 18 LTX 600metaBOX 145 L empty628887000deep drawn inlay TA 18 LTX 140metaBOX 145 L empty628887000deep drawn inlay NV/SCV 18 LTX BL 1.6metaBOX 145 empty628917000deep drawn inlay NV/SCV 18 LTX B1 8 LTX 100metaBOX 145 L empty628882000deep drawn inlay NP 18 LTX 125.0metaBOX 145 L empty628882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628891000deep drawn inlay SSE 18 LTX BL 16metaBOX 145 L empty62882000deep drawn inlay Combosets 12V for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets 12V for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets 12V for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets 12V for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay Combosets 12V for BS/SB/SSDmetaBOX 145 L empty62882000deep drawn inlay KH 18 LTX BL 24 QuickmetaBOX 145 L empty62888000	Description	Suitable for metaBOX	Order No.
deep drawn inlay KHA 18 LTX/SE 18 LTXmetaBOX 165 L empty62888000deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180metaBOX 165 L empty62881000deep drawn inlay SW 18 LTX 20-82metaBOX 145 L empty62889000deep drawn inlay SW 18 LTX 600metaBOX 145 L empty628887000deep drawn inlay STA 18 LTX 140metaBOX 145 L empty628887000deep drawn inlay STA 18 LTX 100metaBOX 145 L empty628887000deep drawn inlay NV/SCV 18 LTX BL 1.6metaBOX 145 L empty628892000deep drawn inlay NT 18 LTX 100/STAB 18 LTX 1000metaBOX 145 L empty628892000deep drawn inlay NT 18 LTX BL 5.0metaBOX 145 L empty62882000deep drawn inlay KT 18 LTX 100/STAB 18 LTX 1000metaBOX 145 L empty62882000deep drawn inlay KT 18 LTX 66 BLmetaBOX 145 L empty62882000deep drawn inlay Combosets for BS/SB/SSEmetaBOX 145 L empty62883000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty62883000deep drawn inlay SE 18 LTX BLmetaBOX 145 L empty62883000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty62883000deep drawn inlay Combosets 12V for BS/SB/SD/SSWmetaBOX 145 L empty62883000deep drawn inlay Combosets 12V for BS/SB/SD/SSWmetaBOX 145 L empty62883000deep drawn inlay Combosets for BS/SB/SD/SSWmetaBOX 145 L empty62883000deep drawn inlay Combosets for BS/SB/SD/SSWmetaBOX 145 L empty62883000deep drawn inlay Combosets for BS/SB/SD/SSWmetaBOX 145 L empty62883000 </td <td>deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQ</td> <td>metaBOX 145 L empty</td> <td>628879000</td>	deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQ	metaBOX 145 L empty	628879000
deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180metaBOX 165 L empty62881000deep drawn inlay HO 18 LTX 20-82metaBOX 340 empty62880000deep drawn inlay SSW 18 LTX 600metaBOX 145 L empty628887000deep drawn inlay STA 18 LTX 140metaBOX 145 L empty628888000deep drawn inlay Power/Maxx CC 12 BLmetaBOX 145 L empty628817000deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 L empty628817000deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 L empty62882000deep drawn inlay KT 18 LTX 66 BLmetaBOX 145 L empty62882000deep drawn inlay KT 18 LTX 66 BLmetaBOX 145 L empty628893000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty628893000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTX BLmetaBOX 145 L empty628892000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628892000deep drawn inlay Combosets 12V for BS/SB/SSD/SSWmetaBOX 145 L empty628892000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628892000deep drawn inlay Combosets for BS/SB/SSD/SSWmetaBOX 145 L empty62886000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty62886000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628896000 <td>deep drawn inlay HG 18 LTX 500</td> <td>metaBOX 145 L empty</td> <td>628915000</td>	deep drawn inlay HG 18 LTX 500	metaBOX 145 L empty	628915000
deep drawn inlay HO 18 LTX 20-82metaBOX 340 empty62889000deep drawn inlay SSW 18 LTX 600metaBOX 145 L empty628887000deep drawn inlay STA 18 LTX 140metaBOX 145 L empty628888000deep drawn inlay PowerMaxx CC 12 BLmetaBOX 145 empty628916000deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 empty628917000deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 empty628812000deep drawn inlay KT 18 LTX 66 BLmetaBOX 145 L empty62882000deep drawn inlay KT 18 LTX 66 BLmetaBOX 145 L empty628893000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty628893000deep drawn inlay Combosets 12V for BS/SE/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628892000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty62888000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628896000deep drawn inlay Combosets for BS/SB/SSD/SSWmetaBOX 145 L empty628896000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inla	deep drawn inlay KHA 18 LTX/SBE 18 LTX	metaBOX 165 L empty	628880000
deep drawn inlay SSW 18 LTX 600metaBOX 145 L empty628887000deep drawn inlay STA 18 LTX 140metaBOX 145 L empty628988000deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 empty628916000deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 empty628917000deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 L empty62882000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty62884000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62885000deep drawn inlay Combosets for SS/SB/SSDmetaBOX 145 L empty628893000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628878000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628920000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628920000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62889000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62889000deep drawn inlay Combosets BL for BS/SB/SSDmetaBOX 145 L empty628920000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62889000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62889000deep drawn inlay GA 18 LTX 125/125 QuickmetaBOX 145 L empty62889000deep drawn inlay GA 18 LTX 150 QuickmetaBOX 145 L empty628920000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628920000deep drawn inlay KHA	deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180	metaBOX 165 L empty	628881000
deep drawn inlay STA 18 LTX 140metaBOX 145 L empty62888000deep drawn inlay PowerMaxx CC 12 BLmetaBOX 145 empty628916000deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 empty628917000deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 L empty62882000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty628884000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty628882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 empty628893000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628878000deep drawn inlay ASE 18 LTX BLmetaBOX 145 L empty628978000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628920000deep drawn inlay Combosets for BS/SB/SSD/SSWmetaBOX 145 L empty62882000deep drawn inlay Combosets BL for BS/SB/SD/SSWmetaBOX 145 L empty62882000deep drawn inlay Combosets for BS/SB/SD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/SD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/SD/SSWmetaBOX 145 L empty62889000deep drawn inlay GA 18 LTX 125/125 QuickmetaBOX 145 L empty62889000deep drawn inlay GA 18 LTXE12 BL 17 M ELTX 125/125 QuickmetaBOX 145 L empty628896000deep drawn inlay GA 18 LTXE12 BL 16 Comp.metaBOX 145 L empty628896000deep drawn inlay GA 18 LTXE12 BL 16 Comp. <td< td=""><td>deep drawn inlay HO 18 LTX 20-82</td><td>metaBOX 340 empty</td><td>628890000</td></td<>	deep drawn inlay HO 18 LTX 20-82	metaBOX 340 empty	628890000
deep drawn inlay PowerMaxx CC 12 BLmetaBOX 145 empty628916000deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 empty628917000deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 L empty62882000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty62882000deep drawn inlay NT 18 LTX 66 BLmetaBOX 145 L empty62882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty628893000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay SE 18 LTXmetaBOX 145 L empty628891000deep drawn inlay SE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay SE 18 LTX BLmetaBOX 145 L empty628820000deep drawn inlay Combosets BL 12 BL 16metaBOX 145 L empty628820000deep drawn inlay Combosets BL for BS/SB/SSDmetaBOX 145 L empty628820000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty62883000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty628820000deep drawn inlay Combosets for BS/SB/WSmetaBOX 145 L empty62888000deep drawn inlay GA 18 LTX12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 L empty62889000deep drawn inlay GA 18 LTXmetaBOX 145 E empty62889000deep drawn inlay GA 18 LTXmetaBOX 1	deep drawn inlay SSW 18 LTX 600	metaBOX 145 L empty	628887000
deep drawn inlay NIV/SCV 18 LTX BL 1.6metaBOX 145 empty628917000deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 L empty628882000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty628884000deep drawn inlay KT 18 LTX 66 BLmetaBOX 340 empty628893000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 empty628893000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay SE 18 LTXmetaBOX 145 L empty628893000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628893000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628892000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628892000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628892000deep drawn inlay Combosets BL 16metaBOX 145 L empty628892000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 L empty628883000deep drawn inlay Combosets for BS/SB/WSmetaBOX 145 L empty62888000deep drawn inlay GA 18 LTX 125/125 QuickmetaBOX 165 L empty62889000deep drawn inlay GA 18 LTXmetaBOX 145 empty62889000deep drawn inlay SE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty62889000deep drawn inlay KHA 36-18 LTX 32metaBOX 145 empty62889000deep drawn inlay MI 18 LTX 50 QuickmetaBOX 145 empty62889000deep drawn inlay MI 8 LTX 50 QuickmetaBOX 145 empty62889000deep drawn inlay MI 8 LTX 50 QuickmetaBOX 1	deep drawn inlay STA 18 LTX 140	metaBOX 145 L empty	628888000
deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100metaBOX 145 L empty62882000deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty62882000deep drawn inlay KT 18 LTX 66 BLmetaBOX 340 empty62882000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 empty628885000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty62888000deep drawn inlay SE 18 LTXmetaBOX 145 L empty628887000deep drawn inlay SE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty62882000deep drawn inlay Combosets BL 16 BLmetaBOX 145 L empty62882000deep drawn inlay Combosets BL for SS/SB/SSD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets BL for SS/SB/SS/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets BL for SS/SB/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets BL for SS/SB/SSWmetaBOX 145 L empty62888000deep drawn inlay GM 18 LTX 125/125 QuickmetaBOX 145 L empty62888000deep drawn inlay GA 18 LTXmetaBOX 145 L empty62887000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628889000deep drawn inlay Basic Sets BattrymetaBOX 145 L empty62887000deep drawn inlay KHA 36-18 LTX 22metaBOX 145 L empty62887000deep drawn inlay KHA 38-18 LTX 57metaBOX 145 L empty62887000deep drawn inlay KHA 36-18 LTX 20me	deep drawn inlay PowerMaxx CC 12 BL	metaBOX 145 empty	628916000
deep drawn inlay NP 18 LTX BL 5.0metaBOX 145 L empty62884000deep drawn inlay KT 18 LTX 66 BLmetaBOX 340 empty628923000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 empty628885000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628878000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628878000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628920000deep drawn inlay H 18 LTX BL 16metaBOX 145 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628886000deep drawn inlay Combosets BL for BS/SB/WSmetaBOX 145 L empty628886000deep drawn inlay Combosets BL for BS/SB/WSmetaBOX 145 L empty628886000deep drawn inlay Combosets BL for BS/SB/WSmetaBOX 145 L empty628886000deep drawn inlay GM 18 LTX 125/125 QuickmetaBOX 145 L empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628876000deep drawn inlay BA 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay KHA 36-18 LTX 22metaBOX 145 L empty628896000deep drawn inlay KHA 36-18 LTX 22metaBOX 145 L empty628896000deep drawn inlay KHA 36-18 LTX 22metaBOX 145 L empty628896000deep drawn inlay KHA 36-18 LTX 2	deep drawn inlay NIV/SCV 18 LTX BL 1.6	metaBOX 145 empty	628917000
deep drawn inlay KT 18 LTX 66 BLmetaBOX 340 empty628923000deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 empty628885000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628891000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay FowerMaxx BH 12 BL 16metaBOX 145 empty628820000deep drawn inlay H1 8 LTX BL 16metaBOX 145 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/WSmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/WSmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/WSmetaBOX 145 L empty62889000deep drawn inlay Combosets for BS/SB/WSmetaBOX 145 L empty62889000deep drawn inlay GA 18 LTX 125/125 QuickmetaBOX 145 Empty628896000deep drawn inlay BA 18 LTX 150 QuickmetaBOX 145 Empty628896000deep drawn inlay BA 18 LTX 510 QuickmetaBOX 145 Empty628892000deep drawn inlay BA 18 LTX 52metaBOX 145 Empty628877000deep drawn inlay BA 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628875000deep drawn inlay DE 18 LTX 58/KS 18 LTX	deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100	metaBOX 145 L empty	628882000
deep drawn inlay Combosets for BS/SB/SSDmetaBOX 145 empty628885000deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628891000deep drawn inlay ASE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628920000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628921000deep drawn inlay RH 18 LTX BL 16metaBOX 145 L empty628823000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628883000deep drawn inlay Combosets for BS/SB/SSD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/SSD/SSWmetaBOX 165 L empty62888000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 145 empty628876000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 L empty62889000deep drawn inlay WF 18 LTX 150 QuickmetaBOX 145 empty62889000deep drawn inlay Basic Sets BatterymetaBOX 145 empty628877000deep drawn inlay KHA 36-18 LTX 32metaBOX 145 empty628877000deep drawn inlay KHA 18 LTX F8/KS 18 LTX 57metaBOX 145 empty628877000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628875000deep drawn inlay ML 3-20metaBOX 145 empty628875000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628812000deep drawn inlay PowerMaxx	deep drawn inlay NP 18 LTX BL 5.0	metaBOX 145 L empty	628884000
deep drawn inlay Combosets 12V for BS/SB/SSEmetaBOX 145 L empty628893000deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628891000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 empty628920000deep drawn inlay BH 18 LTX BL 16metaBOX 145 L empty628820000deep drawn inlay KHA 18 LTX BL 24 QuickmetaBOX 165 L empty62888000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty62888000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty62889000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 145 L empty628876000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 L empty62889000deep drawn inlay GA 18 LTXmetaBOX 145 L empty62889000deep drawn inlay Basic Sets BatterymetaBOX 145 empty62889000deep drawn inlay KHA 36-18 LTX 32metaBOX 145 empty628922000deep drawn inlay MKS 18 LTX 50/KS 18 LTX 57metaBOX 145 empty62897000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628875000deep drawn inlay SE 18 LTX 6metaBOX 145 empty628875000deep drawn inlay ML 3-20metaBOX 145 empty628875000deep drawn inlay KHA 36-18 LTX QmetaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628912000deep drawn inlay SGS 18 LTX QmetaBOX 145 empty<	deep drawn inlay KT 18 LTX 66 BL	metaBOX 340 empty	628923000
deep drawn inlay ASE 18 LTXmetaBOX 145 L empty628891000deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628920000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 L empty628921000deep drawn inlay BH 18 LTX BL 16metaBOX 145 L empty628921000deep drawn inlay KHA 18 LTX BL 24 QuickmetaBOX 165 L empty628883000deep drawn inlay Combosets BL for BS/SB/SD/SSWmetaBOX 165 L empty628886000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty62889000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 165 L empty628896000deep drawn inlay SE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 L empty628895000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628895000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628895000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 145 empty628922000deep drawn inlay KHA 36-18 LTX 57metaBOX 145 empty628977000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628897000deep drawn inlay CC 18 LTX BLmetaBOX 145 empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay CS 18 LTX QmetaBOX 145 empty628912000deep drawn inlay SGS 12 QmetaBOX 145 empty628912000deep drawn inlay SGS 18 LTX QmetaBOX 145 Empty628912000	deep drawn inlay Combosets for BS/SB/SSD	metaBOX 145 empty	628885000
deep drawn inlay SSE 18 LTX BLmetaBOX 145 L empty628878000deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 empty628920000deep drawn inlay BH 18 LTX BL 16metaBOX 145 L empty628921000deep drawn inlay KHA 18 LTX BL 24 QuickmetaBOX 165 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628886000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628889000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628886000deep drawn inlay SE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 165 L empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 empty628896000deep drawn inlay WF 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay WI 8 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628922000deep drawn inlay MKS 18 LTX 57metaBOX 145 empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 L empty628877000deep drawn inlay MKS 18 LTX 51metaBOX 145 empty628875000deep drawn inlay C18 LTX BLmetaBOX 145 empty628892000deep drawn inlay SG 18 LTX QmetaBOX 145 empty6288918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628918000	deep drawn inlay Combosets 12V for BS/SB/SSE	metaBOX 145 L empty	628893000
deep drawn inlay PowerMaxx BH 12 BL 16metaBOX 145 empty62892000deep drawn inlay BH 18 LTX BL 16metaBOX 145 L empty628921000deep drawn inlay KHA 18 LTX BL 24 QuickmetaBOX 165 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 165 L empty628886000deep drawn inlay Combosets for BS/SB/SSD/SSWmetaBOX 165 L empty628886000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628876000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 165 L empty628876000deep drawn inlay SE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628895000deep drawn inlay GA 18 LTXmetaBOX 165 L empty628896000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay W 18 LTX 50 QuickmetaBOX 165 L empty628892000deep drawn inlay KHA 36-18 LTXmetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628926000deep drawn inlay ML 3-20metaBOX 145 empty62897000deep drawn inlay MLL 3-20metaBOX 145 empty628918000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SG 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay ASE 18 LTX	metaBOX 145 L empty	628891000
deep drawn inlay BH 18 LTX BL 16metaBOX 145 L empty628921000deep drawn inlay KHA 18 LTX BL 24 QuickmetaBOX 165 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 165 L empty628886000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628889000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628889000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628876000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 145 empty628876000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 L empty628895000deep drawn inlay GA 18 LTXmetaBOX 165 L empty628896000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628892000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628877000deep drawn inlay ML 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SG 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay SSE 18 LTX BL	metaBOX 145 L empty	628878000
deep drawn inlay KHA 18 LTX BL 24 QuickmetaBOX 165 L empty628883000deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628886000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628889000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty62889000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 165 L empty628876000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628895000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628895000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628892000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628876000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628877000deep drawn inlay ML 36-18 LTX 46metaBOX 145 empty628877000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628875000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628875000deep drawn inlay ML 3-20metaBOX 145 empty628875000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SG 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay PowerMaxx BH 12 BL 16	metaBOX 145 empty	628920000
deep drawn inlay Combosets BL for BS/SB/SSD/SSWmetaBOX 145 L empty628886000deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628889000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 165 L empty628904000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628895000deep drawn inlay GA 18 LTXmetaBOX 165 L empty628896000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628876000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 145 empty628877000deep drawn inlay ML 3-20metaBOX 145 empty628875000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay BH 18 LTX BL 16	metaBOX 145 L empty	628921000
deep drawn inlay Combosets for BS/SB/WSmetaBOX 165 L empty628889000deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 165 L empty628904000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 empty62889000deep drawn inlay WB 18 LTX 150 QuickmetaBOX 145 L empty628896000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty62887000deep drawn inlay CC 18 LTX BLmetaBOX 145 empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SG 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay KHA 18 LTX BL 24 Quick	metaBOX 165 L empty	628883000
deep drawn inlay WF 18 LTX 125/125 QuickmetaBOX 165 L empty628904000deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628895000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628892000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628877000deep drawn inlay CC 18 LTX BLmetaBOX 145 empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay Combosets BL for BS/SB/SSD/SSW	metaBOX 145 L empty	628886000
deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.metaBOX 145 empty628876000deep drawn inlay GA 18 LTXmetaBOX 145 L empty628895000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 145 empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 165 L empty62897000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty62887000deep drawn inlay CC 18 LTX BLmetaBOX 165 L empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay Combosets for BS/SB/WS	metaBOX 165 L empty	628889000
deep drawn inlay GA 18 LTXmetaBOX 145 L empty628895000deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 165 L empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628877000deep drawn inlay DC 18 LTX BLmetaBOX 165 L empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628812000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay WF 18 LTX 125/125 Quick	metaBOX 165 L empty	628904000
deep drawn inlay W 18 LTX 150 QuickmetaBOX 165 L empty628896000deep drawn inlay Basic Sets BatterymetaBOX 145 empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay KKS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628894000deep drawn inlay C 18 LTX BLmetaBOX 165 L empty628875000deep drawn inlay ML 3-20metaBOX 165 L empty628875000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.	metaBOX 145 empty	628876000
deep drawn inlay Basic Sets BatterymetaBOX 145 empty628922000deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628894000deep drawn inlay CC 18 LTX BLmetaBOX 165 L empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay GA 18 LTX	metaBOX 145 L empty	628895000
deep drawn inlay KHA 36-18 LTX 32metaBOX 165 L empty628926000deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628894000deep drawn inlay CC 18 LTX BLmetaBOX 165 L empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty62891900	deep drawn inlay W 18 LTX 150 Quick	metaBOX 165 L empty	628896000
deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57metaBOX 340 empty628877000deep drawn inlay BE 18 LTX 6metaBOX 145 empty628894000deep drawn inlay CC 18 LTX BLmetaBOX 165 L empty628875000deep drawn inlay MLL 3-20metaBOX 145 empty628912000deep drawn inlay PowerMaxx SGS 12 QmetaBOX 145 empty628918000deep drawn inlay SGS 18 LTX QmetaBOX 145 L empty628919000	deep drawn inlay Basic Sets Battery	metaBOX 145 empty	628922000
deep drawn inlay BE 18 LTX 6       metaBOX 145 empty       628894000         deep drawn inlay CC 18 LTX BL       metaBOX 165 L empty       628875000         deep drawn inlay MLL 3-20       metaBOX 145 empty       628912000         deep drawn inlay PowerMaxx SGS 12 Q       metaBOX 145 empty       628918000         deep drawn inlay SGS 18 LTX Q       metaBOX 145 L empty       628919000	deep drawn inlay KHA 36-18 LTX 32	metaBOX 165 L empty	628926000
deep drawn inlay CC 18 LTX BL     metaBOX 165 L empty     628875000       deep drawn inlay MLL 3-20     metaBOX 145 empty     628912000       deep drawn inlay PowerMaxx SGS 12 Q     metaBOX 145 empty     628918000       deep drawn inlay SGS 18 LTX Q     metaBOX 145 L empty     628919000	deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57	metaBOX 340 empty	628877000
deep drawn inlay MLL 3-20     metaBOX 145 empty     628912000       deep drawn inlay PowerMaxx SGS 12 Q     metaBOX 145 empty     628918000       deep drawn inlay SGS 18 LTX Q     metaBOX 145 L empty     628919000	deep drawn inlay BE 18 LTX 6	metaBOX 145 empty	628894000
deep drawn inlay PowerMaxx SGS 12 Q     metaBOX 145 empty     628918000       deep drawn inlay SGS 18 LTX Q     metaBOX 145 L empty     628919000	deep drawn inlay CC 18 LTX BL	metaBOX 165 L empty	628875000
deep drawn inlay SGS 18 LTX Q metaBOX 145 L empty 628919000	deep drawn inlay MLL 3-20	metaBOX 145 empty	628912000
	deep drawn inlay PowerMaxx SGS 12 Q	metaBOX 145 empty	628918000
deep drawn inlay SE 18 LTX 2500/4000/6000 metaBOX 145 L empty 628892000	deep drawn inlay SGS 18 LTX Q	metaBOX 145 L empty	628919000
	deep drawn inlay SE 18 LTX 2500/4000/6000	metaBOX 145 L empty	628892000

#### **METABOX 63 XS ORGANIZER**

Dimensions	252 x 167 x 63 mm
Weight	0.41 kg
Material	ABS





P43

- Intelligent transport and storage system for small parts and accessories
- Transparent cover for ideal overview
- Removable separators for perfect order
- Robust and break-proof due to the material and design
- Optimum protection of accessories and small parts against dirt and moisture (IP43)
- Easy stacking and coupling on any metaBOX
- Comfortable cover handle to carry several organisers 63 XS stacked
- One box in the stack can easily be opened without having to decouple it
- Can be used as lunchbox due to food-grade, dishwasher-resistant plastic
- Size: 252 x 167 x 63 mm / Weight : 0,41 kg

#### **METABOX 118 ORGANIZER**

Dimensions	396 x 296 x 118 mm
Case volume	8.4
Max. load cover	125 kg
Weight	1.3 kg
Material	ABS



- Intelligent transport and storage system for small parts and accessories
- Maximum overview thanks to the twelve Sortimo insertion boxes in different sizes that can be positioned freely
- Safe plug-in connection of each insertion box in the base of the organiser, which permits the use of individual boxes
- With twelve labels for individual identification of the contents
- Extremely robust and break-proof due to the material and design for maximum resilience
- Optimum protection of accessories and small parts against dirt and moisture (IP43)
- Fast and easy stacking and coupling of the boxes in all system widths
- One box in the stack can easily be opened without having to decouple it
- Set consisting of 4 of each insertion boxes 1x1 H63 (52 mm x 52 mm x 63 mm); 5x insertion boxes 1x2 H63 (104 mm x 52 mm x 63 mm); 2x insertion boxes 2x2 H63 (104 mm x 104 mm x 63 mm); 1x insertion boxes 2x3 H63 (157 mm x 104 mm x 63 mm)

## metabo 10C<sup>years</sup>

## Compact and powerful.

## **IMPACT DRIVERS / WRENCHES**

Metabo Uk

You

**18 V** 

#### SSD 18 LT 200 BL CORDLESS IMPACT DRIVER

- Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency
- for any application

   Three speed/torque levels for a varied range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	3
Bit retainer	Hexagon recess 1/4" (6.35 mm)

#### SSD 18 LT 200 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602397840

\* See page 201 for Battery Set options

Full Service price group FS4

200 Nm





#### SSW 18 LT 300 BL CORDLESS IMPACT WRENCH

- Compact cordless impact wrench with 1/2" male square and 300 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application

10CYEARS Building our world. Together

- Three speed/torque levels for a varied range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	3
Bit retainer	Male square 1/2" (12.70 mm)

#### SSW 18 LT 300 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602398840

\* See page 201 for Battery Set options

Full Service price group FS4



#### SSD 18 LTX 200 BL CORDLESS IMPACT DRIVER

- Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening
- Integrated work light for illumination of the work area

Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	12
Bit retainer	Hexagon recess 1/4" (6.35 mm)

#### SSD 18 LTX 200 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.

Body only + metaBOX 145 602396840

\* See page 201 for Battery Set options





#### SSW 18 LTX 300 BL CORDLESS IMPACT WRENCH

- Compact cordless impact wrench with 1/2" square drive and 300 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening

10CYEARS Building our world. Together

Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

#### SSW 18 LTX 300 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	602395840

\* See page 201 for Battery Set options

Full Service price group FS4



#### SSW 18 LTX 400 BL CORDLESS IMPACT WRENCH

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Overload protection: protects the motor from overheating
- High torque accompanied by an exceptionally compact design
- Low kick-back operation with extremely high torque
- Twelve speed/torque levels for a wide range of applications
- Integrated work light for illumination of the work area

Battery pack voltage	18 V
Maximum torque	400 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

#### SSW 18 LTX 400 BL Scope of delivery

Belt hook with bit holder metaBOX 145 without battery, without charger

Battery options	Order No.
Body only + metaBOX 145	602205840

\* See page 201 for Battery Set options





#### SSW 18 LTX 800 BL CORDLESS IMPACT WRENCH

- Powerful cordless impact driver with 1/2" male square and 800 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application

10CYEARS Building our world. Together

- Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening
- Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	800 Nm
Speed/torque levels	12
Bit retainer	Male Square 1/2" (12.70 mm)

#### SSW 18 LTX 800 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602403840

\* See page 201 for Battery Set options

Full Service price group FS4



#### SSW 18 LTX 1450 BL CORDLESS IMPACT WRENCH

- Extremely powerful cordless impact wrench with 1/2" male square and 1450 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening
- Screwdriving in APS mode (automatic power shift): prevents overtightening of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	1450 Nm
Speed/torque levels	12
Bit retainer	Male Square 1/2" (12.70 mm)

#### SSW 18 LTX 1450 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602401840

\* See page 201 for Battery Set options





#### SSW 18 LTX 1750 BL CORDLESS IMPACT WRENCH

- Extremely powerful cordless impact wrench with 3/4" male square and 1750 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Loosening in APS mode (automatic power shift): prevents falling of the screw/nut with automatic speed reduction after loosening
- Screwdriving in APS mode (automatic power shift): prevents overtightening
  of the screw/nut with automatic shutdown after the first impact

Battery pack voltage	18 V
Maximum torque	1750 Nm
Speed/torque levels	12
Bit retainer	Male square 3/4" (19 mm)

#### SSW 18 LTX 1750 BL scope of delivery

metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	602402840

\* See page 201 for Battery Set options



Å

	Description	Order No.
	<ul> <li>Socket wrench extension 1/2" Impact-Proof</li> <li>Socket wrench extension 1/2" impact-proof, 150 mm for easier access to bolts in confined spatial conditions</li> </ul>	628832000
0 <sub>9</sub> 8 <sub>9</sub> 8 <sub>9</sub> 8 <sub>9</sub> 8	Socket wrench set 1/2" ■ for impact drivers/wrenches and ratchet wrenches, 10 pieces: 10, 11, 12, 13, 15, 17, 19, 21, 22, 24 mm	628831000
Ō	Adapter 1/2" to 1/4" E6.3 ■ Impact adapter 3 pieces (incl. safety ring and pin) with 1/2" internal square on the machine side and 1/4" hexagon recess for impact- proof tools with 1/4" shank	628837000
Accessories for	SSW 18 LTX 1750 BL	l
	<ul> <li>Socket wrench extension 3/4" Impact-Proof</li> <li>■ Socket wrench extension 3/4" impact-proof, 150 mm for easier access to bolts in confined spatial conditions</li> </ul>	628828000
0,0,0,0,0	Socket wrench set 3/4" ■ for impact wrenches and ratchet wrenches, 8 pieces: 21, 22, 24, 26, 27, 28, 30, 32 mm	628834000
	<ul> <li>Adapter 3/4" to 1/2" Impact-Proof</li> <li>Adapter with 3/4" internal square on the machine side and 1/2" male square for impact-proof tools with 3/4" shank</li> </ul>	628829000
Safety Accesso	 ;у	
	<ul> <li>Tool Safety Belt DC up to 5kg</li> <li>Robust securing strap with battery pack securing loop to avoid or dampen impacts when the secured tool falls</li> <li>No unintentional loosening of the secure connection thanks to carabiner with twist lock system</li> <li>High degree of free movement without twisting or jamming thanks to integrated swivel joint</li> <li>Clear marking of the maximum securing weight</li> <li>Certified in accordance with international safety standard ANSI/ ISEA 121-2018</li> </ul>	628969000

More products for securing against falls can be found in the

Metabo accessory programme for occupational safety

Full Service price group  ${\bf FS4}$ 

## Easy lubrication. Cordless. 18V

(etc)

#### **FP 18 LTX CORDLESS GREASE GUN**

- Compact cordless grease gun with 2 settings and high discharge pressure (max. 690 bar) for mobile maintenance of machines and systems
- Clean working thanks to pre-setting the discharge pressure via thumbwheel with 10 settings
- Selection between high pressure and high flow rate depending on the application
- Optimal view during lubrication thanks to LED on the housing and another LED to be fixed at the hose end
- Switch lock for user-friendly working in continuous mode
- 3-way-filling: grease cartridges, containers or direct filling
- Integrated bleeding valve for constant work progress
- Accessory: Magnet for fixing on metal, practical shoulder strap and long hose with holder for flexible application areas
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery pack voltage	18 V
Holder size	400 g
Discharge pressure	690 / 414 bar
Discharge speed	290 / 100 g/min
Hose length	1200 mm
Weight (including battery)	4.4 kg

Full Service price group FS3

Battery options	Order No.	
Body only (Cardboard box)	600789850	CAS

\* See page 201 for Battery Set options

#### FP 18 LTX scope of delivery

LED additional light for hose Shoulder strap without battery pack, without charger

For mobile maintenance of machines and systems.



## Accessories for FP 18 LTX

	Description	Order No.
metabo	<ul> <li>LED lamp</li> <li>Suitable for working in indoor and protected outdoor areas for illuminating small working areas</li> <li>LED switches off automatically after 15 seconds</li> <li>LED lamp can be fixed e.g. to the hose using a silicone loop</li> <li>Battery: 2x CR1620</li> <li>Suitable e.g. for the grease gun FP 18 LTX</li> </ul>	626982000
C Part	<ul> <li>Clamp coupling for FP 18 LTX</li> <li>Four hardened jaws made from tool steel for safe hold on any grease nipple</li> <li>Extremely durable thanks to high-quality hydraulic mouth piece</li> <li>Hose end does not need to be held during lubrication</li> <li>Safe de-coupling and lubrication</li> <li>Suitable for the grease gun FP 18 LTX</li> <li>Connecting thread: 1/8"</li> </ul>	626981000
	Magnetic system rubberised, M8 Rubberised magnet system with male thread M8 Adhesive force: approx. 130 kg Shifting force: approx. 25 kg Magnetisation: N42 Max. operating temperature: 80° C Weight: 260 g	626980000
(and the second	<ul> <li>Adapter for screw-in cartridge 500g</li> <li>Adapter for retrofitting from grease container for 500 g screw-on cartridge</li> <li>Quick assembly, simply screw in and start working</li> <li>Easy, fast and absolute loading and removal of the cartridge without having to open the press</li> <li>Suitable for the grease gun FP 18 LTX</li> </ul>	626984000

Notes



## **SDS PLUS HAMMERS**

#### CORDLESS TOOLS 18 V - LTX CLASS SDS PLUS HAMMERS



#### BH 18 LTX BL 16 CORDLESS ROTARY HAMMER

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	18 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	2.1 kg

#### BH 18 LTX BL 16 Scope of delivery

\* See page 201 for Battery Set options

Full Service price group FS3

Side handle, Drilling depth guide, metaBOX 145 L, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 L	600324840

BRUSHLESS

10CYEARS Building our world. Together Also available in 12V - see page 9

CAS



#### KH 18 LTX BL 24 Q SET ISA CORDLESS HAMMER

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Dust-free drilling with compact dust extraction ISA 24
- Combination hammer with 3 functions: hammer drilling drilling and chiselling

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

Battery options	Order No.
Body only + metaBOX 185 X L + ISA 24 Extraction unit	601714900

\* See page 201 for Battery Set options

#### Full Service price group FS4

#### KH 18 LTX BL 24 Q SET ISA Scope of delivery

Integrated dust extraction ISA 24, Replacement extraction head, Hammer chuck for tools with SDSplus shank end, Keyless chuck for tools with cylindrical shank, rubber-coated side handle, Drilling depth guide, metaBOX 185 XL, without battery pack, without charger



CAS

### **KH 18 LTX 24 CORDLESS HAMMER**

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Variospeed (V) Electronics for working at customised speeds to suit various application materials
- Electronic soft start for precise spot-drilling

Max. single blow energy (EPTA)	2.1 J
Maximum impact rate	5200 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	68 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1400 / min



Battery options	Order No.
Body only plus metaBOX 165 L	601712840

\* See page 201 for Battery Set options

KH 18 LTX 24 Scope of delivery Rubber-coated side handle Drilling depth guide metaBOX 165 L without battery pack, without charger

CAS



### KH 18 LTX BL 24 QUICK CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits

Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4750 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1280 / min

No-load speed	0 - 1280 / min	
	1	SAFETY CLUTCH
Battery options	Order No.	KH 18
Body only plus metaBOX 165 L	601714840	Hamme

\* See page 201 for Battery Set options

Full Service price group FS4



### LTX BL 24 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end Keyless chuck for tools with cylindrical shank Rubber-coated side handle Drilling depth guide metaBOX 165 L without battery pack, without charger



73

Full Service price group FS4

### **KH 18 LTX BL 24 CORDLESS HAMMER**

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer actions
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health

Max. single blow energy (EPTA)	2.2 J	
Maximum impact rate	4750 bpm	
Drill Ø concrete with hammer drills	24 mm	]
Drill Ø masonry with core bits	82 mm	]
Drill Ø steel	13 mm	]
Drill Ø soft wood	30 mm	
No-load speed	0 - 1280 / min	]

Battery options	Order No.
Body only plus metaBOX 165 L	601713840

\* See page 201 for Battery Set options





### KH 18 LTX BL 24 Scope of delivery

Rubber-coated side handle, Drilling depth guide, metaBOX 165 L, without battery pack, without charger

10CYEARS Building our world. Together



### KH 18 LTX BL 28 QUICK CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits

Max. single blow energy (EPTA)	3.0 J
Maximum impact rate	4470 bpm
Drill Ø concrete with hammer drills	28 mm
Drill Ø masonry with core bits	82 mm
Drill Ø steel	13 mm
Drill Ø soft wood	30 mm
No-load speed	0 - 1000 / min

Battery options	Order No.
Body only plus metaBOX 165 L	601715840

\* See page 201 for Battery Set options



#### KH 18 LTX BL 28 QUICK Scope of delivery

Hammer chuck for tools with SDS-plus shank end, Rubber-coated side handle, Drilling depth guide Carrying strap, metaBOX 165 L, without battery pack, without charger



### **ISA 18 24 DUST EXTRACTOR**

- Extremely light and compact dust extraction for dust-free drilling in concrete, stone and masonry
- Simple, tool-free installation to the cordless hammer KH 18 LTX BL 24/28 Q
- Ideal for working overhead or in areas sensible to dust
- Health-friendly working with HEPA filter for smallest dust particles

Order No. 631357840 with metaBOX 145

Full Service price group FS2



Max. drill length 160 mm

### ESA PLUS EXTRACTION SET

- For drilling Ø 5-32 mm
- Flexible 360° dust cap, adjustment to 160 mm and 210 mm drill bit
- Compatible with all new Metabo SDS-plus hammers in connection with all Metabo M- and H-vacuum cleaners
- External dust extraction

#### Order No. 623770000



### KHA 36-18 LTX 32 CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits
- Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the drill stop unexpectedly

Battery pack voltage	2 x 18 V	and the second
Max. single blow energy (EPTA)	3.1 J	
Maximum impact rate	4500 bpm	
Drill-Ø concrete with hammer drills	32 mm	Intelado
Drill-Ø masonry with core bits	68 mm	
Drill Ø steel / soft wood	13 mm / 30 mm	C4S
No-load speed	0 - 1100 rpm	
Bit retainer	SDS-plus	
Weight (inc. battery pack)	5.8 kg	

10CYEARS Building our world. Together

### KHA 36-18 LTX Scope of delivery

Hammer chuck for tools with SDS-plus shank end Keyless chuck for tools with cylindrical shank Metabo VibraTech (MVT) side handle Drilling depth guide, MetaLoc case without battery pack, without charger



Battery options	Order No.
Body only plus 3 Jaw chuck	600796840
* See page 201 for Battery Set options	

Full Service price group FS4

### **DDE 14 VACUUM CLEANER ADAPTER**

- Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- Safe and dust-free drilling in walls and ceilings



### SDS-PLUS EXTRACTION DRILL BITS

- Active drill bit cooling for longest service life
- Drilling and cleaning in one work step
- Fast drilling progress thanks to optimal drill dust removal





A	Overall length mm	Ømm	Order no.
	325	12	626902000
	360	14	626903000
13	360	16	626904000
	360	18	626905000
B			

75



### BRUSHLESS

18 V

Metabo Uk

### KHA 18 LTX BL 40 CORDLESS SDS-MAX HAMMER

- Cordless hammer with SDS max holder for powerful hammer drilling and chiselling any time and anywhere
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action

10CYEARS Building our world. Together

- Low-dust chiselling and drilling with external dust extraction ESA max (accessories)
- Combination hammer with 2 functions: hammer drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health

Battery pack voltage	18 V
Max. Single blow energy	8.6 J
Max. Impact rate	3200 bpm
Drill Ø concrete with hammer drills	40 mm
Drill Ø masonry with core bits	105 mm
No-load speed	450 - 580 rpm
Bit retainer	SDS-Max
Weight (including battery pack)	7.9 kg

### KHA 18 LTX BL 40 Scope of delivery

Rubber-coated side handle Side handle Drilling depth guide Lubricant for tool shank end Duster Plastic carry case without battery pack, without charger



Battery options	Order No.
Body only plus carry case	600752840

\* See page 201 for Battery Set options

```
Full Service price group FS4
```

### ESA MAX EXTRACTION SET

- For drilling and chiselling with different attachments drill bits from Ø 16-52 mm, pointed and flat chisel up to 25 mm
- Tool-free installation drill bit and chisel can be removed without detaching the extraction system
- Compatible with all new Metabo SDS-max hammers in connection with all Metabo M- and H-vacuum cleaners
- External dust extraction

#### Order No. 623271000

### DDE 72 VACUUM CLEANER ADAPTER


- Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- For drill bits and core bits from ø 6 72 mm.
   Connection ø 37 mm outside / ø 32 mm inside
- By virtue of the 2-chamber system and the foam rubber gasket it stays attached to almost all (even uneven) surfaces, such as plaster, natural stone and woodchip wallpaper.
- Minimal drill dust residue at walls and wallpapers
- The adapter is put on the existing suction hose.
- The negative pressure of the vacuum cleaner keeps the adapter to the respective subsurface



#### Order No. 631343000

### SDS-MAX EXTRACTION DRILL BITS

- Drilling and cleaning in one work step reduces the dust exposure and reworking
- Greatest reinforcement compatibility, no sagging or clogging thanks to 4-blade-geometry with extra large dust outlets
- Noticeably fast drilling progress thanks to optimal drill dust removal
- Innovative head design with greatest concentricity for precise dowel holes
- Active drill bit cooling for long service life
- Dust-free drilling for compliance with legal provisions on user safety. Up to 98% less dust in the bore
- Universal vacuum cleaner adapter fits all standard industrial M and H class vacuum cleaners
- Kindly observe the installation instructions of the manufacturer when using the chemical installations



CORDLESS TOOLS 18 V - LTX CLASS CORDLESS MITRE SAWS

# **CUTTING, FIXING & FINISHING**



10CYEARS Building our world. Together



### KGS 18 LTX BL 216 CORDLESS MITRE SAW

- Compact cordless crosscut and mitre saw of the mobile M-class light, precise, user-friendly
- Powerful Brushless motor for powerful sawing like with a mains-powered tool
- Up to 400 cuts in soft wood 60 x 60 mm per battery pack charge (LiHD 10 Ah)
- Precision Cut Line (PCL): precise shadow cutting line without re-adjustment thanks to cleverly positioned LED

Battery pack voltage	18 V
Support surface	345 x 730 mm
Max. cutting depth at 90°/45°	305 / 215 mm
Max. cutting width at 90°/45°	70 / 40 mm
Cutting capacity 90°/90°	305 x 70 mm
Cutting capacity 45°/45°	215 x 40 mm
Saw blade	216 x 30 mm
No-load speed	5000 rpm
Weight without battery pack	12.8 kg

#### KGS 18 LTX BL 216 Scope of delivery

Saw blade "cordless cut wood - classic", 216x30 Z40 2 Table length extensions, Length Guide, Material clamp, Tool for saw blade change Chip Collection Bag Li-Power battery pack (18 V/4.0Ah) Charger ASC 55 "AIR COOLED"

Full Service price group FS4



Battery options	Order No.
Body only + 1 battery & charger FREE	614216680

\* See page 201 for Battery Set options

NEW

NEW



### KGS 18 LTX BL 254 CORDLESS MITRE SAW

- Compact cordless crosscut and mitre saw of the mobile M-class light, precise, user-friendly
- Powerful Brushless motor for powerful sawing like with a mains-powered tool
- Up to 205 cuts in soft wood 80 x 80 mm per battery pack charge (LiHD 10 Ah)
- Precision Cut Line (PCL): precise shadow cutting line without re-adjustment thanks to cleverly positioned LED
- Large cutting capacity thanks to sliding function for wide work pieces ■ Turntable with fast, precise setting of common angles using stop points
- Robust die-cast aluminium design for the highest demands
- Effective dust extraction via integrated dust scoop

Battery pack voltage	18 V
Support surface	345 x 760 mm
Max. cutting depth at 90°/45°	305 / 215 mm
Max. cutting width at 90°/45°	92 / 47 mm
Cutting capacity 90°/90°	305 x 92 mm
Cutting capacity 45°/45°	215 x 47 mm
Saw blade	254 x 30 mm
No-load speed	4000 rpm
Weight without battery pack	14.8 kg



#### KGS 18 LTX BL 254 Scope of delivery

Saw blade "cordless cut wood - classic", 254x30 Z48 2 Table length extensions, Length Guide, Material clamp, Tool for saw blade change Chip Collection Bag Li-Power battery pack (18 V/4.0Ah) Charger ASC 55 "AIR COOLED"

Full Service price group FS4

Battery options	Order No.
Body only + 1 battery & charger FREE	614254920

\* See page 201 for Battery Set options

81

# **Cordless.** Powerful as a mains powered tool.

### KGS 18 LTX BL 305 CORDLESS MITRE SAW

- Largest cordless crosscut and mitre saw of mobile M-class light, precise, user-friendly
- Powerful Brushless motor for powerful sawing like with a mains-powered tool
- Up to 120 cuts in soft wood 100 x 100 mm per battery pack charge (LiHD 10 Ah)

3700 rpm

17.4 kg

Precision Cut Line (PCL): precise shadow cutting line without re-adjustment thanks to cleverly positioned LED

BRUSHLESS

CAS

- Large cutting capacity thanks to sliding function for wide work pieces
- Turntable with fast, precise setting of common angles using stop points
- Saw blade inclination on both sides up to 47° for maximum flexibility
- Robust die-cast aluminium design for the highest demands
   Effective dust extraction via integrated dust scoop
- Battery pack voltage18 VSupport surface345 x 770 mmMax. cutting depth at 90°/45°305 / 215 mmMax. cutting width at 90°/45°110 / 67 mmCutting capacity 90°/90°305 x 110 mmCutting capacity 45°/45°215 x 67 mmSaw blade305 x 30 mm

No-load speed

Weight without battery pack



metabo



Saw blade "cordless cut wood - classic" 305x30 Z56 2 Table length extensions, Length Guide, Material clamp, Tool for saw blade change Chip Collection Bag without battery pack, without charger

Full Service price group FS4

Battery options	Order No.	]
Body only	614305850	

\* See page 201 for Battery Set options

NEW



### Recommended mitre saw blades

	Description	Order No.
	SAW BLADE "CORDLESS CUT WOOD - CLASSIC", 216X30 Z40 WZ 5° Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life	628065000
	SAW BLADE "CORDLESS CUT WOOD - PROFESSIONAL", 216X30 Z48 WZ 5° NEG Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Particularly long tool life thanks to best carbide quality and finely- ground teeth Precise, low-noise and vibration-minimised cuts thanks to lasered expansion slots (and partially laser ornaments) as well as lasered steel blades made from sintered steel Secondary holder for circular saw blades with Ø 216	628445000
	SAW BLADE "POWER CUT WOOD - PROFESSIONAL", 254X30, 224 WZ 5° NEG. For coarse and semi-fine cuts with continuous feed. Ideal for high feed rate / low power consumption machines Good cutting results for straight cuts in solid wood Partially suitable for construction wood with nails and concrete residue Particularly long tool life thanks to best carbide quality and finely-ground teeth Precise, low-noise and vibration-minimised cuts thanks to lasered expansion slots (and partially laser ornaments) as well as lasered steel blades made from sintered steel	628220000
	SAW BLADE "PRECISION CUT WOOD - CLASSIC", 254X30, Z48 WZ 5° NEG. For clean cutting results for ripping or cross cutting in softwood and hardwood Suitable for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials High power consumption so the saw must have a high performance motor	628061000
	SAW BLADE "PRECISION CUT WOOD", CLASSIC QUALITY, 305 x 30 Z56 WZ 5° NEG. For clean cutting results for ripping or cross cutting in softwood and hardwood Suitable for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials High power consumption so the saw must have a high performance motor	628064000
0	SAW BLADE "PRECISION CUT WOOD", 305 x 30 Z60 WZ 5° NEG. For very good, clean cutting results for longitudinal or cross-cuts in softwood and hardwood Perfectly suited for hard wood and plywood, untreated chipboards, coated or veneered, MDF, composite materials Particularly long tool life thanks to best carbide quality and finely-ground teeth	628228000

10CYEARS Building our world. Together

### **UMS Universal Machine Stand**



- For ideal working height and stability
- Can be folded up compactly
- Compensation in height with adjustable stand
- Ready mounted

#### UMS Scope of delivery

Unit only Order No. 631317000

- Light and robust stand for mitre saw Quickly ready to use thanks to lockable folding legs
- Extendable workpiece supports with rollers and stop fence for precise repetitive cuts (available as asccessory)
- Machine carrier (installation without tools) makes it suitable for all the conventional mitre saws of well-known manufacturers

#### KSU 100 Scope of delivery

Unit only Order No. 629004000

#### KSU 251 / KSU 401 Mitre Saw Stand

KSU 251 Mobile Mitre Saw Stand



- Machine stand with extendable and robust table width extension Universal end profile makes it suitable for all the conventional crosscut
- saws of well-known manufacturers
- Sturdy legs with height adjustment
- Adjustable rollers
- Length stop
- Transportation wheel
- Extensive range of accessories
- Maximum extension: 2.5 m / 4 m

#### Scope of delivery



KSU 251 - Unit only Order No. 629005000 KSU 401 - Unit only Order No. 629006000



- Particularly robust stand for mitre saws with trolley function for mobile use also with mounted saw
- Extendable workpiece supports with rollers and folding guide for precise cutting in series
- Double supported table width extension for heavy workpieces
- Compensation in height with adjustable feet
- Simple folding mechanism; can be folded even with the saw in place
- Space-saving storage position

```
KSU 251 Mobile Scope of delivery
```

Unit only Order No. 629007000





84

### **CORDLESS TOOLS 18 V - LTX CLASS** CORDLESS PLUNGE CUT / CIRCULAR SAW



### **KT 18 LTX 66 BL CORDLESS PLUNGE CUT SAW**

- Cordless plunge cut saw with brushless motor for powerful plunge cuts and precise cuts up to a depth of 66 mm (!)
- Adjustable fit without play on the guide rails from Metabo and other manufacturers for precise cutting results.
- LIHD high-performance battery packs and the Metabo brushless motor guarantee maximum power and enduring sawing

10CYEARS Building our world. Together

- Versatile application thanks to variable speed for different materials
- Double guide for precise setting of the cutting depth with and without guide rail
- Sawing close to the wall possible down to 14 mm

Battery pack voltage	18 V
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	43 m/s

### KT 18 LTX BL 66 Scope of delivery

Saw blade "precision cut wood - classic" 165x20 Z42 WZ 5° Dust bag Hexagonal wrench metaBOX 340 without battery pack, without charger

Battery options	Order No.				
Body only + metaBOX 340	601866840	E	CAS	STOP	14
* See page 201 for Battery Set options			0,40	FAST BRAKE	W/FS

Full Service price group FS4



### KS 18 LTX 57 BL CORDLESS CIRCULAR SAW

- Powerful, lightweight cordless hand-held circular saw for universal construction site use
- Powerful brushless motor for fast work progress and maximum and highest efficiency
- Aluminium base plate can be used directly on guide rails from Metabo as well as Mafell, Bosch, Festool, Makita, HiKOKI, Hilti and other manufacturers

Battery pack voltage	18 V	
Swivel range from / to:	0 / + 50°	
Adjustable cutting depth	0 - 57 mm	
Maximum cutting depth at 90°	57 mm	
Maximum cutting depth at 45°	43 mm	
Saw blade Ø x bore	165 x 20 mm	
Maximum cutting speed	43 m/s	

#### KS 18 LTX 57 BL Scope of delivery

Carbide circular saw blade (18 teeth), rip fence, hexagon spanner, metaBox 340, without battery, without charger



Battery options	Order No.	
Body only plus metaBOX 340	611857840	

\* See page 201 for Battery Set options

Saw Blades	Order No.	
Cordless Cut Wood Professional 165x20 Z18 WZ 20°	628294000	1
Cordless Cut Wood Professional 165x20 Z36 WZ 15°	628295000	he



### CORDLESS TOOLS 18 V - LTX CLASS CIRCULAR SAWS (WOOD)



### KS 18 LTX 57 CORDLESS CIRCULAR SAW

- Powerful, light, cordless circular saw for universal use on construction sites
- Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- Accurately angled bevel cuts down to 50°, with handy snap-in point at 45°

Battery pack voltage	18 V
Swivel range from / to:	0 / + 50°
Adjustable cutting depth	0 - 57 mm
Maximum cutting depth at 90°	57 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	40 m/s

### KS 18 LTX 57 Scope of delivery

Carbide circular saw blade (18 teeth) Parallel guide Hexagonal wrench metaBOX 340 without battery pack, without charger



Battery options	Order No.	
Body only plus metaBOX 340	601857840	
* See page 201 for Battery Set options		

Saw Blades	Order No.	
Cordless Cut Wood Professional 165x20 Z18 WZ 20°	628294000	
Cordless Cut Wood Professional 165x20 Z36 WZ 15°	628295000	12
		-

10 CYEARS Building our world, Together,



### KS 18 LTX 66 BL CORDLESS CIRCULAR SAW

- Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- Fast, precise cross cuts thanks to easy coupling with a Metabo cross cutting rail
- LIHD high-performance battery packs and the Metabo Brushless motor guarantee maximum power and enduring sawing

Battery pack voltage	18 V
Swivel range from / to:	0 / + 46°
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
Maximum cutting speed	43 m/s

### KS 18 LTX 66 BL Scope of delivery

Carbide circular saw blade (18 teeth) Parallel guide Hexagonal wrench metaBOX 340 without battery pack, without charger



Battery options	Order No.
Body only plus metaBOX 340	611866840

\* See page 201 for Battery Set options

Saw Blades	Order No.	
Cordless Cut Wood Professional 165x20 Z18 WZ 20°	628294000	
Cordless Cut Wood Professional 165x20 Z36 WZ 15°	628295000	1



89



10 CYEARS Building our world, Together

## METAL CUTTING CIRCULAR SAW

- Powerful cordless metal cutting circular saw with chip collection box for cold sawing of metals. Compatible with guide rails.
- Fast and precise cutting of tubes, profiles, channels, metal grids and sheets, free from sparks and burrs.
- With chip collection box for a clean working environment Robust saw with guard made from die-cast aluminium and
- stainless steel base plate Light weight and compact, ergonomic design
- Battery pack voltage 18 V 0 - 58 mm Adjustable cutting depth Maximum cutting depth at 90° 58 mm Saw blade Ø x bore 165 x 20 mm Max. cutting speed 31 m/s

### MKS 18 LTX 58 Scope of delivery

Carbide circular saw blade for metal (40 teeth), Parallel guide, Hexagonal wrench, Guide rail adapter, metaBOX 340, without battery pack, without charger

Full Service price group FS4



Battery options	Order No.		
Body only plus metaBOX 340	600771840		
* See page 201 for Battery Set options			

Saw Blades	Order No.	]
SteelCutClassic 165x1,6/1,2x20mm Z40 FZFA/FZFA 4°	628273000	
AluminiumCutProf 165x1,6/1,2x20mm Z48 FZ/TR -5	628276000	



### Recommended circular saw blades Ø 165 mm

- Easy, competent, clear
- Extensive new range of circular saw blades for all applications
- In "professional" and "classic" gualities
- Uniform differentiation thanks to colour coding system

	Description	Order No.
	<ul> <li>Application area: Multi cut - classic</li> <li>■ Universal use for demanding materials</li> <li>■ For high standards in cutting quality, e.g. for laminate, thin-walled plastic, aluminium, copper and brass materials</li> <li>Ø 165 x 2.2 x 20 mm</li> <li>Number of teeth: 42</li> <li>Tooth shape: FZ/TZ Rake angle: 5°</li> </ul>	628661000
	<ul> <li>Application area: Cordless cut wood</li> <li>Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width</li> <li>Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life</li> <li>Ø 165 x 1.6 x 20 mm</li> <li>Number of teeth: 18 Tooth shape: WZ Rake angle: 20°</li> </ul>	628294000
	<ul> <li>Application area: Cordless cut wood</li> <li>Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width</li> <li>Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life</li> <li>Ø 165 x 1.6 x 20 mm</li> <li>Number of teeth: 36 Tooth shape: WZ Rake angle: 15°</li> </ul>	628295000
0	<ul> <li>Application area: Precision cut wood</li> <li>Very wide range of uses in wood processing</li> <li>For clean cutting results for ripping or cross cutting in softwood and hardwood</li> <li>Ø 165 x 1.8 x 20 mm Number of teeth: 42 Tooth shape: WZ Rake angle: 5°</li> </ul>	628026000
0	<ul> <li>Application area: Fibre cement cut</li> <li>■ Especially for use in cement and gypsum-bound chipboards and fibreboards</li> <li>Ø 165 x 2.2 x 20 mm</li> <li>Number of teeth: 4</li> <li>Tooth shape: FZ Rake angle: 5°</li> </ul>	628289000
	Application area: Aluminium cut ■ Perfect cuts in aluminium thanks to special tooth geometry Ø 165 x 1.6 x 20 mm Number of teeth: 48 Tooth shape: FZ/TZ Rake angle: 5° neg.	628276000
	<ul> <li>Application area: Steel cut - classic</li> <li>Universal use for cold cuts in metals</li> <li>Particularly suited for use in sheet steel, steel profiles and sandwich materials</li> <li>Ø 165 x 1.6 x 20 mm</li> <li>Number of teeth: 40</li> <li>Tooth shape: FZFA/FSFA Rake angle: 4°</li> </ul>	628273000

### The Metabo guide rail system: precise and safe working.

- Splinter protection reduces breakout when sawing
- Safe, non-slip hold as well as protection of the workpiece surface by means of adhesive coating
- Safe fixing with holes to fix the rail to the workpiece and for hanging storage



Guide Rails	Order No.
FS 80: 800 mm Guide Rail	629010000
FS 160: 1600 mm Guide Rail	629011000
FS 160 + Carry Bag: 1600 mm Guide Rail	629011700
FS 250: 2500 mm Guide Rail	629013000
FS 310: 3100 mm Guide Rail	629014000

	Accessories	Order No.
	Metabo FSKIT 2 x FS 160 guide rails, FS bag, FS connector + 2 x Screw clamps	UK629011002
and a	Guide Rail Carry Bag (FS BAG) Handy carry bag for safe storage and transport of the guide rail up to 160 cm Suitable for Metabo guide rails FS 160	629020000
1	Fix Clamp for FS For quick and safe fixing of guide rails from Metabo and other manufacturers Solid hold even in case of vibrations 160 mm clamping height	629021000
1717	Set of 2 Screw Clamps For safe fixing of guide rails from Metabo and other manufacturers 120 mm clamping height	631031000
To getting	Connector FSV For the tool-free connection of two guide rails for particularly long cuts Can be pushed into the guide rail for storage Suitable for the Metabo guide rails FS	629022000
	Splinter Protection for FS 350 cm Reduces tears in the workpiece Roll with 3.5 m (as replacement) Suitable for the Metabo guide rails FS	629023000
1	Sliding Pad for FS 700 cm For easy gliding on the guide rail Roll with 7 m (as replacement)	629024000
Y	Antislip Strap for FS 700 cm For safe, non-slip hold as well as protection of the workpiece surface Roll with 7 m (as replacement) Suitable for the Metabo guide rails FS	629025000
	<b>Mitre Fence for FS</b> For precise alignment of the guide rail on the workpiece Angle adjustable from -60° to +60° Suitable for the Metabo guide rails FS	629026000

10CYEARS Building our world. Together

# The new Cross-cutting rails: quick and precise angled cuts.

- Mobile, compact solution for angle-precise cross cuts directly at the application site, ideal on the roof
  or on mounted workpieces
- Can be coupled with the Metabo circular saws KS 18 LTX 66 BL and KS 18 LTX 57
- Angle cuts up to 60° click positions at standard angles
- The integrated return mechanism brings the saw back into the starting position after the cut
- Easy coupling with the circular saw thanks to quick closure
- Splinter protection reduces breakout when sawing
- Adhesive coating for safe, non-slip surface contact as well as protection of the workpiece surface



### WORKING TRESTLE SET MAB 82

- Robust and stable steel trestles with powder-coated, galvanised surfaces
- Height-adjustable legs for an optimum working height
- $\blacksquare$  Compact transport dimensions and simple assembly in seconds assembly in seconds
- Adjustable, lateral squared timber supports to connect two trestles with each other
- Openings for clamps or screw clamps and for fixing semi-stationary semi-stationary machines such as a cross-cut saw
- Additional support brackets on the legs
- Swivel feet for levelling uneven surfaces
- Carrying handle for easy transport



Weight	10.2 kg
Max. Load capacity, single	590 kg
Height	615 - 820 mm
Dimensions assembled	1160 x 980 x 820 mm
Dimensions folded	110 x 995 x 142 mm

#### Order No. 626990000





NEW





### **MULTIFUNCTIONAL WORKBENCH MWB 100**

Mobile workbench with many possible uses

Weight

Height

thickness

Max. Load capacity, single

Table top material Table top material

Drill holes diameter

Dimensions assembled

Table dimensions

Dimensions folded

Order No. 626991000

- Quick assembly and disassembly thanks to folding mechanism
- Height-adjustable legs for an optimum working height
- Levelling foot to compensate for uneven surfaces
- All-round T-slot for lateral clamping with suitable clamps clamps
- Robust MDF table top (replaceable) with 20 mm hole pattern and angle indicator hole grid and angle indicator
- Several tables can be connected using the corner connectors supplied corner connectors
- Numerous mounting options for semi-stationary machines machines
- Easy to transport thanks to lightweight aluminium frame and transport handles
- All-round groove for attaching suitable open-fronted storage bins

22.1 kg

120 kg

20 mm

20 mm

710 x 960 mm

750 x 1000 x 1000 mm

750 x 1000 x 88.5 mm

800 - 1000 mm MDF



AVAI	LAB	LE M	AY 2	2024

NEW





10CYEARS Building our world. Together.

### For more technical information and accessories, see our main catalogue or visit our website: www.metabo.com/uk



NFR 18 LTX 90 BL CORDLESS FIRST FIX FRAMING NAILER

- Powerful cordless nailer with pneumatic impact technology for nails up to 90 mm length
- Fast work progress thanks to fire sequence of two nails per second
- Maximum freedom of movement when driving in nails without compressed air hose or cable
- Economical, safe operation without gas cartridge and addition service effort
- Efficient Brushless motor for up to 550 shots per battery pack charge (LiHD 4.0 Ah)
- Selection possible between single shot mode and contact triggering for fast nailing in series
- Tool-free adjustment of the driving-in depth for precise working
- Blank shot protection protects from unnecessary wear and tear and increases the service life of the nailer
- Energy-saving safety shutdown after 30 minutes of inactivity
- Multi-position handle to protect the battery pack, as attachment point for tool safety equipment and to suspend the nailer
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



BRUSHLESS

#### NFR 18 LTX 90 BL Scope of delivery

Multi-position handle, Rubber protective shoe, Magazine for nail strips, Hexagonal wrench, 2 LiHD Battery packs (18 V/4.0 Ah), Quick charger ASC 145, AIR COOLED, metaBOX 340

97

pneumatic impact technology for nails up to 90 mm length



Battery options	Order No.	
2 x 4.0Ah LiHD, ASC 145 Charger + metaBOX 340	612090800	CAS
Body only + metaBOX 340	612090840	

\* See page 201 for Battery Set options

# metabo 10C<sup>YEARS</sup>

### SSEP 18 LTX BL MVT CORDLESS SABRE SAW

- Extremely powerful cordless sabre saw for demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Variospeed (V) Electronics for working with customised stroke rates for the materials used
- Selectable pendulum stroke for optimum sawing performance
- Metabo Quick for changing saw blades without tools
- Metabo VibraTech (MVT): integrated weight balance to reduce vibrations Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts
- Integrated LED work light for optimum illumination of the cutting line
- Free hands in the work breaks thanks to practical scaffolding hook (removable)
- Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com

Battery pack voltage	18 V
Strokes – no load	0 - 3000 / min
Saw blade stroke	32 mm
Weight without battery pack	3.9 kg
Weight with battery pack	4.6 kg



## **SABRE SAWS**



See the latest product videos on our Metabo UK YouTube channel

Full Service price group FS4



#### SSEP 18 LTX BL MVT Scope of delivery

Sabre saw blade for wood and metal, metaBOX 165 L, without battery pack, without charger

	Order No.
Body only plus metaBOX 165 L	602258840

\* See page 201 for Battery Set options



BRUSHLESS

BRUSHLESS

Visit our website for full range of Sabre saw blades



99

metabo expert plaster

BRUSHLESS

### SSEP 18 LT BL CORDLESS SABRE SAW



- Powerful cordless reciprocating saw with angled softgrip handle for handle for high working comfort
- Unique Metabo brushless motor for fast work progress and maximum and maximum efficiency in every application
- Vario (V) electronics for working with material-specific stroke rates
- Switchable pendulum stroke for optimum sawing performance
- Saw blade can be rotated 180° for convenient overhead work overhead
- Metabo Quick for tool-free saw blade change
- Integrated LED work light for optimum illumination of the interface

Battery pack voltage	18 V	
Strokes – no load	0 - 3000 / min	
Saw blade stroke	32 mm	
Weight without battery pack	3.0 kg	

### SSEP 18 LT BL Scope of delivery

Sabre saw blade for wood and metal metaBOX 165 L without battery pack, without charger

Full Service price group FS3

Battery pack voltage

Strokes - no load

Saw blade stroke Weight without battery pack

metaBOX 165 L

Battery options

Battery options	Order No.	
Body only plus metaBOX 165 L	601617840	
* See page 201 for Battery Set options		

SSEP 18 LT CORDLESS SABRE SAW

Metabo Quick for tool-free saw blade change

Vario (V) electronics for working with material-specific strokes

Switchable pendulum stroke for optimum sawing performance

18 V

2.9 kg

0 - 3000 / min 32 mm

Order No

601616840

■ Universal cordless reciprocating saw with angled softgrip handle for high working comfort

BRUSHLESS



NEW

SSE 18 LTX BL COMPACT CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Variospeed (V) Electronics for working with customised stroke rates for the materials used
- Saw blade rotatable by 180° for working comfortably overhead
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades

Battery pack voltage	18 V
Strokes – no load	0 - 3000 / min
Saw blade stroke	16 mm

#### SSE 18 LTX BL Compact Scope of delivery

Sabre saw blade for wood and metal	
metaBOX 145	
without battery pack, without charger	



BRUSHLESS

Body only plus metaBOX 145 \* See page 201 for Battery Set options

Full Service price group FS3

Battery options

### SSE 18 LTX COMPACT CORDLESS SABRE SAW

Order No.

602366840

- Light, extremely handy saw for one or two handed operation
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades
- Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts

Battery pack voltage	18 V
Strokes – no load	0 - 3100 / min
Saw blade stroke	13 mm

Body only plus metaBOX 145 602266	840



\* See page 201 for Battery Set options

Body only plus metaBOX 165 L

SSE 18 LT Scope of delivery

Sabre saw blade for wood and metal

without battery pack, without charger

Full Service price group FS4



Battery pack voltage	18 V
Strokes – no load	0 - 3100 / min
Saw blade stroke	13 mm

SSE 18 LTX Compact Scope of delivery

metaBOX 145 without battery pack, without charger

Battery options	Order No.	
Body only plus metaBOX 145	602266840	
*0		

\* See page 201 for Battery Set options

### STA 18 LTX 150 BL CORDLESS JIGSAW

- The power pack for demanding work: Cordless jigsaw with maximum cutting performance thanks to a powerful brushless motor and constant stroke rates under load
- Optimum ergonomics in all working positions and soft grip surface surface for perfect handling and safe guidance the saw
- Powerful brushless motor for fast work progress and maximum efficiency
- Metabo Quick for tool-free saw blade change with automatic ejection
- Deep saw blade guide for precise cuts
- Efficient chip blowing function for a clear view of the cutting area
- Integrated LED work light, can be switched off for cuts from below without being dazzled
- Restart protection: prevents unintentional start-up after battery change



Battery pack voltage	18 V
Cutting depth wood	150 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Strokes – no load	1000 - 3500 / min

#### STA 18 LTX 150 BL Scope of delivery

Suction nozzle, protective glass, plastic protective plate, Chip guard plate, 3 saw blades, metaBOX 145 L without battery pack, without charger

	· · · · · · · · · · · · · · · · · · ·
Battery options	Order No.
Body only + metaBOX 145 L	601502840

NEW

\* See page 201 for Battery Set options



### STAB 18 LTX 150 BL CORDLESS JIGSAW

- The power pack for demanding work: Cordless jigsaw with maximum cutting performance thanks to a powerful brushless motor and constant stroke rates under load
- Powerful brushless motor for fast work progress and maximum efficiency
- Metabo Quick for tool-free saw blade change with automatic ejection
- Deep saw blade guide for precise cuts
- Bow handle with non-slip soft grip surface
- Efficient chip blowing function for a clear view of the cutting area
- Integrated LED work light to illuminate the cutting area
- Restart protection: prevents unintentional start-up after battery change



Battery pack voltage	18 V
Cutting depth wood	150 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Strokes – no load	1000 - 3500 / min

#### STAB 18 LTX 150 BL Scope of delivery

Suction nozzle, protective glass, plastic protective plate, Chip guard plate, 3 saw blades, metaBOX 145 L without battery pack, without charger

Battery options	Order No.	
Body only + metaBOX 145 L	601503840	

\* See page 201 for Battery Set options



### STA 18 LTX 140 CORDLESS JIG-SAW

- Extremely powerful jigsaw with VTC-Electronics for fast cuts into softwood of up to 140 mm
- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo "Quick" for changing saw blades without tools and with automatic ejection
- Convenient automatic start-up with automatic stroke rate acceleration
- Simple bevel cuts thanks to footplate with rest points that can be adjusted without tools
- Selectable shaving blower function ensures free view of cutting line
- Integrated LED work light for illumination of the cutting line
- Vario-Tacho-Constamatic (VTC)-Full Wave Electronics for work with materials requiring customised stroke rates, which remain constant under load
- Restart protection: prevents unintentional start-up after power supply interruption
- Long service life thanks to optimum gear and motor design and robust die-cast aluminium gear housing



Battery pack voltage	18 V 🕴
Cutting depth wood	140 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Swivel range from / to:	- 45 / + 45°
Pendulum stroke levels	4
Strokes – no load	1000 - 3000 / min
Weight (inc. battery pack)	2.8 kg

### STA 18 LTX 100 CORDLESS JIGSAW

- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo "Quick" for changing saw blades without tools and with automatic ejection

Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes – no load	550 - 2800 / min

#### STA 18 LTX 100 Scope of delivery

Extraction nozzle
Protective glass
Chip guard plate
Hexagonal wrench
metaBOX 145 L
without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601002840
* See page 201 for Battery Set options	
Full Service price group FS3	



### STAB 18 LTX 100 CORDLESS JIGSAW

- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate on the trigger, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo "Quick" for changing saw blades without tools and with automatic ejection



Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes in idle	0 - 2800 / min

#### STAB 18 LTX 100 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

	Battery options	Order No.
ſ	Body only plus metaBOX 145 L	601003840

\* See page 201 for Battery Set options

Full Service price group FS3



105

Full Service price group FS4

Body only + metaBOX 145 L

\* See page 201 for Battery Set options

Plastic guard plate

without battery pack, without charger

Order No.

601405840

Chip guard plate

metaBOX 145 L

Battery options

### ST 18 LT 130 BL CORDLESS JIGSAW



- Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- Powerful Brushless motor for quick work progress and highest efficiency



### STB 18 LT 130 BL CORDLESS JIGSAW



BRUSHLESS

NEW

- The versatile one for interior development and assembly: compact cordless jigsaw with powerful Brushless motor for ,fast, precise cuts
- Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- Metabo "Quick" for changing saw blades without tools and with automatic ejection



Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes in idle	3500 / min

### STAB 18 LTX 100 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601055840

\* See page 201 for Battery Set options



### ST 18 L 90 CORDLESS JIGSAW

- The daily helper for universal sawing applications: compact cordless jigsaw for cuts in wood up to 90 mm
- Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- Metabo "Quick" for changing saw blades without tools and with automatic ejection
- Integrated LED work light for illumination of the cutting line

Battery pack voltage	18 V
Cutting depth wood	90 mm
Strokes – no load	750 - 3000 / min

### ST 18 L 90 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

Battery options	Order No.	
Body only plus metaBOX 145 L	601047840	

\* See page 201 for Battery Set options

AVAILABLE MAY 2024
Full Service price group FS3



### STB 18 L 90 CORDLESS JIGSAW

- The daily helper for universal sawing applications: compact cordless jigsaw for cuts in wood up to 90 mm
- Best ergonomics in all working positions and soft-grip surface for perfect handling and safe guidance of the saw
- Metabo "Quick" for changing saw blades without tools and with automatic ejection
- Integrated LED work light for illumination of the cutting line



Battery pack voltage	18 V
Cutting depth wood	90 mm
Strokes – no load	700 - 3000 / min

### STB 18 L 90 Scope of delivery

Extraction nozzle Protective glass Chip guard plate Hexagonal wrench metaBOX 145 L without battery pack, without charger

Battery options	Order No.
Body only plus metaBOX 145 L	601003840

\* See page 201 for Battery Set options
AVAILABLE MAY 2024



### **CORDLESS TOOLS 18 V - LTX CLASS** PLANER

### metabo




See the latest product videos on YouTube channel



our Metabo UK





- Light, compact cordless planer for planing, rebating and chamfering
- Adjustable planer depth and notch depth
- Aluminium die cast and milled cut planer base with V-groove for easy chamfering
- Parallel guide / rip fence for precise guiding of the planer
- Grip area with non-slip soft-grip surface
- Extraction possibility by means of connecting an all-purpose vacuum cleaner
- Angled chip ejection adapter for controlled ejection of the wood shavings



2 Reversible carbide planer blades For HO planers Order No. 630282000

10 Reversible carbide planer blades For HO planers

Order No. 630272000

#### HO 18 LTX 20-82 Scope of delivery

Reversible carbide planer blades Parallel Guide / Rip Fence Depth gauge Chip ejection adapter Textile dust bags metaBOX 340 without battery pack, without charger

	Order No.
Body only plus metaBOX 340	602082840

\* See page 201 for Battery Set options

Full Service price group FS4

10 CYEARS Building our world, Together,

melabo 10CYEARS



### MT 18 LTX BL QSL CORDLESS MULTI-TOOL

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- For intensive applications in interior development with custom-fit 3D holder Starlock Plus
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Metabo Quick tool change: quick and comfortable thanks to magnetic holder to pre-fix the accessory
- Unique Metabo brushless motor highest efficiency when working, also in continuous mode

Battery pack voltage	18 V
Orbital frequency with no load	8,000-20,000 rpm
Oscillation angle left/right	1.6 °
Bit retainer	Starlock/ Starlock Plus

### MT 18 LTX BL QSL Scope of delivery

Plunge saw blade 32 mm wood/metal metaBOX 145 L without battery pack, without charger

Battery options	Order No.	
Body only + metaBOX 145 L	613088840	
* See page 201 for Battery Set options		CA

Full Service price group FS3



### Multi-tool blades & accessories (Starlock Plus)

	Description	Order No.
	Sanding plate "Starlock" 93 mm	626944000
	Plunge cut saw blade " <b>Starlock</b> Plus" wood+metal 32 x 60 mm	626945000
	Plunge cut saw blade " <b>Starlock</b> Plus" wood 32 x 60 mm	626946000
	Precision saw blade "Starlock Plus" 32 x 50 mm STARLOCK PLUS	626947000
	Plunge cut saw blade "Starlock Plus" metal 32 x 50 mm STARLOCK PLUS	626948000
	Saw blade "Starlock Plus" wood/abrasive 40 x 53 mm	626949000
-	Depth control + dust extraction n Depth guide for precise working depth and working near edges: easy and fast installation, angle adjustable n Extraction nozzle for the dust extraction: can be used on both sides of the machine	626943000







### MT 18 LTX COMPACT CORDLESS MULTI-TOOL

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Tool holder for maximum compatibility to OIS, Starlock and other accessories
- Metabo Quick tool change system for time-saving, convenient change of accessories
- Fast and powerful thanks to the combination of a large oscillation angle of 3.2° and VTC-Electronics to maintain constant speed even under load
- Extra bright double LED lights for good visibility of the working area
- Slim design and non-slip soft-grip surface for optimised handling
- Extraction possibility by means of connecting an all-purpose vacuum cleaner



Battery pack voltage	18 V
Orbital frequency no load	7000 - 18000 / min
Oscillation angle left / right	1.6°
Base plate, dimensions from corner to corner	93 mm

#### MT 18 LTX Scope of delivery

Plunge saw blade 32 mm HCS (wood) Triangular hook and loop sanding plate 93 mm 5 Hook and loop sanding sheets 93 mm P 80 5 Hook and loop sanding sheets 93 mm P 120 Suction Adapter Multi-adapter metaBOX 145 L without battery pack, without charger

Full Service price group FS3



Order No.

613021840

### Multi-tool blades STARLOCK

Description	Order No.
plunge cut saw blade wood HCS 32 mm	626950000
5 plunge cut saw blade wood HCS 32 mm	626951000
plunge cut saw blade wood+metal BiM 20 mm	626952000
plunge cut saw blade wood+metal BiM 28 mm	626953000
5 plunge cut saw blade wood+metal BiM 28 mm	626954000
plunge cut saw blade wood+metal BiM 65 mm	626955000
plunge cut saw blade wood+metal BiM 32 mm	626956000
plunge cut saw blade metal BiM 32 mm	626957000
5 plunge cut saw blade metal BiM 32 mm	626958000
plunge cut saw blade metal HM/TC 32 mm	626959000
segment saw blade wood+metal BiM 85 mm	626960000
scraper HCS 52 mm	626961000
 segment saw blade grout+mortar HM 85 mm	626962000
sanding plate grout+mortar HM 78 mm	626963000

Battery options

Body only + metaBOX 145 L

\* See page 201 for Battery Set options

113

# **Cordless with best ergonomics.**

**Comfortable guidance of the sander close to the surface** thanks to the low overall height and perfect ergonomics

BRUSHLESS

Highest surface quality with good material removal

Low-vibration working thanks to smooth running operation best in its class with 1.1 m/s<sup>2</sup> \*\*

Metabo Uł



- Flat cordless random orbital sander with ergonomic design and low weight for low-fatigue working
- Comfortable guidance of the sander close to the surface thanks to the low overall height
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Soft start minimises surface damage when placing the machine on the work surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal
- Infinitely variable speed control for working with different materials
- Multi-hole sanding pad for effective extraction and a longer service life of the sanding medium
- With easy to empty textile dust bag for working without extraction facilities
- Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- Motor and plate brake permits quick placing down of the machine after use
- Removable protector protects adjacent surfaces and increases the service life of the sanding pad
- With metaBOX, the intelligent solution for transport and storage





Removable protector protects adjacent surfaces and increases the service life of the sanding pad

Battery pack voltage	18 V
Diameter of backing pad	125 mm
No-load speed	4000 - 10000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.7 kg

Battery options	Order No.	
Body only plus metaBOX 215	600146840	C

45

\* See page 201 for Battery Set options

#### SXA 18 LTX 125 BL scope of delivery

Sanding pad "multi-hole" with hook and loop 1 Hook and loop sanding sheet P 120 wood and metal "professional" Protector Ø 125 mm Textile dust bag compact Hexagonal wrench metaBOX 215 without battery pack, without charger

Full Service price group FS3

10 CYEARS Building our world. Together. 150mm

Ideal for large areas.

**BRUSHLESS** 

### SXA 18 LTX 150 BL CORDLESS RANDOM ORBITAL SANDER

- Compact cordless random orbital sander with sanding pad Ø 150 mm for high material removal ideal for larger areas
- Comfortable guidance of the sander close to the surface thanks to the low overall height
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Soft start minimises surface damage when placing the machine on the work surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Infinitely variable speed control for working with different materials
- Multi-hole sanding pad for effective extraction and a longer service life of the sanding medium
- With easy to empty textile dust bag for working without extraction facilities
- Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- Motor and plate brake permits quick placing down of the machine after use

18 V

3 mm

1.7 kg

150 mm

4000 - 10000 rpm

- Removable protector protects adjacent surfaces and increases the service life of the sanding pad
- With attachment point for tool safety straps for working at great heights





Battery pack voltage

No-load speed

Orbit diameter

Diameter of backing pad

Weight (including battery)

Removable protector protects adjacent surfaces and increases the service life of the sanding pad

- C	Order No.	Battery options
ľ	600411840	Body only plus metaBOX 215

C<mark>A</mark>S

\* See page 201 for Battery Set options

#### SXA 18 LTX 150 BL scope of delivery

Sanding pad "multi-hole" with hook and loop 1 Hook and loop sanding sheet P 120 wood and metal "professional" Protector Ø 150 mm Textile dust bag Hexagonal wrench metaBOX 215 without battery pack, without charger





NEW

### Sanding sheets



Diameter	Grit	Quanity	Order No.		
125 mm	P 40	5	631226000		
125 mm	P 60	5	631227000		
125 mm	P 80	5	631228000		
125 mm	P 120	5	631229000		
125 mm	P 180	5	631230000		
125 mm P 240 5 631231000					
125 mm P 320 5 631236000					
Also available in packs of 25 - see website for details					



Diameter	Grit	Quanity	Order No.
150 mm	P 40	5	624001000
150 mm	P 60	5	624002000
150 mm	P 80	5	624003000
150 mm	P 100	5	624004000
150 mm	P 120	5	624005000
150 mm	P 180	5	624006000
150 mm	P 240	5	624007000
150 mm	P 320	5	624008000



Size	Grit	Quanity	Order No.
100 x 150 mm	P 40	10	635205000
100 x 150 mm	P 60	10	635206000
100 x 150 mm	P 80	10	635207000
100 x 150 mm	P 120	10	635209000
100 x 150 mm	P 180	10	635210000
100 x 150 mm	P 240	10	635211000



Size	Grit	Quanity	Order No.
83 x 133 mm	P 40	10	635190000
83 x 133 mm	P 60	10	635191000
83 x 133 mm	P 80	10	635192000
83 x 133 mm	P 100	10	635193000
83 x 133 mm	P 120	10	635194000
83 x 133 mm	P 180	10	635195000
83 x 133 mm	P 240	10	635196000

10CYEARS Building our world, Together,

### SM 18 LTX BL CORDLESS MULTI SANDER (SQUARE AND DELTA)

- Compact multi sander with triangular and rectangular sanding plates for versatile sanding of corners, edges, and small surfaces
- Comfortable guidance close to the surface thanks to the low overall height.
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Orbit diameter 2.0 mm for highest surface quality with good material removal
- Infinitely variable speed control for working with different materials
- With easy to empty textile dust bag for working without extraction facilities
- Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- Removable protector protects adjacent surfaces and increases the service life of the sanding plate
- With attachment point for tool safety straps for working at great heights



Battery pack voltage	18 V
Base plate	100 x 150 mm
No-load speed	4000 - 10000 rpm
Orbit frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight (including battery)	1.5 kg

Battery options	Order No.	
Body only plus metaBOX 215	602089840	CAS

\* See page 201 for Battery Set options

### SM 18 LTX BL scope of delivery

Base plate 190x150 mm with hook and loop, Base plate 80x133 mm with hook and loop, Protector 100x150 mm, Protector 80x133 mm, 1 Hook and loop sanding sheet P 120 wood and metal "professional" (100x150 mm), 1 Hook and loop sanding sheet P 120 wood and metal "professional" (80x133 mm), Textile dust bag compact, Hexagonal wrench, metaBOX 215, without battery pack, without charger





## TS 36-18 LTX BL 254 CORDLESS TABLE SAW WITH STAND AND TROLLEY FUNCTION

- Extremely light cordless table saw with trolley function for maximum mobility
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo

metabo

metabo

- Integrated extraction with dust cyclone for low-dust working without vacuum cleaner
- Quick change between sawing at ground-level or when standing up thanks to integrated, folding stand
- Extra-large support surface thanks to table width extension and table length extension
- Soft start and overload protection for long service life of motor and drive
- Safe working thanks to restart protection and motor brake for quick stop of the saw blade

### BRUSHLESS

18 V LiHD
970 x 995 mm
850 x 355 mm
0 - 87 mm
87 / 50 mm
630 mm
200 mm
5000 rpm
66 m/s
254 x 300 mm



### TS 36-18 LTX BL 254 Scope of delivery

Carbide saw blade with alternately bevel-ground tips (40 teeth) Textile dust bag without battery pack, without charger Stand Rubber tyres Rip Fence Mitre Fence Table Length Extension Table Width Extension Push stick Dust cycles

Battery options	Order No.	
Body only	613025850	CAS

\* See page 201 for Battery Set options





### CORDLESS TOOLS 18 V - LTX CLASS DRYWALL SCREWDRIVERS

### HBS 18 LTX BL 3000 CORDLESS DRYWALL SCREWDRIVER

- Drywall screwdriver for fixing gypsum plasterboards to wood and metal; also suitable for gypsum fibre boards to metal frames
- Autostart: screwdriver starts automatically when pressed on for comfortable, economical working
- Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw coupling
- Depth guide can be fully removed for inspection during operation
- Vario (V)-electronics for working with customised speeds for the materials used
- Integrated working light to illuminate the work sits
- Selectable "Impuls" mode for precise driving in of protruding screws without having to remove the depth guide



1	metabo	TE	
-	97		
	Z		)
		-	j

Screwdriver magazine SPEED FIX 57

2 Phillips screwdriver bits

Suitable for screwdriver

magazine SPEED FIX 57

For inserting screws

accurately in quick succession

Size 2/176.5 mm

Order No.

630611000

630836000

Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	6 Nm
No-load speed	0 - 5000 / min

#### HBS 18 LTX BL 3000 Scope of delivery

Depth guide Magnetic bit holder 1/4" (6.35 mm) Phillips screwdriver bit, size 2/25 mm Belt hook metaBOX 145 L without battery pack, without charger

	Order No.
Body only plus metaBOX 145 L	620062840

\* See page 201 for Battery Set options



10CYEARS Building our world. Togethe

Accessory tip

Full Service price group  $\ensuremath{\textbf{FS3}}$ 



### TBS 18 LTX BL 5000 CORDLESS DRYWALL SCREWDRIVER

- The expert among the cordless drywall screwdrivers with high speed for fast serial screwing of plasterboards
- Autostart: screwdriver starts automatically when pressed on for comfortable, economical working
- Unique Metabo brushless motor for fast working work progress and highest efficiency, ideal for series screw fastenings
- Lightweight, handy screwdriver with ergonomic shape for precise guidance and power transmission in the screwdriving axis
- Compact and lightweight design for comfortable one-hand operation
- Selectable "Impuls" mode for precise driving in of protruding screws without having to remove the depth guide

BRUSHLESS

Battery pack voltage	18 V	100
Bit Retainer	Hexagon recess 1/4" (6.35 mm)	A
Maximum torque - Soft	6 Nm	
No-load speed	0 - 5000 / min	

#### TBS 18 LTX BL 5000 Scope of delivery

Depth stop, magnetic bit holder 1/4" (6.35mm), Phillips screwdriver bit size 2/25 mm, belt hook, metaBOX 145 L, without battery pack, without charger

	Order No.	
Body only plus metaBOX 145 L	620063840	

\* See page 201 for Battery Set options

Full Service price group FS3

123

### RW 18 LTX 120 CORDLESS MIXER


- Cordless Mixer for powerful mixing on the construction site
- Minor effort to guide the stirrer thanks to ergonomically favourable handle position
- Robust metal gripping frame to protect against damage
- Battery pack is protected by its location on the top and helps to ensure perfect balance when stirring
- Vario-Constamatic (VC)- Electronics for work with materials requiring customised speeds, which remain almost constant under load
- Overload protection: protects the motor from overheating
- Electronic soft start for splash-free working



Battery pack voltage	18 V
No-load speed	0 - 750 rpm
Gears	2
Maximum stirring paddle diameter	120 mm
Max. recommended mixing amount	40 L
Bit retainer	Female thread M 14

### RW 18 LTX 120 Scope of delivery

Stirrer paddle RS-R2 (Ø 120 mm) without battery pack, without charger



\* See page 201 for Battery Set options





### **Cordless Heat Gun - heats up in seconds!**



### HG 18 LTX 500 CORDLESS HEAT GUN

- Lightweight cordless hot air gun for powerful head fast and everywhere
- Heats up in a matter of seconds, ready to use in only 5 seconds (300°C)
- Maximum performance thanks to larger air volume and higher temperatures
- Two temperature levels, easy switchover while working
- High occupational safety thanks to slim, rubberised handle area and safe storage option
- Matching nozzles for removal of varnish, shaping, crimping, welding and much more (accessories)

Battery pack voltage	18 V
Air volume	200 / 160 l/min
Air temperature	300 / 500 °C
Air temperature levels	2

#### HG 18 LTX 500 Scope of delivery

Wrap around nozzle, Reducing nozzle (9 mm), metaBOX 145 L, without battery pack, without charger

Battery options	Order No.	1
Body only plus metaBOX 145 L	610502840	ľ

\* See page 201 for Battery Set options

Full Service price group FS2

### CORDLESS TOOLS 18 V - LTX CLASS CAULKING GUNS

### **KPA 18 LTX 400 CORDLESS CAULKING GUN**

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack
   Optimal material use thanks in allocations in the second second
- Optimal material use thanks to almost complete discharge

Battery pack voltage / type	18 V Li-ion
Discharge pressure	7259 N
Holder size	400 ml
Feed rate in idle	1-10 mm/s
Suitable for	Cartridges / Foil bag

### KPA 18 LTX 400 Scope of delivery

400 ml tube, Push plate for foil bag Push plate for cartridges, Cartridge carrier without battery pack, without charger

	Order No.	CAE
Body only	601206850	CAS

\* See page 201 for Battery Set options

Full Service price group FS4

### **KPA 18 LTX 600 CORDLESS CAULKING GUN**

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack
- Optimal material use thanks to almost complete discharge

		_
Battery pack voltage / type	18 V LiHD	
Discharge pressure	7259 N	(all 10)
Holder size	600 ml	(moneyes
Feed rate in idle	1-10 mm/s	
Suitable for	Cartridges / Foil bag	

### KPA 18 LTX 600 Scope of delivery

600 ml tube, Push plate for foil bag, Push plate for cartridges, without battery pack, without charger

	Order No.	CAE
Body only	601207850	CAS

\* See page 201 for Battery Set options

Full Service price group FS4



### **Cordless L-Class vacuum cleaner light and compact**



### AS 18 L PC CORDLESS VACUUM CLEANER

- Light, compact cordless vacuum cleaner for mobile use for extraction and vacuuming of dust and chips
- Dry vacuum cleaner with commercial registration, certified in accordance with EU standard for L class dust
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- Large corner switch for easy switching On/Off also by foot
- Practical storage for second battery pack, charger, nozzles and hose (3 m)





Air output max.	2100 cfm
Vacuum	120 hPa (mbar)
Container volume	7.5 L

### AS 18 L PC Scope of delivery

Stretchy suction hose (Ø 32 mm / 0.7-3.5 m), Fleece filter bag, Suction nozzle (120 mm wide), Crevice nozzle, Carrying strap, without battery pack, without charger





127

\* See page 201 for Battery Set options

Trolley AS 18 L PC Order No. 630174000





Ideal for smaller cleaning and extraction jobs

Eco mode for longer runtime per battery pack charge, boost mode for maximum power

### AS 18 HEPA PC COMPACT CORDLESS WET/DRY VACUUM CLEANER

- Portable, compact cordless vacuum cleaner with HEPA filter for wet and dry vacuum cleaning (IPX4), ideal for smaller cleaning and extraction jobs
- Equipped with HEPA filter, keeps back 99.95% of fine dusts
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- With stretchy hose for comfortable handling and maximum freedom of movement when vacuuming
- Dust-proof and splash-proof battery pack compartment with lockable flap
- Hoses, pipes and nozzles can be stored directly on the vacuum cleaner
- Easy transport with ergonomically-designed handle or carry strap
- Can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-system.com



Battery pack voltage	18 V
Air output max.	2100 l/min
Vacuum	120 hPa (mbar)
Container volume	6 L
Suction hose Ø	32 mm
Hose length	2.5 m
Weight (including battery)	4.8 kg

Full Service price group FS2

Battery options	Order No.	
Body only (Cardboard box)	602029850	CAS

\* See page 201 for Battery Set options

#### AS 18 HEPA PC COMPACT Scope of delivery

Stretchy suction hose (Ø 32 mm / 0.5-2.5 m) without battery pack, without charger 3 Plastic suction tubes Intermediate sleeve Fleece filter bag HEPA flat pleated filter Suction nozzle (120 mm wide) Crevice nozzle Carrying strap Coupling bush internal Ø 28 mm / external Ø 35 mm



10CYEARS Building our world. Togethel



NEW

### AS 36-18 L 20 PC CORDLESS WET/DRY VACUUM CLEANER

- Compact, versatile cordless vacuum cleaner of dust class L with integrated filter cleaning
- Wet/dry vacuum cleaner with commercial approval
- User protection: certified in accordance with EU standard for dust of dust class L
- PressClean: manual filter cleaning by means of strong air current when the switch on the vacuum cleaner is pressed during work breaks
- Eco mode for longer runtime per battery charge, Boost mode for maximum for maximum performance
- Automatic run-on for complete emptying of the suction hose
- Suction stop during wet vacuuming when the maximum fill level is reached is reached
- Antistatic basic equipment prevents static charging when using the appropriate accessories

Battery pack voltage	2 x 18 V
Air output max.	3.300 l/min
Vacuum	140 hPa (mbar)
Container volume	20 L
Suction hose Ø	32 mm
Hose length	3.2 m
Weight without battery pack	9.2 kg





NEW

### AS 36-18 L 20 PC Scope of delivery

Antistatic suction hose Quick (Ø 32 mm / 3.2 m), 3 plastic suction tubes, fleece filter bag, suction nozzle(120 mm wide), floor nozzle (300 mm wide), crevice nozzle, brush nozzle, Quick connection socket Ø 28/35 mm. Quick Professional handle adapter, without battery pack, without charger

Battery options	Order No.	CAS
Body only + Accessories	602071850	

Full Service price group FS4

\* See page 201 for Battery Set options

### AS 36-18 L 30 PC CC CORDLESS WET/DRY VACUUM CLEANER

- Compact, versatile cordless vacuum cleaner in dust class L with integrated filter cleaning
- CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- Wet/dry vacuum cleaner with commercial approval
- User protection: certified according to EU standard for dust of dust class L
- PressClean: manual filter cleaning through strong air flow by pressing the switch on the vacuum cleaner during work breaks
- Eco mode for longer running time per battery charge, Boost mode for maximum performance
- Automatic run-on function for completely emptying the suction hose
- Suction stop during wet vacuuming when the maximum filling height is reached

Battery pack voltage	12 x 18 V
Air output max.	3.300 l/min
Vacuum	140 hPa (mbar)
Container volume	30 L
Suction hose Ø	32 mm
Hose length	3.2 m
Weight without battery pack	9.8 kg



### AS 36-18 L 30 PC CC Scope of delivery

Quick anti-static suction hose (Ø 32 mm / 3.2 m), CordlessControl transmitter with fixing strap Ø 35 mm. 3 plastic suction tubes, fleece filter bag, suction nozzle (120 mm wide), floor nozzle (300 mm wide), crevice nozzle, brush nozzle, connection sleeve inner Ø 28 mm / outer Ø 35 mm, intermediate handle piece Quick Professional, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602073850

Full Service price group FS4 \* See page 201 for Battery Set options

10CYEARS Building our world. Together

### AS 36-18 M 30 PC CC CORDLESS WET/DRY VACUUM CLEANER

- Compact, versatile cordless vacuum cleaner of dust class M with integrated filter cleaning
- CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- Wet/drv vacuum cleaner with commercial approval
- High level of user protection: certified to EU standard for dust of dust class M
- PressClean: manual filter cleaning by means of strong air current when the switch on the vacuum is pressed during work breaks
- Eco mode for longer runtime per battery charge, Boost mode for maximum for maximum performance
- Automatic run-on for complete emptying of the suction hose
- Suction stop during wet vacuuming when the maximum fill level is reached is reached
- Quick coupling of metaBOXes with tools and accessories on the vacuum cleaner for easy relocation

Battery pack voltage	2 x 18 V
Air output max.	3.300 l/min
Vacuum	140 hPa (mbar)
Container volume	30 L
Suction hose Ø	32 mm
Hose length	3.2 m
Weight without battery pack	10.3 kg



#### AS 36-18 M 30 PC CC Scope of delivery

Antistatic suction hose Quick (Ø 32 mm / 3.2 m), CordlessControl transmitter with fixing strap Ø 35 mm, 3 suction tubes (chrome-plated), PE disposal bag, fleece filter bag, suction nozzle (120 mm wide), floor nozzle (360 mm wide), crevice nozzle, brush nozzle, Quick connection socket Ø 28/35 mm, connection socket Quick Ø 40/45 mm, intermediate handle Quick Premium, without battery pack, without charger

Battery options	Order No.	
Body only + Accessories	602074850	~

Full Service price group FS4

\* See page 201 for Battery Set options



NEW



### AS 36-18 H 30 PC CC CORDLESS WET/DRY VACUUM CLEANER

- Compact, versatile cordless vacuum cleaner of dust class H with integrated filter cleaning
- CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- Wet/dry vacuum cleaner with commercial approval
- Maximum user protection: certified by EU standard for dust of dust class H
- PressClean: manual filter cleaning by means of strong air current when the switch on the vacuum is pressed during work breaks
- Eco mode for longer runtime per battery charge, Boost mode for maximum for maximum performance
- Automatic run-on for complete emptying of the suction hose
- Suction stop during wet vacuuming when the maximum fill level is reached is reached
- Quick coupling of metaBOXes with tools and accessories on the vacuum cleaner for easy relocation

< 18 V 300 l/min
300 l/min
0 hPa (mbar)
L
mm
2 m
.3 kg





### AS 36-18 H 30 PC CC Scope of delivery

Antistatic suction hose Quick (Ø 32 mm / 3.2 m), CordlessControl transmitter with fixing strap Ø 35 mm, 3 suction tubes (chrome-plated), suction nozzle (120 mm wide), floor nozzle (360 mm wide), crevice nozzle, brush nozzle, Quick connection socket Ø 28/35 mm, connection socket Quick Ø 40/45 mm, intermediate handle Quick Premium, special filter bag for H-Class, without battery pack, without charger

Battery options	Order No.	
Body only + Accessories	602075850	

Full Service price group FS4 \* See page 201 for Battery Set options

# Cordless M-Class vacuum cleaner with CordlessControl.



### ASR 36-18 BL 25 M SC CORDLESS WET/DRY VACUUM CLEANER

- Best in class cordless wet/dry vacuum cleaner with cordless control function for intelligent extraction without cable connection
- CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- Manual starting of the vacuum cleaner is also possible with the remote button at the coupling bush of the hose
- Commercially approved cordless vacuum cleaner, certified for dusts of dust class M

Battery pack voltage	1 x 36 V / 2 x 18 V
Air output max.	4.000 l/min
Vacuum	240 hPa (mbar)
Container volume	25 L
Suction hose Ø	35 mm

### ASR 36-18 BL 25 M SC Scope of delivery

Suction hose 630177000 (Ø 35 mm / 4.0 m / electro-conductive), CordlessControl transmitter with fixing tape Ø 35 mm, 1 Multi tape, 2 Plastic suction tubes, Handle adapter, Fleece filter bag, 2 Polyester filter cassettes (M class), Floor nozzle (300 mm wide), Crevice nozzle, Coupling bush internal Ø 28 mm / external Ø 35 mm, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602046850

Full Service price group FS4

\* See page 201 for Battery Set options



### Vacuum cleaner accessories

Description	Order No.
5 FLEECE FILTER BAGS - 7.5L, AS 18 L PC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters)	630173000
PLEATED FILTER FOR AS 18 L PC, DUST CLASS L Corresponds to dust class L	630172000
5 FLEECE FILTER BAGS - 6 L, AS 18 HEPA PC COMPACT Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknessers, small random orbital sanders and orbital sanders etc. Improved mechanical stability.	630164000
PLEATED FILTER FOR AS 18 HEPA PC COMPACT HEPA filter with reduction efficiency >99.95%	630213000
5 FLEECE (M-CLASS) FILTER BAGS - 25/35L, ASR 36-18 BL 25 M SC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknesser, small random orbital sanders and orbital sanders etc. Suitable for all all-purpose and special suction units with a maximum container volume of 25/35 l	630343000
5 PE (M-CLASS) FILTER BAGS - 25L, ASR 36-18 BL 25 M SC 20 times the volume of paper filter bags No clogging with fine dust (especially quartz dust) Well suited for applications where large amounts of fine dust are generated (e.g. removal of plaster from surfaces, grinding and removal of screed etc.) Meet the requirements for M and H class vacuums Ideal when using machines for processing concrete and masonry, such as: renovation milling machines, renovation grinder, long-neck sanders, wall chasers etc. Clean, simple and fast removal and disposal	630275000
2 FILTER CASSETTES, POLYESTER, DUST CLASS M Corresponds to dust class M Also suitable for absorbing graphite/toner and vacuuming liquids	631934000

135

## ANGLE GRINDERS & METAL PROCESSING

- fra

melabo 10 CYEARS

### WPB 36-18 LTX BL 24-230 QUICK CORDLESS ANGLE GRINDER

- Second generation of the World's first large angle grinder (Ø 230 mm), with battery pack operation for powerful cutting and grinding independent from the mains power
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Widest range of application thanks to extremely large cutting depth of 77 mm
- Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- Deadman's switch for high user safety
- Fast brake system for highest user safety stops the disc within a matter of seconds after switching off
- Rotating main handle: high safety and better handling when cutting
- Metabo VibraTech (MVT) side handle for vibration damping to protect the user's health
- Side handle can be mounted in three positions
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly for high user safety
- Overload protection, soft start and restart protection

Battery pack voltage / type	18 V LiHD
Grinding wheel Ø	230 mm
No-load speed	6600 rpm
Spindle thread	M14
Weight (inc. battery pack)	6.5 kg





#### WPB 36-18 LTX BL 24-230 Q Scope of delivery

Guard Inner support flange Nut with two holes Metabo VibraTech (MVT) side handle Flat-pin spanners Plastic carry case without battery pack, without charger

Battery options	Order No.
Body only + carry case	613103840

\* See page 201 for Battery Set options

#### Full Service price group FS4



PADDLE-SWITCH	RESTART	CAS
---------------	---------	-----

18 V 🕀 18 V

Body only (Cardboard box)

\* See page 201 for Battery Set options

Order No.

602373850

BRUSHLESS

C<sub>4</sub>s

Order No.

602374850

BRUSHLESS

139

Battery options

Full Service price group FS1

Battery options

Body only (Cardboard box)

Full Service price group FS1

\* See page 201 for Battery Set options

### W 18 7-125 ANGLE GRINDER

- Robust angle grinder with powerful motor and slim design for universal applications
- Overload protection: protects the motor from overheating
- Electronic soft start for smooth start-up

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	8500 rpm
Spindle thread	M 14

### W 18 7-125 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, without battery pack, without charger

### W 18 L 9-115 ANGLE GRINDER

- Robust angle grinder with powerful motor and slim design for universal applications
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	8,500 rpm
Spindle thread	M 14

### W 18 L 9-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger

### W 18 L 9-125 QUICK ANGLE GRINDER

- Robust angle grinder with powerful motor and slim design for universal applications
- Metabo Quick for tool-free disc change by means of a Quick-Locking nut

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	8,500 rpm
Spindle thread	M 14

### W 18 L 9-125 Q Scope of delivery

Guard, Inner support flange, Quick-locking nut, Side handle, metaBOX 165 L, without battery pack, without charger



Order No.

602246840

Order No.

602249840

 $\otimes$ 

CAS

### W 18 L BL 9-115 ANGLE GRINDER

- Service-free Brushless motor with highest efficiency and maximum handiness
- Slim design for low-fatigue working
- Tool-free adjustable guard; twist-proof

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	10,000 rpm
Spindle thread	M 14

### W 18 L BL 9-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, without battery pack, without charger

### W 18 L BL 9-125 ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Fast brake system for highest user safety: Disc stops within 1second after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14

### W 18 L BL 9-125 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, without battery pack, without charger

### Notes



Battery options

Battery options

Body only + metaBOX 165 L

\* See page 201 for Battery Set options

Full Service price group FS4

Body only + metaBOX 165 L

Body only + metaBOX 165 L

Order No.

613054840

Battery options

### W 18 LT BL 11-115 ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Service-free Brushless motor with highest efficiency and maximum handiness

Battery pack voltage	18 V	
Grinding disc Ø	115 mm	
No-load speed	10,000 rpm	
Spindle thread	M 14	

### W 18 LT BL 11-115 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger

### W 18 LT BL 11-125 ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Service-free Brushless motor with highest efficiency and maximum handiness

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14

### W 18 LT BL 11-125 Scope of delivery

Guard, Inner support flange, Nut with two holes, Side handle, Flat-pin spanners, metaBOX 165 L, without battery pack, without charger

### WB 18 LT BL 11-115 QUICK ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Fast brake system for highest user safety: Disc stops within 1second after switching off

Battery pack voltage	18 V	
Grinding disc Ø	115 mm	
No-load speed	10,000 rpm	
Spindle thread	M 14	]

### WB 18 LT BL 11-115 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 I without battery pack, without charger

	BRUSHLESS CAS	
Battery options	Order No.	
Body only + metaBOX 165 L	UK613054841	

Order No.

UK613052841

BRUSHLESS

CAS

Order No.

613052840

Battery options

Body only + metaBOX 165 L

\* See page 201 for Battery Set options

Full Service price group FS3

Battery options

Body only + metaBOX 165 L

\* See page 201 for Battery Set options

Full Service price group FS3

\* See page 201 for Battery Set options



### WB 18 LT BL 11-125 QUICK ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Fast brake system for highest user safety: Disc stops within 1second after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	10,000 rpm
Spindle thread	M 14

### WB 18 LT BL 11-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger





### WVB 18 LT BL 11-115 QUICK ANGLE GRINDER Order No. Body only + metaBOX 165 L 613056840 Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power \* See page 201 for Battery Set options Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant Full Service price group FS3 under load BRUSHLESS WVB 18 LT BL 11-115 Q Scope of delivery Guard, Inner support flange, M-Quick flange nut,

BRUSH
CAS

Battery pack voltage	18 V	
Grinding disc Ø	125 mm	
No-load speed	2800 - 10,000 rpm	
Spindle thread	M 14	

Side handle, Dust protection filter, metaBOX 165 L without battery pack, without charger

### CORDLESS TOOLS 18 V - LT / LTX CLASS ANGLE GRINDERS / ACCESSORIES

Battery options

Body only + metaBOX 165 L

Order No.

601731840

BRUSHLESS

### metabo

### WVB 18 LT BL 11-125 QUICK ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- Fast brake system for highest user safety

Battery pack voltage	18 V	6
Grinding disc Ø	125 mm	
No-load speed	2,800 - 10,000 rpm	
Spindle thread	M 14	

#### WVB 18 LT BL 11-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

### WVB 18 LT BL 11-125 QUICK INOX ANGLE GRINDER

- Variable speed setting with thumbwheel for working on materials requiring customised speeds, and at speeds which remain constant under load
- Perfect processing of stainless steel: powerful angle grinder with high gear reduction and adjustable reduced speed for cool finish
- Fast brake system for highest user safety

Battery pack voltage	18 V	
Grinding disc Ø	125 mm	
No-load speed	2,000 - 7,600 rpm	
Spindle thread	M 14	

### WVB 18 LT BL 11-125 Q INOX Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, without battery pack, without charger

### WB 18 LTX BL 15-125 QUICK ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- Service-free Brushless motor with highest efficiency and maximum handiness
- Fast brake system for highest user safety: Disc stops within1.5 seconds after switching off

Battery pack voltage	18 V	
Grinding disc Ø	125 mm	
No-load speed	10,000 rpm	
Spindle thread	M 14	

### WB 18 LTX BL 15-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

i	Battery options	Order No.	
	Body only (Cardboard box)	613091850	
	* See page 201 for Battery Set options		
	Full Service price group FS3	~	
			3
		Con and	7
	all in		1
			1
6			9

Battery options

Body only + metaBOX 165 L

\* See page 201 for Battery Set options

Full Service price group FS3


BRUSHLESS



Order No.

613057840

BRUSHLESS



\* See page 201 for Battery Set options



### WVB 18 LTX BL 15-125 QUICK ANGLE GRINDER

- Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool
- Service-free Brushless motor with highest efficiency and maximum handiness
- Fast brake system for highest user safety: Disc stops within 1.5 seconds after switching off

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	2,500 - 10,000 rpm
Spindle thread	M 14

### WVB 18 LTX BL 15-125 Q Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Side handle, Dust protection filter, without battery pack, without charger









Battery pack voltage

Grinding disc Ø

No-load speed Spindle thread

Battery pack voltage

Grinding disc Ø

No-load speed

Spindle thread

#### WPBA 18 LTX BL 15-125 QUICK DS Order No. Battery options Brushless cordless angle grinder of the new generation: the most powerful Body only + metaBOX 165 L 601734840 one in its class, as powerful as a 1,500 Watt mains-powered tool \* See page 201 for Battery Set options Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch Full Service price group FS4 18 V 125 mm 10,000 rpm M 14 WPBA 18 LTX BL 15-125 Q DS Scope of delivery Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Multi-position handle, Dust protection filter, Safety bracket DS, metaBOX 165 L, without battery pack, without charger WPBA 18 LTX BL 15-150 QUICK DS Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1,500 Watt mains-powered tool Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch 18 V 150 mm 10,000 rpm M 14 WPBA 18 LTX BL 15-150 Q DS Scope of delivery Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Multi-position handle. Dust protection filter. Safety bracket DS. metaBOX 165 L, without battery pack, without charger WPBA 18 LTX BL 15-180 QUICK DS

- Brushless cordless angle grinder of the new generation: the most powerful in its class, as powerful as a 1,500 Watt mains-powered tool
- Paddle switch with dead man function: safe to operate due to an ergonomically integrated switch

Battery pack voltage	18 V
Grinding disc Ø	180 mm
No-load speed	7,500 rpm
Spindle thread	M 14

#### WPBA 18 LTX BL 15-180 Q DS Scope of delivery

Guard, Inner support flange, M-Quick flange nut, Metabo VibraTech (MVT) side handle, Multi-position handle, Dust protection filter, Safety bracket DS, metaBOX 165 L, without battery pack, without charger

	BRUSHLESS
Battery options	Order No.
Body only + metaBOX 165 L	601745840
* See page 201 for Battery Set options Full Service price group FS4	

	Battery options	Order No.
I one	Body only + metaBOX 165 L	601746840
	* See page 201 for Battery Set options	
	Full Service price group FS4	
		BRUSHLESS CAS

#### System accessories

-		
	Description	Order No.
	CUTTING GUARD CLIP 115 MM	630351000
metabo	CUTTING GUARD CLIP 125 MM For working with fibre-reinforced, resin-bonded cutting discs. The cut-off clip guard is simply attached to the existing guard of the angle grinder. EN/EC 60745. Material: plastic. Suitable for Metabo cordless angle grinders: W 18 LTX; made in 2008 onwards	630352000
2	EXTRACTION HOOD CLIP CED 125 CLIP Extraction guard clip for angle grinders with Ø 125 mm for low-dust dry cuts up to 30 mm in mineral materials. Connection for dust extraction Ø 35/41 mm Suitable for Metabo W 18 LTX 125; WB 18 LTX BL 125; WP 18 LTX 125; WPB 18 LTX BL 125 (made in 2008 onwards)	630401000
	CUTTING DUST EXTRACTION SHROUD CED 125 Extraction shroud with plunge function and optimised flow channel for particularly low-dust cutting both indoors and outdoors. Connection for dust extraction Ø 35/41 mm Max. cutting depth for freehand cuts is 27 mm, with table 25 mm. Suitable for Metabo W18 LT 11 Scope of delivery incl. nut with two holes 5/8" and M14.	626730000
	CUTTING DUST EXTRACTION SHROUD CED 125 PLUS Extraction shroud with plunge function and optimised flow channel for particularly low-dust cutting both indoors and outdoors. Cutting depth can be adjusted without tools. Max. cutting depth for freehand cuts is 27 mm, with table 25 mm, with precision guide rail 20 mm. Suitable for Metabo W18 LT 11 Scope of delivery incl. nut with two holes 5/8" and M14.	626731000
10	GRINDING DUST EXTRACTION SHROUD GED 125 Quick, tool-free installation of the extraction shroud on a compatible angle grinder. Integrated sliding segment for quick, tool-free access even when wearing gloves, for working close to walls. Extraction hood with flexible brush rim and optimised extraction channel for particularly low-dust in surface preparation. Suitable for Metabo W18 LT 11	626732000
	TOOL SAFETY BELT, UP TO 5KG Robust securing strap to avoid or dampen impacts when the secured tool falls No unintentional loosening of the secure connection thanks to carabiner with twist lock system High degree of free movement without twisting or jamming thanks to integrated swivel joint Clear marking of the maximum securing weight Certified in accordance with international safety standard ANSI/ISEA 121-2018	628960000
	TOOL SAFETY BELT: QUICK CONNECT, UP TO 5KG Robust securing strap to avoid or dampen impacts when the secured tool falls Quick connect: Ready for use in a matter of seconds thanks to carabiner with safe twist-lock system on both ends High degree of free movement without twisting or jamming thanks to integrated swivel joint Clear marking of the maximum securing weight Certified in accordance with international safety standard ANSI/ISEA 121-2018	628961000

#### **CORDLESS TOOLS 18 V - LTX CLASS** FLAT HEAD ANGLE GRINDER / 76mm ANGLE GRINDER

#### WF 18 LTX 125 QUICK FLAT HEAD ANGLE GRINDER

- Extremely flat gear head permits working within acute angles down to 43°
- Compact design for quick removal of welding slag, rust or paint in tight places e.g. frame constructions
- Low-fatigue working even on weld seams in difficult to access places thanks to slim handle
- Robust motor for long service life
- Metabo Quick for tool-free disc change by means of a quick-locking nut
- Tool-free adjustable guard; twist-proof

Battery pack voltage

Minimum accessible angle

- Battery pack can be swivelled for better working in hard to reach places
- Detachable dust filter protects motor from coarse particles

18 V

43°



68°.

70°

#### CC 18 LTX BL **18V CORDLESS ANGLE GRINDER**

- Very handy tool with maximum working comfort for many applications
- Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- Powerfull brushless motor for guick work progress and highest efficiency
- Overload protection: protects the motor from overheating
- Restart protection: prevents unintentional start-up after battery pack change

Battery pack voltage	18 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight (without battery pack)	0.64 kg
	Grinding wheel Ø No load speed Spindle thread



Order No.

600349840

#### CC 18 LTX BL Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox, 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, metaBOX 165 L, without battery pack, without charger

Full Service price group FS2

#### Always the right accessories.

For processing metal, stainless steel, wood, stone, tiles and plastic.

#### Starter Set

Cutting disc "Flexiarapid Super" Inox Cutting and grinding disc "Combinator" Inox Diamond Cutting Disc "professional" - UP Order no. 626879000

5x Cutting disc "Flexiarapid Super" Inox Especially for processing stainless steel 76 x 1.0 x 10 mm, Inox Order no. 626870000

1x Diamond cutting disc "professional", TP For all types of tiles, fine stoneware 76 x 10 mm, TP Order no. 626874000

1x Flap disc "ZK Flexiamant" For rough and intermediate grinding in the entire metal sector 76 mm, P60, F-ZK Order no. 626875000

3x Cutting and grinding disc "Combinator" Inox For quick cutting and easy deburring/sanding 76 x 2.5 x 10 mm, Inox Order no. 626872000

Body only + metaBOX 165 L

\* See page 201 for Battery Set options



CAS





1x Diamond cutting disc "professional", UP For universal use 76 x 1.2/2.2 x 10 mm, UP Order no. 626873000







Grinding disc Ø 125 mm No-load speed 8000 rpm Spindle thread M 14 lelabo

#### WF 18 LTX 125 QUICK Scope of delivery

5 Flap discs Flexiamant Super Convex (125mm; P60) Guard Inner support flange Quick-locking nut Side handle Dust protection filter metaBOX 165 L without battery pack, without charger



10CYEARS Building our world Together

Order No. Body only + metaBOX 165 L 601306840

\* See page 201 for Battery Set options





#### **NIV 18 LTX BL 1.6 CORDLESS NIBBLERS**

- Handy, powerful cordless nibblers for effortless cutting of flat and shaped sheets
- Good cornering ability for notches and interior cut-outs of a radius of 40 mm or more
- Fast, tool-free adjustment of cutting direction by up to 360°, in 45° steps
- High feed rate for faster working, thanks to an efficient brushless motor
- Infinitely adjustable cutting speed for individual customisation to the given material and task at hand

10CYEARS Building our world. Together

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm <sup>2</sup>	1.6 mm
Strokes in idle	660 - 2360 rpm
Cutting speed	1.2 - 2.6 m/min

#### NIV 18 LTX BL 1.6 Scope of delivery

Punch, Die, Chip Collection Bag, Combo-spanner, metaBOX 145, without battery pack, without charger

Battery options	Order No.			
Body only + metaBOX 145	601614840	N	and the second	
* See page 201 for Battery Set options		Į	melabo	CAS
		- 9		

Full Service price group FS4



#### Die for NIV18 LTX BL 1.6 Order No. 630247000

#### SCV 18 LTX BL 1.6 CORDLESS METAL SHEARS

- Very handy and manoeuvrable cordless sheet-metal shears for burr-free cutting of sheet metal on site
- Maximum cornering ability, for comfortable cutting of narrow radii from 15 mm
- Faster working, thanks to the efficient brushless motor
- Infinitely adjustable cutting speed for individual customisation to the given material and task at hand
- Comfortable handling thanks to low weight, slim grip area and switch located on the top

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm <sup>2</sup>	1.6 mm
Strokes in idle	1.350 - 4.840 rpm
Cutting speed	7 m/min

#### SCV 18 LTX BL 1.6 Scope of delivery

Full Service price group FS4

2 reversible blades, Feeler gauge, 2 Hexagonal wrenches, metaBOX 145, without battery pack, without charger

Battery options	Order No.	
Body only + metaBOX 145	601615840	
* See page 201 for Battery Set options		Include



2 Reversible blades for Steel up to 800N/mm<sup>2</sup> Order No. 630241000

149



#### **GVPB 18 LTX BL 11-28 CORDLESS DIE GRINDER**



- Slim cordless die grinder with dead man function and long grinding spindle for particularly safe working, also in hard-to-reach places
- High degree of user safety thanks to paddle switch with dead man function and fast brake for fast stop of the tool being used (< 1 sec)</p>

10CYEARS Building our world. Together

- Variable speed setting for working with different materials
- Particularly slim handle area for optimum handling and low-fatigue working
- Powerful like a 1,100 Watt mains-powered tool thanks to efficient, service-free Brushless motor

Battery pack voltage	18 V
No-load speed	8000 - 28000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm
Weight without battery	1.4 kg

#### GVPB 18 LTX BL 11-28 Scope of delivery

Collet 6 mm, Protective rubber cap, Dust protection filter Open-jawed spanner, without battery pack, without charger

Battery options	Order No.
Body only (Cardboard box)	600827850

\* See page 201 for Battery Set options

Full Service price group FS4



#### **GVB 18 LTX BL 11-28 CORDLESS DIE GRINDER**

- Slim cordless die grinder with long grinding spindle for deburring, milling, grinding and cutting, also in hard-to-reach places
- Variable speed setting for working with different materials
- Particularly slim handle area for optimum handling and low-fatigue working

Battery pack voltage	18 V
No-load speed	8000 - 28000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

#### GVB 18 LTX BL 11-28 Scope of delivery

Collet 6 mm, Protective rubber cap Dust protection filter, Open-jawed spanner without battery pack, without charger

nt materials dling and low-fatigue work BRUSHLESS	king	CAS RECEIPT
		Order No.
	Body only (Cardboard box)	600826850

Full Service price group FS4 \* See page 201 for Battery Set options

NEW

Order No.

600829850

151

### GVB 18 LTX BL 11-7 HT CORDLESS DIE GRINDER

 Powerful cordless die grinder with long grinding spindle also for demanding grinding applications, also in hard-to-reach places

BRUSHLESS

BRUSHLES

- High torque also with low speeds, therefore ideal for working with flap grinding wheels
- Variable speed setting for working with different materials
- Particularly slim handle area for optimum handling and low-fatigue working

Battery pack voltage	18 V
No-load speed	1500 - 7000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

#### GVB 18 LTX BL 11-7 HT Scope of delivery

Collet 6 mm, Protective rubber cap, Dust protection filter, Open-jawed spanner, without battery pack, without charger

Full Service price group FS4 \* See page 201 for Battery Set options

Body only (Cardboard box)

#### GVB 18 LTX BL 11-28 COMPACT CORDLESS DIE GRINDER

- Compact, light cordless die grinder in short design for deburring, milling, grinding and cutting
- Variable speed setting for working with different materials
- Particularly slim handle area for optimum handling and low-fatigue working
- High degree of user safety thanks to fast brake for quick stop of the tool being used (< 1 sec)
- Powerful like a 1,100 Watt mains-powered tool thanks to efficient, service-free Brushless motor

Battery pack voltage	18 V
No-load speed	8000 - 28000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm

#### GVB 18 LTX BL 11-28 COMPACT Scope of delivery

Collet 6 mm, Protective rubber cap, Side handle

Dust protection filter, Open-jawed spanner without battery pack, without charger

	Order No.
Body only (Cardboard box)	600828850

Full Service price group FS4 \* See page 201 for Battery Set options

#### CORDLESS TOOLS 18 V - LTX CLASS COMPRESSOR / INFLATOR



- Light and powerful cordless compressor with brushless motor for use in interior development and on construction sites
- Oil-free piston compressor: simple transportation and reduced service requirements
- Instrument panel with easy to read manometers for tank and working pressure
- 10 year tank warranty against rust

Battery options	Order No.
Body only	601521850

\* See page 201 for Battery Set options

#### Manometers:

For tank & working pressure

Protected operator panel: manometers, coupling and regulator are protected against damage by the pipe frame



Rubber suction feet:

- Prevents movement during operation

- Prevents marking of work surface

Suction Rate	120 l/min (4.2 cfm)
Filling capacity	60 l/min (2.1 cfm)
Rated input power	700 W
Effective delivery volume (at 80% max. pressure)	45 l/min (1.6 cfm)
Maximum pressure	8 bar / 116 psi
Tank capacity	5
Weight (inc. battery pack)	9.1 kg

BRUSHLESS

metabo

10CYEARS Building our world. Together Fast refilling: of tank thanks to 700 W input power

Extra battery storage: spare battery pack can be stored at the compressor

#### More efficiency: the brushless motor offers great performance with low energy consumption for longer runtime

#### Easy transportation: thanks to low weight of 8,5 kg (with battery 9,4 kg) and compact size

#### **AK 18 MULTI CORDLESS COMPRESSOR / INFLATOR**

Multifunctional cordless compressor, versatile use for inflating tyres, balls, air mattresses and more

CAS

- High-pressure function for comfortable inflating of car tyres and bicycle tyres
- Volume function for fast filling an deflating of inflatable products such as guest beds, air mattresses and pool accessories
- Large, high-contrast display shows selected function, current pressure and set target pressure
- The pressure can be shown in the units of bar, psi and kPa
- Automatic deactivation when the set target pressure is reached
- Bright LED light to illuminate the application area in darkness or if visibility is poor

Battery voltage	18V
Filling capacity	16 l/min
Maximum pressure	11 bar
Length of high pressure hose	1200 mm
Length of high volume hose	490 mm
Dimensions	328 x 185 x 256 mm
Weight (inc. battery pack)	3.6 kg

#### AK 18 MULTI Scope of delivery

Volume hose with 2 adapters Universal high-pressure adapter High-pressure adapter for bicycle valve Ball needle, 12V car cable without battery pack, without charger

Battery options	Order No.
Body only	600794850

\* See page 201 for Battery Set options

Full Service price group FS4



NEW



#### NP 18 LTX BL 5.0 CORDLESS BLIND RIVET GUN

- Cordless rivet gun for extremely fast riveting, comparable to compressed air devices
- 100% compatible with all Metabo 18 Volt battery packs
- Long service life thanks to brushless motor and robust precision gearbox
- With holding nozzles for one-hand operation inserted rivet holds in any position
- Transparent collecting container for simple emptying of the remaining rivet mandrels
- Quick change of nozzle for different rivet diameters, via integrated tool
- Safety in the workplace thanks to robust knuckle guards
- LED light for optimum illumination when riveting; can be switched off for reflective surfaces
- Ergonomic design for comfortable working also in corners
- Robust eyelet for energy-saving work with balancer / spring tension
- Handy belt hook, can be fixed either on the right or left side
- Battery packs with capacity display for checking the charge status
- Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life



10CYEARS Building our world Together



#### NP 18 LTX BL 5.0 Scope of delivery

4 retaining nozzles, 4 Standard mouthpieces, Belt hook, metaBOX 145 L, without battery pack, without charger

Full Service price group FS4



#### NMP 18 LTX BL M10 CORDLESS BLIND RIVET NUT GUN

- Cordless rivet nut gun with setting power adjustment for blind rivet nuts up to M10 in aluminium, M8 in steel, M6 in stainless steel
- Versatile use thanks to mandrel quick change system
- Automatic drill-on of the blind rivet before setting
- Time-saving auto-reverse function: Pull mechanism returns to starting position after setting and nut is drilled off the mandrel
- Easy presetting of the placement force on the LED display for working that is gentle on the material and threads

Battery pack voltage	18 V
Max. blind rivet nuts in aluminium	M10
Max. blind rivet nuts in steel	M8
Max. blind rivet nuts in stainless steel	M6

#### NMP 18 LTX BL M10 Scope of delivery

Mandrels M4, M5 and M6, Mouthpieces M4, M5 and M6, Placement force information card, Hexagonal wrench, Open-end wrench, metaBOX 145 M, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145 M	601788840

\* See page 201 for Battery Set options

Full Service price group FS4



metabo

154

For more technical information and accessories, see our main catalogue or visit our website: www.metabo.com/uk



#### **BE 18 LTX 6 CORDLESS DRILL**

- Fast and handy cordless drill with high precision for drilling into metal
- Collar (Ø 43 mm) for versatile use
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Overload protection: protects the motor from overheating

Battery pack voltage	18 V
Maximum torque	4 Nm
Drill Ø steel	6 mm
Drill Ø soft wood	12 mm
No-load speed	0 - 4000 / min
Chuck capacity	1 - 10 mm

#### BE 18 LTX 6 Scope of delivery

metaBOX 145 L, without batteries, without charger

without diargoi		and the second
Battery options	Order No.	
Body only + metaBOX 145 L	600261840	melabo
* See page 201 for Battery Set options		

10CYEARS Building our world. Together

Full Service price group FS3



# CAS

#### **GB 18 LTX BL Q I CORDLESS TAPPER**

- High-grade cordless drill/screwdriver with unique, patented thread-tapping function
- Quick and interruption-free cutting and cleaning of threads thanks to automatic change of direction of rotation
- Two quick-change tapping chuck for inserting taps with square and cylindrical shanks
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly for high user safety

Battery pack voltage	18 V
Maximum torque - soft / hard	65 Nm / 130 Nm
Thread diameter	M4 - M12
Drill Ø steel / soft wood	13 mm / 68 mm

#### GB 18 LTX BI Q I Scope of delivery

Quick-change tapping chuck M4-M6 Quick-change tapping chuck M8-M12 Side handle Belt hook and bit case metaBOX 145 L

Battery options	Order No.
Body only + metaBOX 145 L	602362840

\* See page 201 for Battery Set options



# **Cordless site lights**



#### BSA 12-18 LED 2000 CORDLESS SITE LIGHT

Metabo Uk

Compact cordless site light with COB-LED for a targeted, true colour illumination, ideal in tight spaces

10CYEARS Building our world. Together

- Integrated magnets for fast fixing on metal surfaces
- Swivelling hook for suspending the lamp

YOU Tube

- Operation with all Li-Power and LiHD slide-on 12 and 18 Volt battery packs
- Lamp head can be turned through 360° providing almost infinite positions for the lamp

Max. luminous flux	2,000 lm
Max. operation time per battery charge	12 V / 4.0 Ah LiHD: 2.7 h (approx. 41 minutes per Ah at max light output) 18 V /4.0 Ah LiHD: 5 h (approx. 65 minutes per Ah at max. light output)
Weight (inc. battery pack)	2.2 kg

Battery options	Order No.
Body only	601504850

\* See page 201 for Battery Set options







18 V 12 V

#### **BSA 18 LED 4000 CORDLESS SITE LIGHT**

- Compact cordless site light with 4000 lumens for extensive and even working light with reduced shadowing
- Integrated magnets for fast fixing on metal surfaces
- Handle and light, compact design for quick change of position and for on the go
- Practical suspension possibilities on lamp base and housing recess
- Lamp head can be turned 270° providing almost infinite positions for the lamp
- Stepless dimmer function for optimal light with maximum battery run time
- USB port for charging and operating USB devices (max. charging current 1 A)

Max. luminous flux	4,000 lm
Max. operation time per battery charge	18V / 4.0 Ah LiHD: 2.3 h (approx. 35 minutes per Ah at max. light output) 18V / 10.0 Ah LiHD: 6.5 h (approx. 35 minutes per Ah at max. light output)
Weight (inc. battery pack)	2.5 kg

Battery options	Order No.
Body only	601505850

\* See page 201 for Battery Set options





#### BSA 18 LED 10000 CORDLESS SITE LIGHT

- Compact cordless site light with 10,000 lumens for extensive and even working light with reduced shadowing
- Cordless and mains operation possible for continuous operation in the working environment (mains cable can be removed)
- Clearly visible display of the remaining battery runtime, a flashing light warns before the end of the runtime to avoid dangerous situations in the dark
- Prepared for tripods use (5/8" thread)
- Protected from dust and splash-proof for demanding building site use (IP 54)
- USB port for charging and operating USB devices (max. charging current 1 A)

Max. luminous flux	10,000 lm
Max. operation time per battery charge	12 V / 4.0 Ah LiHD: 1 h (approx. 15 minutes per Ah at max light output) 18 V / 10.0 Ah LiHD: 2.5 h (approx. 15 minutes per Ah at max. light output)
Weight (inc. battery pack)	5.1 kg

Battery options	Order No.
Body only + mains cable (3 m)	601506380

\* See page 201 for Battery Set options



# Perfect illumination of any angle



#### BSA 18 LED 5000 DUO-S CORDLESS SITE LIGHT

- Tripod light with two individually adjustable site spotlights with 5000 lumens for flexible, bright light in the entire working area.
- Optimal illumination in any desired angle thanks to two rotating and swivelling spotlights
- Stable tripod with easy height adjustment up to 2 metres for optimal illumination for any application
- Set up and fold the site light in a matter of seconds
- Easy transport thanks to small dimensions, comfortable carry handle and low weight
- Two light levels for optimal light with maximum battery pack run time
- Battery pack runtime at max. luminosity of 25 min per Ampere hour (Ah), e.g. 4 hours with an LiHD battery pack 18 V / 10 Ah or 8 hours at light level 1
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Max. luminous flux	5,000 lm
Max. operation time per battery charge	18V Battery pack 4.0 Ah LiHD: 1.7 h
LED LED	18V Battery pack 10.0 Ah LiHD: 4.2 h / (approx. 25 minutes per Ah at max. light output) / (approx. 35 minutes per Ah at max. light output)
Weight (inc. battery pack)	5.2 kg


Battery options	Order No.
Body only	601507850

\* See page 201 for Battery Set options



#### ULA 14.4-18 LED CORDLESS LAMP

- Powerful LED portable lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be tilted and locked in 12 positions
- Robust aluminium die-cast housing for use on construction sites
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- Swivelling hook for suspending the lamp



Battery options	Order No.
Body only	600368000

\* See page 201 for Battery Set options

Full Service price group FS1

#### SLA 14.4-18 LED CORDLESS LAMP

- Powerful LED inspection lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be turned and swivelled through 180° providing almost infinite positions for the lamp
- Robust aluminium die-cast housing for use on construction sites
   Operation with all Li-Power and LiHD slide-on 18 Volt
- Operation with all LI-Power and LIHD slide-on 18 volt battery packs
- Swivelling hook for suspending the lamp

Max. luminous flux	440 lm
Max. operation time per battery charge	18 V / 2.0 Ah: 4.5h 18 V / 4.0 Ah: 9.1h 18 V / 5.2 Ah: 11.8h 18 V / LiHD 3.1: 7h 18 V / LiHD 5.5: 12.4h 18 V / LiHD 8.0: 18h
Weight (inc. battery pack)	0.46 kg

Battery options	Order No.
Body only	600370000

\* See page 201 for Battery Set options

Full Service price group FS1



#### **KB 18 BL CORDLESS COOLING BOX WITH HEATING FUNCTION**

- Cordless cooling box for active cooling or keeping warm, independent from the mains always and everywhere
- Three to choose from: Operation with 18 Volt battery packs from Metabo or CAS partners, mains cable or 12V car cable
- Powerful Brushless motor with optional EcoMode for even longer runtime in battery operation
- With insertable separating grid for order in the box
- Safe locking of the lid by swivelling the handle forwards
- Practical bottle opener at the left corner of the box
- Integrated storage for the two supplied connection cables
   Stackable on any new metaBOX

Battery pack voltage	18 V
Max. cooling output in ambient temperature	17 °C
Max. temp keeping warm	60 °C
Volume	24
Weight with battery pack	5.9 kg



CAS

ENERG<sup>4</sup>



\* See page 201 for Battery Set options

KB 18 BL Scope of delivery

Without charger, without batteries

Full Service price group FS4

Battery options

Body only

#### **AV 18 CORDLESS FAN**

 High-quality cordless fan for flexible use, independent from mains power

Order No.

600791380

- Battery pack operating time of up to 7 hours (at 5.2 Ah)
- Robust metal cage for maximum air throughput with minimum turbulence
- Adjustable tilting cage for flexible direction of air flow
- Air speed selectable via 3 levels
- Quiet operation even with highest level setting
- Stable tubular frame with rubber feet for safe positioning
- Prepared integrated mounting plate for mounting on a tripod or to the wall
- Operation with all Li-Power and LiHD slide-on 18V battery packs

Air velocity		1.8 / 2.8 / 3.8 m/s // 4.02 / 6.26 / 8.5 mph
Maximum speed	I	1300 rpm
Rotor diameter		355 mm / 14"
Weight (inc. batte	ery pack)	4.55 kg

Battery options	Order No.	
Body only	606176850	CAS

\* See page 201 for Battery Set options



NEW

## metabo

**Powerful DAB+ construction** site radio with rich sound and integrated charging function for battery packs and smartphones.

metabo

Metabo U



- Powerful DAB+ construction site radio with rich sound and integrated charging function for battery packs and smartphones
- Charging function for battery packs in mains operation and for mobile devices with USB-C cable or wireless induction charging

melabo

CAS

- SplitSound: for an extended sound volume, the loudspeaker of a second radio can be of a second radio can be switched on synchronously
- Many stations thanks to DAB+ radio reception, plus analogue FM reception UKW (FM) reception 8 presets each
- With Bluetooth for wireless listening from smartphone or tablet
- AUX-IN for connecting wired music sources
- Operation with all Metabo sliding seat battery packs from 12 to 18 volt or mains operation possible
- Robust plastic housing with protection class IP 54 splash-proof, dust-proof, shock-proof
- Can be stacked and coupled on any metaBOX, up to 40 kg can be carried
- Integrated bottle opener for the thirsty radio listener

Battery voltage	12 - 18V	
Max. Running time per battery charge	18 V / 2.0 Ah: 4 h 18 V / 5.2 Ah: 10.5 h 18 V / 10.0 Ah: 22 h	
Radio frequency DAB+	174 - 240 kHz	
Radio frequency FM	87.5 - 108 MHz	1
Weight (without battery pack)	6.8 kg	











#### RC 12-18 32W BT DAB Scope of delivery

USB-C cable, 2 batteries (AAA), without batteries, without charger

Battery options	Order No.
Body only	600779380

\* See page 201 for Battery Set options



#### R 12-18 DAB+ BT CORDLESS WORKSITE RADIO

#### Digital DAB+ Bluetooth

- Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions
- With Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered
- Station presets for AM/FM
- Mains cable can be plugged in
- Digital DSP tuner with illuminated LCD display and automatic station search
- Flexible antenna

Radio frequency AM	522 - 1.620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

#### R 12-18 DAB+ BT Scope of delivery

Mains cable, without batteries, without charger

Battery options	Order No.
Body only	600778380

\* See page 201 for Battery Set options

Full Service price group FS1





#### AG 18 CORDLESS BLOWER

- Lightweight cordless blower e.g. for blowing off chips from workpieces, workplace, transporter etc.
- Good ergonomics provided by a rubberised handle and an optimum centre of gravity
- Robust design suitable for applications in the workshop and on the construction site
- Vario (V)-Electronics for continuously selectable blowing air velocity rate
- Thumbwheel for preselection of 3 air velocity rate settings for varied output
- Rubberised end piece of the blow tube to protect delicate surfaces
- Comfortable blowing of floor areas using the supplied extension of the blow tube





Battery options	Order No.	
Body only	602242850	
* See page 201 for Battery Set options		

see page zor for battery det opt

Full Service price group FS1





#### HK 18 LTX 20 CORDLESS GLUE GUN

- Versatile cordless glue gun for repairing and fixing at any location. Ready for operation in only 1 minute
- For hot gluing of almost all materials, also heat-sensitive materials thanks to second temperature setting with 130°C
- For glue sticks with Ø 11 mm, also for "low melt" sticks with low processing temperature
- Optimum, fast processing of the glue thanks to constant temperature
- High battery pack performance of up to 13 glue sticks at the highest temperature setting in only 18 minutes (Li-Power battery pack 18 V/2 Ah)

Battery pack voltage	18 V
Maximum adhesive ouput	20 g/min
Processing temperature	200 / 130 °C
Warm up time	1 min
Glue stick Ø	11 mm
Weight with battery pack	0.8 kg

#### HK 18 LTX 20 Scope of delivery

Long nozzle Ø 2.8 mm, 5 transparent glue sticks, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	600797840

\* See page 201 for Battery Set options



# The battery for the garden...



<image>

#### SGS 18 LTX Q CORDLESS GRASS/SHRUB SHEARS

- 1 machine 2 applications
- Shrub shears for precise form cuts on shrubs and bushes
- Grass shears for clean lawn edges
- Tool-free disc change of the two blade attachments thank to Metabo Quick system
- Lightweight machine with maximum quiet running

Battery pack voltage	18 V	
Number of cuts	2,300 /min	
With shrub blade		
Cutting length / thickness	20 cm / 8 mm	
With grass blade		
Cutting width	11.5 cm	
Weight (excl. battery pack)	0.8 kg	

#### SGS 18 LTX Q Scope of delivery

Grass blade, Shrub blade, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	601609850

\* See page 201 for Battery Set options

Full Service price group FS1



168

metabo 10CYEARS

# **Cordless leaf blower: powerful and quiet.**

#### LB 18 LTX BL CORDLESS LEAF BLOWER

- Powerful, quiet cordless blower for fast removal of leaves and dirt from squares and paths
- Strong brushless motor for high performance and long runtime per battery pack charge
- Precise dosing of the blowing power thanks to steplessly adjustable air velocity

metabo

- Constant blowing force in continuous mode thanks to steplessly lockable speed control trigger
- Slim, well-balanced lightweight construction with rubberised grip area for low-fatigue working close to the body

Battery pack voltage	18 V
Air volume	650 m³/h
No-load speed	0 - 20.300 rpm
Weight (incl. battery pack)	2,5 kg

#### BRUSHLESS

CAS

BRUSHLESS



#### LB 18 LTX BL Scope of delivery

Blowing tube, Shoulder strap, without battery pack, without charger

Battery options	Order No.
Body only	601607850

\* See page 201 for Battery Set options



Full Service price group FS2

With the cordless leaf blower, not only leaves can be removed without any problems, but also dirt and rubbish on the construction site.





10CYEARS Building our world, Together,

#### FSB 36-18 LTX BL 40 CORDLESS TRIMMER (BIKE-HANDLE)

#### FSD 36-18 LTX BL 40 CORDLESS TRIMMER (D-HANDLE)

Comfortable and easy working

Strong brushless motor for high performance and long runtime per battery pack charge

- Flexible working thanks to stepless speed control
- Thread change quick and without tools

Easy readjustment of the thread by means of short tapping of the spool head while working

	FSB 36-18 LTX BL 40	FSD 36-18 LTX BL 40
Battery pack voltage	2 x 18 V	2 x 18 V
Handle type	Bike handle	D-handle
Cutting diameter	40 cm	40 cm
Thread diameter	2 mm	2 mm
No-load speed	0-6,000 / min	0-6,000 / min
Weight (excl. battery pack)	3,9 kg	3,5 kg

BRUSHLESS



#### FSB 36-18 LTX BL 40 Scope of delivery

Bike handle Back carry strap Guard Twin line spool (line Ø 2 mm, 4 m) Brush cutter with 3 blades Adapter for blades Combo-spanner Locking pin without battery pack, without charger



18V + 18V 36 \	/
----------------	---

Battery options	Order No.
FSB 36-18 LTX BL 40 Body only	601611850
FSD 36-18 LTX BL 40 Body only	601610850

\* See page 201 for Battery Set options

#### FSD 36-18 LTX BL 40 Scope of delivery

Loop handle, Shoulder strap, Guard Twin line spool (line Ø 2 mm, 4 m), Combo-spanner without battery pack, without charger



#### **RTD 18 LTX BL 30 CORDLESS GRASS TRIMMER**

- Light and compact cordless lawn trimmer for mowing, trimming and cultivation work
- Easy transport and space-saving storage thanks to two-piece shaft with quick coupling
- Easy readjustment of the line by means of short tapping of the spool head while working
- Metabo quick thread change: fast and without tools, without removing or opening the spool
- Powerful brushless motor for high cutting performance and long runtime per battery pack charge
- Stepless speed control for flexible working
- Folding safety bar as spacer to trees, shrubs or other obstacles
- Safe working thanks to rubberised grip areas and additional safety switch
- Durable and robust thanks to metal motor housing and impact protection for the battery pack

Battery pack voltage	1 x 18 V
Handle type	Loop handle
Cutting diameter	30 cm
Thread diameter	2 mm
No-load speed	0-6,500 / min
Weight (excl. battery pack)	3,4 kg

Quick thread change

Metabo quick thread change: fast and without tools, without removing or opening the spool.



BRUSHLESS

#### RTD 18 LTX BL 30 Scope of delivery

Loop handle, Shoulder strap, Guard, Twin line spool (line Ø 2 mm, 4 m), Allen key, Phillips screwdriver, without battery pack, without charger

[	Battery options	Order No.
	RTD 18 LTX BL 30 Body only	601720850

\* See page 201 for Battery Set options

Full Service price group FS2

# Mowing and trimming around the house.





# Lightweight for clean cuts.

10CYEARS Building our world. Togethe



#### HS 18 LTX 55 CORDLESS HEDGE TRIMMER

- Extremely light and quiet cordless hedge trimmer for effortless trimming of hedges and shrubs
- Clean cuts thanks to laser-cut, diamond-ground blades
- High cutting output thanks to special drop shape of the blade teeth: No escaping of the twigs while cutting
- Trigger guard protects user and gearing when working near walls and the ground
- Comfortable two-hand operation in any situation thanks to long trigger button with inside bow-type handle switch
- High user safety thanks to additional safety switch and blade quick stop (in 0.08 seconds)

A STATISTICS OF STATISTICS

Comfortable working thanks to perfect balance, low-vibration operation and softgrip handle

Battery pack voltage / type	18 V / LiHD / Li-ion
Runtime per battery charge	70 min
Cutting thickness / length	18 mm / 53 cm
No of strokes (No Load)	2700 spm

HS 18 LTX 55 Scope of delivery

without battery pack, without charger

Blade protection cover,



Battery options	Order No.
Body only	601718850

\* See page 201 for Battery Set options

Full Service price group FS4

#### HS 18 LTX 65 CORDLESS HEDGE TRIMMER

- Extremely light and quiet cordless hedge trimmer for effortless trimming of hedges and shrubs
- Clean cuts thanks to laser-cut, diamond-ground blades
- High cutting output thanks to special drop shape of the blade teeth: No escaping of the twigs while cutting
- Trigger guard protects user and gearing when working near walls and the ground
- Comfortable two-hand operation in any situation thanks to long trigger button with inside bow-type handle switch
- High user safety thanks to additional safety switch and blade quick stop (in 0.08 seconds)
- Comfortable working thanks to perfect balance, low-vibration operation and softgrip handle

Battery pack voltage / type	18 V / LiHD / Li-ion		
Cutting thickness / length	18 mm / 63 cm		
No of strokes (No Load)	2700 spm		
HS 18 LTX 65 Scope of deli Blade protection cover,	•		
without battery pack, without ch	harger		CAS ETOP
and the second sec	•	Battery options	Order No.
Carlo a		Body only	601719850
-		* See page 201 for Battery Set optic	ons

cuts

Order No.

601722850

Battery options

Body only (Cardboard box)

\* See page 201 for Battery Set options

Full Service price group FS4

# Comfortable working with powerful



#### HS 18 LTX BL 75 Scope of delivery

Blade protection quiver without battery pack, without charger

5 HEDGE TRIMMER	
-----------------	--

- Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications
- Rotating handle with 5 positions for safe and flexible guiding the hedge trimmer
- Highly efficient, precise dual cutting system thanks to diamond-ground blade teeth on both sides

Battery pack voltage	18 V
Blade length	55 cm
Cutting length	50 cm
Max. Cutting thickness	21 mm

**HS 18 LTX BL 5** 



#### HS 18 LTX BL 55 Scope of delivery

HS 18 LTX BL 65 HEDGE TRIMMER

Blade protection quiver without battery pack, without charger



- Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications
- Rotating handle with 5 positions for safe and flexible guiding the hedge trimmer
- Highly efficient, precise dual cutting system thanks to diamond-ground blade teeth on both sides

Battery options	Order No.	
Body only (Cardboard box)	601732840	
* See page 201 for Battery Set options		

Full Service price group FS4



#### HS 18 LTX BL 75 HEDGE TRIMMER

- Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications
- Rotating handle with 5 positions for safe and flexible guiding the hedge trimmer
- Highly efficient, precise dual cutting system thanks to diamond-ground blade teeth on both sides

Battery pack voltage	18 V
Blade length	75 cm
Cutting length	70 cm
Max. Cutting thickness	21 mm

without battery pack, without charger







# 3 in 1: Mowing, collecting, mulching.

metabo

10CYEARS Building our world. Together

And and the local design of the

Areas up to

#### RM 36-18 LTX BL 46 CORDLESS LAWN MOWER

- 3 in 1: Mowing, Collecting. Mulching.
- Ideal for areas up to 800 m<sup>2</sup>
- High cutting performance and long runtime per battery pack charge
- Maximum runtime thanks to automatic adjustment of the motor power depending on the grass height
- Easy cutting height setting in 7 stages
- Robust with long service life thanks to metal cover and high-quality mower blade

Battery pack voltage	2 x 18 V
Cutting width	46 cm
Cutting height from-to	25 - 80 mm
Collection bag volume	55 L
Weight (excl. battery pack)	24.5 kg

Battery options	Order No.
Body only	601606850

\* See page 201 for Battery Set options



BRUSHLESS

CAS



Metabo Uk


RM 36-18 LTX BL 46 Scope of delivery

relabo

without battery pack, without charger

Full Service price group FS4

800 m<sup>2</sup>



Areas up to 350 m<sup>2</sup>

10 CYEARS Building our world, Together,

#### RM 36-18 LTX BL 36 CORDLESS LAWN MOWER

- Compact, mobile cordless lawn mower for mowing and mulching near edges of plots up to 350 m2
- Mowed material is either collected in the flexible collection bag or mulched immediately to remain on the green area
- Powerful brushless motor for high cutting performance and long runtime per battery pack charge
- Central, easy-to-operate cutting height setting in 5 stages
- Clean cut near edges thanks to high-quality mower blade and integrated lawn combs
- Collection bag with fill level window

Battery pack voltage	2 x 18 V
Cutting width	36 cm
Cutting height from-to	20 - 70 mm
Collection bag volume	45 L
Weight (excl. battery pack)	12.6 kg


Battery options	Order No.
Body only	601716850

\* See page 201 for Battery Set options



BRUSHLESS

CAS



without battery pack, without charger

Full Service price group FS4

Metabo Uk

182

# Compact. Safe. Versatile.

#### MS 18 LTX 15 CORDLESS PRUNING SAW



- Handy and safe cordless pruning saw, ideal for cutting back trees and shrubs as well as for cuttings
- In combination with the MS telescopic handle (accessory), the mini motor saw can be used like a pole pruner
- Constantly high chain speed under load for fast sawing progress
- Up to 60 powerful cuts into hard wood Ø 80 mm with one battery pack charge (Li-Power battery pack 18 V/2.0 Ah)
- Safe working thanks to guard, grip protection and safety switch against unintentional starting
- Simple handling thanks to compact size, low weight and rubberised handle areas
   Low high pair for some one on the state of the state of
- Low kickback chain for easy, safe cuts and low vibrations
- Easy changing and tensioning of the saw chain thanks to quick-closure and the tensioning tool stored on the housing
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Battery pack voltage / type	18 V / LiHD / Li-ion
Track length	15 cm
Cutting length	15 cm
Max. chain speed	5 m/s
Saw chain tooth shape	semi-chisel
Drive link thickness	1.1 mm
Number of drive links	39
Weight with battery pack	1.6 kg



Battery options	Order No.	
Body only (metaBOX 145 L)	600856840	CAS

\* See page 201 for Battery Set options



#### MS 18 LTX 15 Scope of delivery

Saw rail 15 cm, Saw chain 15 cm (1/4" LP / 1.1 mm), Sawing chain protection, Bio sawing chain lubrication oil 100 ml Hexagonal wrench with spherical head, metaBOX 145 L without battery pack, without charger

#### AVAILABLE AS ACCESSORY

#### TELESCOPIC HANDLE MS (628714000)

- The combination of telescopic handle MS and cordless pruning saw can be used as a pole pruner for tree care
- Stable slide-on connection with additional locking screw
- Ultra-light fibreglass pole with rubberised handle area and armrest for comfortable working



185



# **Powerful for fast cuts.**

# Metabo Uk

#### MS 36-18 LTX BL 40 CORDLESS CHAIN SAW

- Powerful cordless motor saw for fast, uniform cuts when felling, delimbing trees, cutting and building with wood
- Maintenance-free, powerful Brushless motor with direct drive for maximum battery pack runtimes and a high chain speed up to 22 m/s
- Flexible working thanks to stepless speed control
- Low kickback chain for easy, safe cuts and low vibrations
- Maximum user safety thanks to chain quick stop during kickback and releasing of the switch
- Safety switch for protection against accidental start up
- High working comfort thanks to rubberised handle, compact design and low weight compared to petrol-powered chain saws
- Automatic chain lubrication for highest cutting output with minimum service requirements
- Easy re-tensioning and replacement of the saw chain
- Semi-transparent oil tank with quick closure for comfortable controlling and refilling of the chain oil
- Robust pronged stop made from metal for optimal guidance and low-fatigue sawing
- Felling hinge strip for targeted location of the felling direction
- Environmentally-friendly and quiet thanks to battery operation, therefore usable also in areas sensitive to noise
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery pack voltage / type	18 V / LiHD / Li-ion
Track length	40 cm
Cutting length	36 cm
Max. chain speed	22 m/s
Saw chain tooth shape	semi-chisel / low profile
Drive link thickness	1,1 mm
Oil container volume	200 ml
Weight with battery pack	4.6 kg

#### MS 36-18 LTX BL 40 Scope of delivery

Oregon sawing rail 40 cm, Oregon saw chain 40 cm (3/8" LP / 1.1 mm), Sawing chain protection, Combo spanner, without battery pack, without charger



Battery options	Order No.
Body only (Cardboard box)	601613850

\* See page 201 for Battery Set options



# The solution for many garden jobs: The Metabo garden multifunction system

# All-in-one

Metabo Uk

#### MA 36-18 LTX BL Q CORDLESS MULTI-FUNCTION DRIVE

- Powerful 2x18 Volt cordless drive for the attachments of the Metabo multifunction system, the all-in-one solution for many garden applications
- Powerful Brushless motor for high performance and long battery pack runtime
- Variable working speed thanks to two selectable speed ranges and infinitely variable speed control trigger
- Metabo "Quick" quick coupling system for tool-free attachment replacement
- Healthy position and balanced weight thanks to individually adjustable loop handle and shoulder strap
- Safe working thanks to rubberised grip areas and additional safety switch against unintentional starting
- Environmentally-friendly and quiet thanks to battery operations, therefore usable also in areas sensitive to noise
- Practical protection and support bracket on the battery packs
- Space-saving storage at the wall by means of practical suspension eye
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com



Battery options	Order No.
Body only (cardboard box)	601725850

#### MA 36-18 LTX BL Q Scope of delivery

Loop handle, Hexagonal wrench, Shoulder strap, without battery pack, without charger

\* See page 201 for Battery Set options



#### **HEDGE TRIMMER ATTACHMENT MA-HS 50**

- Cutting of high hedges and shrubs with the hedge trimmer attachment of the Metabo multifunction system, the all-in-one solution for many garden applications
- Together with the cordless multifunction drive MA 36-18 LTX BL Q an environmentally-friendly, quiet system, ideal for areas sensitive to noise
- Metabo "Quick" quick coupling system for tool-free attachment replacement
- Highly efficient, precise dual cutting system thanks to diamond ground blade teeth on both sides
- Cutter bars can be swivelled by 215° in 13 steps without tools for the optimal angle depending on the working situation
- Trigger guard protects user and gearing when working near walls and the ground

Blade length	50 cm
Cutting length	48 cm
Max. cutting thickness	22 mm
No of strokes (No Load)	0 - 2,600 / 0 - 3,100 rpm
Length / Length with drive	1,645 mm / 2,620 mm
Weight	2.8 kg

#### M-HS 50 Scope of delivery

Blade protection cover

Order No. 601726850

#### POLE PRUNER ATTACHMENT MA-MS 25

- Safe tree maintenance with the pole pruner attachment of the Metabo multifunction system, the all-in-one solution for many garden applications
- Together with the cordless multifunction drive MA 36-18 LTX BL Q an environmentally-friendly, quiet system, ideal for areas sensitive to noise
- Metabo "Quick" quick coupling system for tool-free attachment replacement
- Shaft extension to increase the range by 88 cm available as accessory
- Low kickback chain for easy, safe cuts and low vibrations
- Integrated hook for the removal of cut branches from the treetop
- Semi-transparent oil tank for comfortable controlling and refilling of the chain oil

Track length	25 cm
Cutting length	24 cm
Max. chain speed level 1 / 2	16 m/s / 18 m/s
Saw chain tooth shape	Semi-chisel / low profile
Length / Length with drive	1,230 mm / 2,005 mm
Weight	1.7 kg

#### MA -MS 25 Scope of delivery

Saw chain 25 cm (3/8" LP / 1.3 mm), Saw rail 25 cm, Sawing chain protection, Combo-spanner

Order No. 601727850



#### **BRUSH CUTTER ATTACHMENT MA-FS 40**

- Mowing, trimming and clearing out with the brush cutter attachment of the Metabo multifunction system, the all-in-one solution for many garden applications
- Together with the cordless multifunction drive MA 36-18 LTX BL Q an environmentally-friendly, quiet system, ideal for areas sensitive to noise

10CYEARS Building our world. Together

- Metabo "Quick" quick coupling system for tool-free attachment replacement
- Versatile use with twin line spool for grass cuts or blades for brushwood
- Easy readjustment of the line by means of short tapping of the spool head while working
- Metabo quick thread change: fast and without tools, without removing or opening the spool
- Fast work initiation thanks to fast, powerful startup
- Robust use thanks to durable metal gear unit

Cutting diameter	40 cm	
No load speed	0 - 5,300 / 0 - 6,000 rpm	
Thread diameter	2 mm	
Length / Length with drive	935 mm / 1,960 mm	
Weight	1.6 kg	

#### MA-FS 40 Scope of delivery

Guard, Twin line spool (line Ø 2 mm, 4 m), Brush cutter with 3 blades, Adapter for blades, Combospanner, Hexagonal wrench

#### Order No. 601728850

#### RSG 18 LTX 15 CORDLESS BACK-PACK SPRAYER

- Constant spray pattern, ideal for the even spraying of plant strengthening and pesticides
- High spray volume per battery charge
- High wearing comfort, through ergonomic tank shape and padded shoulder straps with click closure
- Stepless working pressure adjustment
- Precise and application-oriented
- Dosage of the spray quantity
- 4 hours runtime per battery pack (Li-ion 2.0 Ah at 1.5 bar)



#### RSG 18 LTX 15 Scope of delivery

Manual valve, Hose line, Spray pipe Regulating nozzle (1.7 mm), without battery pack, without charger

Battery options	Order No.	
Body only	602038850	G

\* See page 201 for Battery Set options



# Cordless submersible and rain barrel pump

metabo



#### **TPF 18 LTX 2200 CORDLESS SUBMERSIBLE PUMP**

- Flexible cordless pump with 2 functions: can be used always and everywhere as immersion pump or rain barrel pump
- For environmentally-friendly garden irrigation with rain water or pumping out of clear water from containers, water basins and flooded cellars
- Fast retrofitting from rain barrel pump to clear water immersion pump thanks to tool-free removal of the pump base
- Low-intake level up to a residual water level of 1-2 mm
- External battery pack box for protection of the battery pack from moisture, can easily be fixed to the wall or containers
- Easy operation and control of the pump thanks to uncluttered control panel on the battery pack box
- Timer function with three runtimes from start, perfect when using garden sprinklers
- Flexible dosing of pressure and water quantity thanks to three performance levels and regulating valve
- Suitable for a number of containers thanks to slim design (Ø142 mm) and long cable to the battery pack box
- Metabo pump protection: automatic dry-run protection with LED display to protect the pump and high user safety
- Durable thanks to double sealing system and overload protection of the motor
- Washable filter protects the pump from contaminations
- Robust housing made of impact-proof plastic with integrated cable winder and carry handle






Battery options	Order No.
Body only	601729850

\* See page 201 for Battery Set options

Full Service price group FS1



#### TPF 18 LTX 2200 Scope of delivery

Multi-adapter, 1/2" hose (1.5 m) with quick-action couplings, Control valve / shut-off valve, Cock connector, Hose guide, Mounting hook, without battery pack, without charger

195

mer

# Battery pack runtimes at a glance

	Which machine achieves the best runtime with which battery pack?					Battery pack			
		tery pack?		Li-Power		LiHD			
In this overview you find everything at a glance: Machine, application, battery pack and runtime.					<b>E</b>				
Application	Machine	Accessories	2.0 Ah Li-ion	4.0 Ah	5.2 Ah Li-ion	4.0 Ah	5.5 Ah	8.0 Ah	10.0 Ah
Cutting hedges	Hedge trimmers / shrub shears								
Trimming cut / easy application	SGS 18 LTX Q	Shrub blade	165 min	330 min	430 min	330 min	455 min	660 min	825 min
مِنْعَ <b>قْدَ</b> اد.	HS 18 LTX 45 / HS 18 LTX 55 / HS 18 LTX 65		48 min	96 min	125 min	96 min	132 min	192 min	240 min
	HS 18 LTX BL 55 / HS 18 LTX BL 65 / HS 18 LTX BL 75		16 min	33 min	43 min	33 min	45 min	65 min	82 min
	MA 36-18 LTX BL Q + MA-HS 50 (stage 1)		27 min	55 min	71 min	55 min	75 min	109 min	136 min
Pruning / difficult application	HS 18 LTX 45 / HS 18 LTX 55 / HS 18 LTX 65		17 min	34 min	44 min	34 min	47 min	68 min	85 min
	HS 18 LTX BL 55 / HS 18 LTX BL 65 / HS 18 LTX BL 75		13 min	27 min	35 min	27 min	37 min	54 min	67 min
	MA 36-18 LTX BL Q + MA-HS 50 (stage 2)		20 min	39 min	51 min	39 min	54 min	79 min	98 min
Sawing	Pruning saw / chain saw / pole pru	ner attachment							
	MS 18 LTX 15	Saw rail + saw chain 15 cm	60 cuts	120 steps	156 cuts	120 steps	165 cuts	240 cuts	300 cuts
	MS 18 LTX 15 + telescopic handle MS	(1/4" / 1.1 mm)	48 cuts	96 cuts	125 cuts	96 cuts	132 cuts	192 cuts	240 cuts
Sawing of hard wood (Ø 8 cm)	MA 36-18 LTX BL Q + MA-MS 25 (stage 2)	Saw rail + saw chain 25 cm (3/8" LP / 1.3 mm	70 cuts	140 cuts	182 cuts	140 cuts	193 cuts	280 cuts	350 cuts
Sawing soft wood (10 x 10 cm)	MS 36-18 LTX BL 40	Saw rail + saw chain 40 cm	62 cuts	125 cuts	162 cuts	125 cuts	171 cuts	249 cuts	311 cuts
Sawing of hard wood (Ø 20 cm)	105 30-16 LTA BL 40	(3/8" LP / 1.1 mm)	18 cuts	37 cuts	47 cuts	37 cuts	50 cuts	73 cuts	91 cuts
Leaves / removing dirt	Leaf blower								
and share	LB 18 LTX BL		7 min	14 min	18 min	14 min	19 min	28 min	35 min
Mowing	Lawn mower								
Low grass /	RM 36-18 LTX BL 36		27 min	54 min	70 min	54 min	74 min	108 min	135 min
easy application	RM 36-18 LTX BL 46		23 min	45 min	59 min	45 min	62 min	90 min	113 min
High grass /	RM 36-18 LTX BL 36		8 min	16 min	21 min	16 min	22 min	32 min	40 min
mulching / difficult application	RM 36-18 LTX BL 46		9 min	18 min	23 min	18 min	25 min	36 min	45 min

10CYEARS Building our world. Together.

# Battery pack runtimes at a glance

						Battery pack			
				Li-Power			Lil	HD	
Application	Machine	Accessories	2.0 Ah Li-ion	4.0 Ah	5.2 Ah Li-ion	4.0 Ah	5.5 Ah	8.0 Ah	10.0 Ah
Mowing, trimming and pruning jobs	Shrub-grass shears								
Cutting of lawn edges	SGS 18 LTX Q	Grass blade, telescopic handle	150 min	300 min	390 min	300 min	415 min	600 min	750 min
	Lawn trimmer / brush cutter								
			20 min	40 min	52 min	40 min	55 min	80 min	100 min
Trimming / pruning (grass / weeds)	RTD 18 LTX BL 30	Double thread	10 min	20 min	26 min	20 min	28 min	40 min	50 min
Seal States	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	spool	24 min	47 min	61 min	47 min	65 min	94 min	118 min
	MA 36-18 LTX BL Q + MA-FS 40 (stage 1)		21 min	42 min	55 min	42 min	58 min	84 min	105 min
Mowing (high grass / meadow)	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40	Double thread spool / grass blade	9 / 12 min	18 / 25 min	23 / 32 min	18 / 25 min	25 / 34 min	36 / 49 min	45 / 62 min
ALK MASSAGE	MA 36-18 LTX BL Q + MA-FS 40 (stage 2)		8 / 11 min	17 / 22 min	22 / 29 min	17 / 22 min	23 / 30 min	33 / 44 min	42 / 55 min
Pruning / landscaping (woody material < 20 mm / thicket)	FSD 36-18 LTX BL 40 / FSB 36-18 LTX BL 40		16 min	32 min	41 min	32 min	43 min	63 min	79 min
Sandynet is to all	MA 36-18 LTX BL Q + MA-FS 40 (stage 2)	Brush cutter	14 min	28 min	37 min	28 min	39 min	56 min	71 min
Spraying	Backpack sprayer								
Spraying with operating pressure 1.5 bar	RSG 18 LTX 15		4 h	8 h	10.5 h	8 h	11 h	16 h	20 h
Irrigation / draining	Submersible and rain barrel pump								
Cleaning work / watering flowers	TPF 18 LTX 2200 (stage 1)	Garden shower	55 min	110 min	143 min	110 min	151 min	220 min	275 min
Garden irrigation	TRE 19   TV 2200 (-t 2)	Surface sprinkler	20 min	40 min	52 min	40 min	55 min	80 min	100 min
Pumping out of clear water from vessels / water basins	TPF 18 LTX 2200 (stage 3)	Discharge fitting 1" (Ø 25 mm)	17 min	34 min	44 min	34 min	47 min	68 min	85 min

10CYEARS Building our world. Together.

#### **18V BATTERY PACKS / CHARGERS & BASIC SETS**

#### **18V BATTERY PACKS**

#### A decision for the future: The Metabo battery pack system

The correct choice of the battery pack system is a decision with long-term effect. The battery pack systems of different manufacturers are not compatible with each other, and who does not want to carry around an entire collection of battery packs and chargers, should rather decide for a uniform battery pack system right from the beginning. Therefore, so many professionals with high and very high demands for their tools trust in Metabo. We produce any relevant power tool, where it is technically sensible and feasible, also as cordless variant - powerful, innovative and in top quality.

#### Our vision - your ultimate independence thanks to innovative battery pack system

As leader in battery pack technology, Metabo consequently follows the vision of a cordless construction site to make you even more independent and mobile in your work. When deciding for our cordless interface, you are ideally equipped for the challenges of the future. With our innovations we are continuously setting new standards in the battery pack area.

#### They ensure limitless compatibility: The Metabo cordless systems

With our 100% compatibility within the battery pack system, you are always on the safe side - today and in the future! Since 2009, all Metabo battery packs, machines and chargers in a volt class can be flexibly combined with each other. This is possible by our powerful Metabo Ultra-M technology. It stands for the optimal coordination and perfect communication between machine, battery pack and charger. Like this, battery packs are charged in an efficient and gentle manner and are quickly ready to be used again thanks to patented AIR COOLED technology. When working, the energy is optimally used. At the same time our battery packs are particularly durable, and come with a 3 year warranty as standard.

Battery type	Ah	Order No.		Battery type
Li-ion	2.0	625026000		LIHD cas
Li-ion	4.0	625027000		
Li-ion	5.2	625028000		
C15	4.0	625367000		
CAS	5.5	625368000		
	8.0	625369000	<b>CAS</b>	



Ah

10.0

Q

Order No.

625549000

**Class 9 goods product**: This product is not suitable for air freight as delivered

10CYEARS Building our world. Togethe



Tip: Calculate charging times.
Take the battery voltage x battery Ah = watt hour
then divide by charger watt hour x 60

i.e. 18V x 8.0Ah / 145 x 60 = 59.58 mins (1 hr)

Basic Set	Ah	Order No.
2 x 18 V Li-ion Charger ASC 55	4.0	685050380
2 x 18 V Li-ion Charger ASC 55	5.2	685051380

	Basic Set	Ah	Order No.
<b>\$</b>	2 x 18 V <b>LiHD</b> Charger ASC 55	4.0	685163380
<b>\$</b>	3 x 18 V <b>LiHD</b> Charger ASC 55	4.0	685132380
	2 x 18 V <b>LiHD</b> Charger ASC 145	5.5	685122380
	2 x 18 V <b>LiHD</b> Charger ASC 145 metaBOX 145	8.0	685131000
	4 x 18 V <b>LiHD</b> 1 x Charger ASC 145 DUO MetaLoc	8.0	685135000
	2 x 18 V <b>LiHD</b> Charger ASC 145 metaBOX 215	10.0	685142000
	4 x 18 V <b>LiHD</b> Charger ASC 145 DUO metaBOX 215	10.0	685143000

Class 9 goods product: This product is not suitable for air freight as delivered

200

Notes	Notes


NOTES

#### **18V REDEMPTION OFFERS**



Checkout our website for our latest offers

\*(Subject to change)





On-line registration required for extended warranty to take effect.

Class 9 dangerous goods and are not suitable for air freight as delivered. Should you need to arrange collection of faulty goods please contact Metabo UK Ltd for details.

#### The Metabo 3-year tool warranty

At Metabo we design our power tools for a long service life, but to give you additional piece of mind for your investment we offer the XXL warranty. After registration, your normal warranty is simply extended to 3 years from the date of purchase.

#### What is the XXL warranty?

The XXL warranty extends Metabo's normal one year power tool warranty to three years, and is acquired free of charge by registering online at www.metabo.com/xxl. The warranty is available only for tools purchased from April 1, 2004.

#### What is covered by the XXL warranty?

The XXL warranty covers defects in materials and workmanship. Simply return the tool to your point of sale or your nearest Metabo Repair Centre. See Metabo's warranty statement for full details.

#### Will all machines purchased come with the XXL warranty?

The XXL warranty is an extension that you receive free of cost only after online registration provided you purchased your machine anytime from April 1, 2004 onwards.

#### How does the registration work?

On our hompage, complete the XXL warranty form and print out the receipt and you will receive a confirmation via Email. Then, should you make a warrantyy claim, send this receipt along with the original sales receipt and the faulty machine to your point of sale or warranty agent.

#### Am I entitled to a warranty claim without an online receipt?

Yes, you are entitled to the normal one year warranty period. The online receipt is meant exclusively for extension of the warranty period to the XXL warranty (three years). If your tool is not registered, the normal one year warranty applies.

#### How can I register if I have no internet connection?

You can register your machine at www.metabo.com/xxl from any place with access to internet. On purchasing a new machine, your dealer can also register your machine online immediately, as long as the dealer has an internet connection.

#### How soon after the purchase date must I complete the registration?

The machine must be registered with four weeks after the purchase date. For more information, visit the Metabo XXL web site: www.metabo.com/xxl

#### 3-year battery and charger warranty



Metabo 18V Lithium-lon and LiHD battery packs and chargers are warranted to the original purchaser for 3 years from the date of purchase against defects in materials and workmanship.

If a listed battery fails to take a charge, or if the charger fails, due to a defect in the first 3 years of ownership, return the battery or charger, along with proof of purchase to your dealer or warranty agent.

# Metabo Service: Easy, safe, fair.



### The advantages

Free repairs of wear and tear
 Free theft protection
 Free collection and delivery

### **FULL SERVICE: Theft protection:**

- If an authorized device is stolen, a machine of the same type (basic device, no sets) can be purchased from the Metabo dealer with a 50% discount from the manufactures RRP Incl VAT.
- The replacement unit can take over the remaining time of the Full Service contract.
- To make use of the theft protection, the theft must be reported immediately to the police. The notification with the proof of registration must be submitted within 5 working days after the theft to Metabo.
- After successful testing, the new device is delivered to the dealer against payment of the purchase price.

#### Our full service: so easy - so fair

The Metabo FULL SERVICE is an optional extra which can be purchased at the same time as your machine purchase. Simply purchase a service card directly from your dealer, the full service price group can be found in the Metabo cordless catalogue and wesbite.

When registering your machine within four weeks of purchase for the standard XXL warranty, simply enter the FULL SERVICE code as found on the service card and this will automatically upgarde your warranty to the FULL SERVICE.

The service flatrates are available in the 4 tightly calculated price categories.

Full service price group Order no.	FS 1 144207090	FS 2 144207100	FS 3 144207110	FS 4 144207120
Machine	e.g. cordless drill/screwdriver PowerMaxx BS 12, orbital sander FMS 200 Intec	e.g. circular saw KS 55 FS, drill SBE 850	e.g. cordless angle grinder W 18 LTX 125 Ouick, rotary hammer KHE 2644	e.g. cordless screwdriv- er BS 18 LTX BI QI, jigsaw STE 140 Plus
Cost per month	£ 1.17	£ 1.81	£ 2.36	£ 3.03
One-time cost for 36 months	£ 42.00 incl. VAT	£ 65.00 incl. VAT	£ 85.00 incl. VAT	£ 109.00 incl. VAT







We give you an extra XXL warranty on all our products. Simply register your product online within 4 weeks of purchase and your standard guarantee is extended to 3 years.

Register at metabo-service.com

207

# metabo 10C<sup>YEARS</sup>

#### **Dealer stamp:**

Metabo (UK) Ltd 25 Majestic Road, Nursling Industrial Estate, Southampton • SO16 0YT

www.metabo.com/uk





# metabo

melebo

Metabo reserves the right to change details or product specification without notice. Photographs are for illustration purposes only. No liability is accepted for printing errors.

